









25C High Desert



1880

SH

18L Morning Dew

and the state of the

23B Morning Dew

-LE

23B High Desert

EXIT



Sit n Sleep Option Available on 23B & 23D

Loaded with ALL these Standard Features

Equaflex Suspension, Certified Off-Road Chassis TG Plywood Floor Decking, Plywood Roof Decking, Multi Layered Fiberglass Wall

<u>...plus these amenities</u> 12 Volt Power Awning - Rear Receiver Hitch 10 Gal. Water Heater - Generator Ready

...and these Absolute Northwood Features LED Utility Lighting Inside and Out Custom Built Off Road Certified Chassis Bonded Northwood Roof Truss System Residential Quality Face-Frame Custom Built Cabinetry All Conditions-Insulated & Heated Holding Tanks & Valves (Option All Units) Glue Bonded Construction w/16" O/C Wood Frame, 2x4 Wheel Wells, 2x6 Headers & Steel Reinforcing One Piece Fiberglass Exterior Wall w/ Multiple Laminated Luaun Subtrate layers

...STANDARD ON EVERY NASH!



SH/



WARD

FRIDGE





High Desert Interior

60" x 80"

WARD

17K

<u>Loaded with ALL these Standard Features</u> Equaflex Suspension, Certified Off-Road Chassis

TG Plywood Floor Decking, Plywood Roof Decking, Multi Layered Fiberglass Wall

<u>...plus these amenities</u> 12 Volt Power Awning - Rear Receiver Hitch 10 Gal. Water Heater - Generator Ready

...and these Absolute Northwood Features LED Utility Lighting Inside and Out Custom Built Off Road Certified Chassis Bonded Northwood Roof Truss System Residential Quality Face-Frame Custom Built Cabinetry All Conditions-Insulated & Heated Holding Tanks & Valves (Option All Units) Glue Bonded Construction w/16" O/C Wood Frame, 2x4 Wheel Wells, 2x6 Headers & Steel Reinforcing One Piece Fiberglass Exterior Wall w/ Multiple Laminated Luaun Subtrate layers

...STANDARD ON EVERY NASH!



SH/





τv

48" X 74-1/2

0 0

OHD

FRIDGE



High Desert Interior As seen here in the 23D WARD

8L

Morning Dew Interior

Morning Dew Interior

Loaded with ALL these Standard Features

Equaflex Suspension, Certified Off-Road Chassis TG Plywood Floor Decking, Plywood Roof Decking, Multi Layered Fiberglass Wall

...plus these amenities 12 Volt Power Awning - Rear Receiver Hitch 10 Gal. Water Heater - Generator Ready

...and these Absolute Northwood Features LED Utility Lighting Inside and Out Custom Built Off Road Certified Chassis Bonded Northwood Roof Truss System Residential Quality Face-Frame Custom Built Cabinetry All Conditions-Insulated & Heated Holding Tanks & Valves (Option All Units) Glue Bonded Construction w/16" O/C Wood Frame, 2x4 Wheel Wells, 2x6 Headers & Steel Reinforcing One Piece Fiberglass Exterior Wall w/ Multiple Laminated Luaun Subtrate layers

...STANDARD ON EVERY NASH!

High Desert Interior



SH/



WARD



OHD

FRIDGE



54" X 74-1/2

22H

WARD

Morning Dew Interior As seen here in the 24M

High Desert Interior

<u>Loaded with ALL these Standard Features</u> Equaflex Suspension, Certified Off-Road Chassis TG Plywood Floor Decking, Plywood Roof Decking, Multi Layered Fiberglass Wall

<u>...plus these amenities</u> 12 Volt Power Awning - Rear Receiver Hitch 10 Gal. Water Heater - Generator Ready

...and these Absolute Northwood Features LED Utility Lighting Inside and Out Custom Built Off Road Certified Chassis Bonded Northwood Roof Truss System Residential Quality Face-Frame Custom Built Cabinetry All Conditions-Insulated & Heated Holding Tanks & Valves (Option All Units) Glue Bonded Construction w/16" O/C Wood Frame, 2x4 Wheel Wells, 2x6 Headers & Steel Reinforcing One Piece Fiberglass Exterior Wall w/ Multiple Laminated Luaun Subtrate layers

... STANDARD ON EVERY NASH!

Morning Dew Interior



SH/



WARD

32 x 74

BUNK BE



FRIDGE

High Desert Interior As seen here in the 23D

Morning Dew Interior

WARD

WARD

23B

60" X 74-1/2



<u>Loaded with ALL these Standard Features</u> Equaflex Suspension, Certified Off-Road Chassis TG Plywood Floor Decking, Plywood Roof Decking, Multi Layered Fiberglass Wall

...plus these amenities 12 Volt Power Awning - Rear Receiver Hitch 10 Gal. Water Heater - Generator Ready

...and these Absolute Northwood Features LED Utility Lighting Inside and Out Custom Built Off Road Certified Chassis Bonded Northwood Roof Truss System Residential Quality Face-Frame Custom Built Cabinetry All Conditions-Insulated & Heated Holding Tanks & Valves (Option All Units) Glue Bonded Construction w/16" O/C Wood Frame, 2x4 Wheel Wells, 2x6 Headers & Steel Reinforcing One Piece Fiberglass Exterior Wall w/ Multiple Laminated Luaun Subtrate layers

... STANDARD ON EVERY NASH!





WARD

FRIDGE



Morning Dew Interior As seen here in the 24M

WARD

WARD

60" X 74

23D

High Desert Interior

- (((

High Desert Interior

<u>Loaded with ALL these Standard Features</u> Equaflex Suspension, Certified Off-Road Chassis

TG Plywood Floor Decking, Plywood Roof Decking, Multi Layered Fiberglass Wall

<u>...plus these amenities</u> 12 Volt Power Awning - Rear Receiver Hitch 10 Gal. Water Heater - Generator Ready

...and these Absolute Northwood Features LED Utility Lighting Inside and Out Custom Built Off Road Certified Chassis Bonded Northwood Roof Truss System Residential Quality Face-Frame Custom Built Cabinetry All Conditions-Insulated & Heated Holding Tanks & Valves (Option All Units) Glue Bonded Construction w/16" O/C Wood Frame, 2x4 Wheel Wells, 2x6 Headers & Steel Reinforcing One Piece Fiberglass Exterior Wall w/ Multiple Laminated Luaun Subtrate layers

...STANDARD ON EVERY NASH!



SH/



OHD

WARD

QUALITY FIRS

00

Q

FRIDGE

24M

OHD

WARD

WAR

60" X 74-1/2

High Desert Interior As seen here in the 23D

Morning Dew Interior

Morning Dew Interior

<u>Loaded with ALL these Standard Features</u> Equaflex Suspension, Certified Off-Road Chassis

TG Plywood Floor Decking, Plywood Roof Decking, Multi Layered Fiberglass Wall

...plus these amenities 12 Volt Power Awning - Rear Receiver Hitch 10 Gal. Water Heater - Generator Ready

...and these Absolute Northwood Features LED Utility Lighting Inside and Out Custom Built Off Road Certified Chassis Bonded Northwood Roof Truss System Residential Quality Face-Frame Custom Built Cabinetry All Conditions-Insulated & Heated Holding Tanks & Valves (Option All Units) Glue Bonded Construction w/16" O/C Wood Frame, 2x4 Wheel Wells, 2x6 Headers & Steel Reinforcing One Piece Fiberglass Exterior Wall w/ Multiple Laminated Luaun Subtrate layers

...STANDARD ON EVERY NASH!



HI /



BUNK

29" X 74

WARD



TV

O O

OHD

FRIDGE

Morning Dew Interior As seen here in the 24M

High Desert Interior

WARD

WARD

60" X 74-1

25C

High Desert Interior

SAFARI TUFF REAR RACK

This Optional Rack can be configured with a number of features!

- Safari Tuff Rear Rack (single basket).
 - 5" Deep Basket
 - Heavy Duty Steel Construction
 - Durable Black Powder Coat Finish

Optional Additional 2nd Rear Rack Basket.

\rm 8 Bike Rack

- Holds Up To 3 Bikes
- Top Plate Secures & Locks Bikes
- Bikes Are Securely Gripped In A Non-Scratch Padded Channel



What is ABSOLUTE NORTHWOOD?



When you purchase a Northwood Product, you are investing in the best quality materials, construction and craftsmanship. That is why the resale value in a Northwood RV remains higher, and your investment retains its value longer. If you ever decide to trade in your RV, you will get top dollar. That is why you don't see many used Northwood RVs on the market, folks buy them up as quickly as they become available because they have a reputation for durability and longevity.



Custom Built, Tested, Certified

FRAME 💷

Select 16" OC Framing, Anchor Blocking & Steel Hurricane Plates

ROOF 💷

Full Walk On, Bonded Roof Truss System

ABINETS 🧾

Wall & Ceiling Mounted, Face Frame Construction



www.Northwoodmfg.com

NORTHWOOD BUILT CERTIFIED CHASSIS



WE BUILD OUR OWN HEAVY DUTY STRUCTURAL STEEL OFF-ROAD CHASSIS

We are one of the few manufacturers that build their own chassis. The name NORTHWOOD is known throughout the industry for quality chassis and we certify ours through an independent testing laboratory for quality assurance.



GLUE BONDED FRAME w/1-PIECE FIBERGLASS, MULTI-LAYER WALLS

Our wall studs are 16" on center select lumber (better than competitor's #2 grade). We use R7 fiberglass insulation which is hand tucked and secured. We apply a one-piece laminated exterior wall of corona treated fiberglass and double layers of lauan plywood.

This wall forms an amazingly strong one piece seamless panel. Industrial strength construction adhesives glue bonds the framing to triple layered, laminated exterior siding.



All these features combine to provide the "Absolute strength" of the Nash sidewall.



A True 4 Season Coach R-7 Fiberglass in Walls & Floor R-14 Fiberglass in the Roof R-15 Reflective Foil - Ceiling & Floor Heated & Enclosed Tanks Heated & Enclosed Valves



OUR BONDED ROOF TRUSS SYSTEM ENSURES A FULL WALK-ON ROOF

BONDED ROOF TRUSS SYSTEM

The Northwood Bonded Roof Truss System bonds all the components of the roof structure together as a unit. The ceiling, trusses and roof plywood are unified in a bonded system that gives superior load distribution and maximum load bearing capacity.



Top quality exterior grade plywood panels are bonded to the trusses and a thick one piece roofing membrane is then applied for a durable, long lasting seal to protect you and your coach from the elements.

Northwood's Bow Trusses offer up to 5-1/2 inch center height, giving the roof plenty of runoff slope to eliminate standing water.

CUSTOM BUILT FACE FRAME CABINETS

CABINETRY w/SOLID WOOD DOORS, BUILT USING RESIDENTIAL FACE FRAME CONSTRUCTION METHODS & INTEGRATED WITH THE WALL & CEILING.

BEAUTIFUL & STRONG





Solid Wood cabinet doors ensure lasting beauty and rugged strength.



<u>Face Frame</u> construction gives our cabinets 'high end' residential quality.



Structurally Integrated cabinetry is anchored to the walls and ceiling structure of our coaches making both the RV and the cabinets stronger.

A TRUE FOUR SEASON ALL CONDITIONS UNIT



HEATED ENCLOSED HOLDING TANKS & DUMP VALVES DESIGNED FOR COLD NORTHERN/HOT SOUTHERN CLIMATES

Northwood builds true 4-Season coaches. Our fully insulated holding tank area circulates warm air around the suspended tanks providing the best protection from freezing. Our knife valves are also enclosed to keep them from freezing. Our 4-Season coaches are insulated with various types of residential quality Rigid Foam, Batten & Reflective Foil insulation to protect you from the winter cold & summer heat.



NASH

Standard Construction Features

Northwood built / certified / off-road chassis Equaflex suspension Durable, seamless, exterior fiberglass siding 5/8" T&G plywood main floor decking Fully decked 3/8" plywood 'Full Walk-On' roof One-piece, seamless, roof membrane Wood structural framing throughout 2" X 2" studs, 16" O/C in walls, front & rear 2" X 3" longitudinal joists 16" on center 5" residential-style tapered wood roof trusses R-7 fiberglass insulation in sidewalls and floor Double R-7 roof insulation w/ reflective foil Reflective Foil insulation throughout floor Darco one-piece RV under siding 1/2" plywood bed and bunk platforms 2" thick laminated route-out dinette platforms

Standard Interior Features

AM/FM/ Stereo w/Blue Tooth Structurally integrated cabinetry throughout Solid wood mortise and tenon cabinet doors Solid wood drawer faces Residential wear surface floor covering Designer décor border Valance window treatments LED utility interior lighting 110 electrical outlets throughout Square cabinet door frames Mini-blind privacy shades throughout Residential furniture by Homestyle 10" electric brakes on all wheels Roller bearing drawer glides

Standard Exterior Features

Generator ready Solar Ready 20 watt solar panel LED Exterior lighting LPG quick connect Rear receiver for cargo rack / bike carrier 15" radial tires Black steel wheels Leaf spring suspension & straight axles Patio light w/interior switch & hitch light Large luggage compartments Luggage doors w/radius corner & metal pulls Non-skid retractable entry step Entry assist handle and hurricane door latch Bumper with drain hose storage and end caps Galvanized steel wheel wells Insulated wheel wells on non-slide models. Mud flaps Large Exterior Entry Grab Handle

Molded ABS LPG tank cover Fiberglass entry door with radius top corners

Fiberglass entry door with radius top con Screen door with kick panel Rain gutters with oversized down spouts Diamond plate front gravel guard Radius cornered windows with screens Dual battery rack welded into A-frame Park cable TV hook-up with RG6 cable Digital TV antenna w/signal booster Hook-up for satellite TV reception 12 volt power awning Custom gray fiberglass exterior Exterior shower

Standard Safety Features

Dual safety chains on A-frame Break-away switch GFCI circuit protection Smoke alarm LPG leak detector Carbon monoxide detector Fire extinguisher Dead bolt lock on entry door Egress windows (for emergency escape)

Standard Bathroom Features

Hand flush toilet Shower surround Shower curtain with curved track Skylight above tub/shower Exhaust fan Wall mounted light switch Large bathroom sink Medicine cabinet with mirror Towel bar Towel ring Toilet paper holder Electrical outlet with GFCI circuit protection

Standard Bedroom Features

Bedroom roof vent Quilted bedspread with reverse sham Designer headboard Camping clothes closet Below-bed storage with gas strut assist Night stand top and drawer Reading lights Mini blind privacy shades Electrical outlets Camping Comfort mattress TV mount pre-block w/ hook-ups

Standard Heat, Power, and Water Equipment

12V electrical system Deluxe 110V 45-amp power converter 30 amp park power cord - 30 feet Auto-ignition furnace with wall thermostat In-floor heat ducting In-ceiling A/C ducting 120V GFCI circuit protected exterior patio outlet 12V demand water pump system Hook-up for city water 10-gal gas water heater Two (2) 30 lbs. propane gas tanks w/ regulator ABS holding tanks Systems monitor panel Water system winterization kit Water heater by-pass Black tank flush

Standard Kitchen Features

Nash signature key holder 3-burner cook top with one 9,000 BTU burner Large oven Range hood with light and exhaust fan Back splash protection behind cook top Double door gas/electric refrigerator Refrigerator door panel inserts Acrylic residential-style sink High profile galley faucet Sink cover / cutting board Large drawers in galley cabinet Galley overhead storage cabinets Ventilating window at galley sink Large picture window at dinette Large dinette table Access to dinette booth storage Laminated countertops Microwave oven with carousel

Options

Aussie Grill w/Bumper Bracket Obe-Co convenience center Exterior marine grade stereo speakers AM/FM Stereo with CD/DVD Heated and enclosed holding tanks Stabilizer jacks - front and rear Safari Tuff Rear Rack Air conditioner Range cover Generator Cargo Carrier Bike rack LCD TV I have a camper's mindset and disperse-camp off the grid for 8-9 months a year, with only 2-3 months of hookups in the winter. Each year I do miles of dirt roads, some ungraded, and double tracks with washboards, rocks, washouts, across streams and whatnot (pretty much trashed my last trailer). Not the typical RV type of travel. I did a fair amount of research last winter for a new trailer and for my 4th RV, decided on a Nash 17K. I picked it up in May and it seems to be holding up fine and it sure is comfortable to live in along with my two cats.

Take care and stay amused Sebastian Halyard

Send us your testimonial with your pictures and you may be featured in our future promotions. Send your information to: feedback@northwoodmail.com

L							10000	
	Model Number	17K	18L	22H	23B	23D	24M	25C
	Dry Axle Weight (approx. Lbs.)	3537	3752	3613	4312	4482	4594	4823
l	Dry Hitch Weight (approx. Lbs.)	500	520	505	430	500	467	555
l	Net Carrying Capacity	2963	2728	2882	2258	2018	1939	2622
l	Gross Dry Weight-Ibs (approx. Lbs.)	4037	4272	4118	4742	4982	5061	5378
I.	Gross Vehicle Weight Rating (GVWR)-Lbs.	7000	7000	7000	7000	7000	7000	8000
	Exterior Length (approx. w/hitch)	22' 4"	23'3"	24'9"	27'7"	25'10"	27'3"	28'8"
	Exterior Height (approx. incl. AC unit)	10'7"	10'7"	10'7"	10'7"	10'11"	10'11"	10'11"
	Exterior Width (approx. w/o awning)	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
1	Tire Size	ST205	ST205	ST205	ST205	ST205	ST205	ST225
l		75R15	75R15	75R15	75R15	75R15	75R15	75R15
l	Load Range	С	С	С	С	С	С	D
l	Fresh Water w/ Water Heater (approx. gal.)	50	50	50	50	50	50	50
	Gray Water Tank (approx. gal.)	35	42	42	42	42	42	42
J	Black Water Tank (approx. gal.)	36	35	35	35	35	35	35
	LPG Capacity (approx. gal.)	14	14	14	14	14	14	14
	CSA - Canadian Dealers Only	YES	YES	YES	YES	YES	YES	YES
	Auto Ignition Furnace (1,000 BTUs)	25	25	25	25	25	25	25

*All dry weights are calculated before adding options. Specifications are subject to change without notice. Verify the towing capacity of your tow vehicle. If you don't know or aren't sure, you can ask your automotive dealership or contact your tow vehicle manufacturer. All weights above are average approximations and may vary.



Northwood Manufacturing, 59948 Downs Rd., PO Box 3359, La Grande, OR 97850 (541) 962-6274 - www.northwoodmfg.com Photos, drawings, dimensions and weights are presented as accurate but may differ from current production models. We continually upgrade & improve our products and reserve the right to change any specifications without notice. Please see your authorized Northwood dealer for updated information.