





CS Adventurous



CS Adventurous







Three Front & rear 3.0 L CRD V6 turbo diesel BlueTec® Two 6 V AGM, 2,400 W Propane, 11 L/3 U.S. gal.,
3.0 L CRD V6 turbo diesel BlueTec® Two 6 V AGM, 2,400 W
diesel BlueTec® Two 6 V AGM, 2,400 W
Propane, 11 L/3 U.S. gal
10,000 BTU
125 L/33 U.S. gal.
40 L/10 U.S. gal.
80 L/21 U.S. gal.
7,000 lbs. (3,200 kg)
750 lbs. (340 kg)
5 year unlimited mileage/ km, RV limited warranty covering the manufacture of the motorhome only (excludes chassis)





Interior Color Options

Cabinetry





Cherry



Main & Accent Fabric







Platinum/Onyx


Leather Seating







Exterior Paint Options





Midnight Black





Charcoal Gray



Built on quality, perfected with style, comfort and all the conveniences you need, the CS Adventurous was designed with the heart of a

Camping has never looked so good

camper in mind. The efficient, compact, and fun CS Adventurous has everything you would ever need for all your outdoor adventures. The CS Adventurous is not your traditional RV, with its sleek styling and size, ease of driving and great fuel economy, no destination is off limits. With seating for six, sleeping for three, and plenty of interior storage, it's camping in a way you never imagined.



Features

- Expanded galley features a 7 cu. ft. refrigerator, convection microwave and abundant storage
- Hydronic heating system provides in-floor radiant heat throughout, supplementary radiant heat in the bathroom, and hot water
- Panoramic windows from front to rear
- Comfortable and spacious permanent bathroom with stand-up shower

CS Adventurous

Specifications

•	
Exterior length	22' 9" (6,945 mm)
Exterior width (without mirrors)	6' 8" (2,025 mm)
Interior aisle width	28" (710 mm)
Exterior height (with roof AC)	9' 7" (2,920 mm)
Interior standing height	6' 2" (1,880 mm)
Wheelbase	170" (4,325 mm)
Gross vehicle weight rating	11,030 lbs. (5,003 kg)
Occupant & cargo carrying capacity*	3,000 lbs. (1,350 kg)
Gross combined weight rating*	15,250 lbs. (6,915 kg)
Towing – tow weight*	7,000 lbs. (3,200 kg)
Towing – tongue weight*	750 lbs. (340 kg)
Fuel type	Diesel
Fresh water capacity	125 L/33 U.S. gal.
Black holding tank capacity	40 L/10 U.S. gal.
Gray holding tank capacity	80 L/21 U.S. gal.
Storage capacity (with options)	1,880 L/66 cu. ft. (2,220 L/78 cu. ft.)
Rear king sleeping maximum (width x length)	69" x 78" (1,750 mm x 1,980 mm)
Rear twin bed sleeping (width x length)	25" x 78" (635 mm x 1,980 mm)
Front single bed (width x length)	22" x 76" (560 mm x 1,930 mm) – optional feature

^{*} Refer to www.roadtrek.com for more details.

RV Warranty

5 year, unlimited mileage/km, RV limited warranty covering the manufacture of the motorhome only (excludes chassis).

Chassis Warranty

3 year/36,000 mile or 60,000 km base limited warranty and 5 year/100,000 mile or 160,000 km limited diesel engine components warranty as offered by Mercedes. Refer to chassis manufacturers' website for details.

Roadtrek Motorhomes Inc. reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. This information is intended as a guide only; please visit www.roadtrek.com for a complete list of specifications and options. Some motorhomes may be shown with equipment that is optional. Accessories shown in the photography are not included.

Coach Features	Standard	Optional
Air conditioner – 110 V, 11,000 BTU roof mount	Х	
Armoire – with adjustable shelves & drawers; interchangeable with right 2 nd row seat		Х
Awning – 13' 2" (4,000 mm) power awning	Χ	
Bathroom – permanently enclosed with sink & shower	Χ	
Batteries – two 6 V AGM, 2,400 W	Χ	
Batteries – four 6 V AGM, 4,800 W		Χ
Cabinet – permanent wardrobe – replaces driver side 2nd row se	eat	Х
Connection – external – 110 V with detachable power cord	Х	
Detectors – smoke, propane & CO	X	
Furnace – propane in-floor radiant heating, 10,000 BTU	Х	
Generator – conventional – propane with remote-start, 2.5 kW		Х
Generator – under-hood		Χ
Generator/alternator – engine mounted 12 V, 3,500 W		Х
Home theater system with 5.1 surround sound & dual center speakers with DVD, CD, AM/FM radio, dual use rear speakers	Х	
Mattress – single folding for 1st & 2nd row seats		Χ
Microwave oven – 110 V convection, 28 L/1.0 cu. ft., 1,800 W convection/1,000 W microwave	Х	
Monitor panel – water, propane & battery charge levels, battery disconnect & generator hour meter	Х	
Power inverter – 12/110 V, 3,000 W with remote	X	
Propane tank – 60 L/16 U.S. gal., 70 lbs.	Χ	
Rear power sofa – fabric	Х	
Rear power sofa – faux leather		Χ
Refrigerator – 12 V/110 V compressor driven with thermostat, 7.0 cu. ft.	Х	
Screen package – rear doors only		Х
Sewage disposal system – 12 V macerator sewage pump	X	
Solar charging system – daylight – 240 W with charge controlle	r	Х
Solar package – two additional 6 V AGM deep cycle auxiliary batteries (4,800 W available), solar charging system (240 W), 3,500 W under-hood generator, upgraded 6 year warranty		Х
Storage compartments (exterior) – one below floor	Х	
Stove – propane; two burner recessed with flush cover & built-in igniter	Х	
Stove – induction cooktop		Χ
TV – 22" HD flat screen on rotating bracket with remote		Х
Water heater – propane, 11 L/3 U.S. gal., 10,000 BTU	Х	
Water system – on demand 12 V with water pump	Х	

Chassis Features	Standard	Optional
Airbag – driver & passenger	Х	
Alternator – 14 V/220 AMP	Х	
Axle - rear - 3.92 (USA) 4.18 (CAN) ratio	Х	
Battery – 760 AMP	Х	
Brakes – anti-lock (ABS), four wheel disc	Х	
Camera – rearview backup	Х	
Climate control – electronic with glove box cooler	Х	
Cooling – transmission oil – external	Х	
Cruise control	Х	
Engine – 3.0 L CRD V6 turbo diesel BlueTec®	Х	
Headlights – automatic on/off	Х	
Luxury chassis OEM option package		Х
Power – 140 kW/188 HP	Х	
Radio – Mercedes Becker Map Pilot Navigation System with Bluetooth & on-dash keypad, audio 15 FM/AM, aux-in, USB	Х	
Receiver - Class III	Х	
Stability program – adaptive (accounts for load)	Х	
Theft deterrent system	Х	
Tilt steering	Х	
Tire storage – vehicle underside between axles	Х	
Tires – LT215/85R16E black wall dual rear	Х	
Torque – 440 Nm/325 lbft.	Х	
Traction control	Х	
Transmission – automatic 5-speed heavy duty	Х	
Wheels – 16" aluminum polished with steel spare		Х
Window operation – power; front doors only	Х	
Wiring harness for towing – E40 wire harness & 7 pin connector	Х	
XL Package - 18" extended chassis at rear		X

Chaccic Eastures

Find Your Roadtrek



Connect With Us



facebook.com/roadtrek



twitter.com/roadtrekmh



youtube.com/roadtrekmotorhomes









RS Adventurous



RS Adventurous








Travel Capacity	Seven
Sleeping Capacity	Four
Dining	Front & rear
Engine	3.0 L CRD V 6 turbo diesel BlueTec®
Batteries	Two 6 V AGM, 2,400 W
Water Heater	Propane with bypass, 23 L/6 U.S. gal., 12,000 BTU
Water Capacity Fresh Black Gray	135 L/36 U.S. gal. 40 L/10 U.S. gal. 80 L/21 U.S. gal.
Tow Weight	7,000 lbs. (3,200 kg)
Tongue Weight	750 lbs. (340 kg)
RV Warranty	5 year unlimited mileage/ km, RV limited warranty covering the manufacture of the motorhome only (excludes chassis)





Interior Color Options

Cabinetry





Cherry

Main & Accent Fabric





Platinum/Onyx

Leather Seating







Exterior Paint Options







Silver Ice



Charcoal Gray



Ruby Red Metallic

Road trips redefined

The RS Adventurous is the perfect companion for life on the open road. The beautiful open concept design allows for up to 91 cubic feet of storage and stunning unobstructed views throughout the vehicle. Featuring an expansive galley, plush captain seats and additional seating on the cozy sofa in the rear, the RS Adventurous makes taking in the sights an enjoyable and comfortable experience for all.



Features

- Expanded galley features a 3.6 cu. ft. refrigerator, convection microwave and abundant storage
- Automatic propane heating system
- Open concept with panoramic windows from front to rear
- Seats up to seven and sleeps up to four

RS Adventurous

Specifications

-	
Exterior length	22' 9" (6,945 mm)
Exterior width (without mirrors)	6' 8" (2,025 mm)
Interior aisle width	28" (710 mm)
Exterior height (with roof AC)	9' 7" (2,920 mm)
Interior standing height	6' 3" (1,910 mm)
Wheelbase	170" (4,325 mm)
Gross vehicle weight rating	11,030 lbs. (5,003 kg)
Occupant & cargo carrying capacity*	3,000 lbs. (1,350 kg)
Gross combined weight rating*	15,250 lbs. (6,915 kg)
Towing – tow weight*	7,000 lbs. (3,200 kg)
Towing – tongue weight*	750 lbs. (340 kg)
Fuel type	Diesel
Fresh water capacity	135 L/36 U.S. gal.
Black holding tank capacity	40 L/10 U.S. gal.
Gray holding tank capacity	80 L/21 U.S. gal.
Storage capacity (with options)	1,750 L/62 cu. ft. (2,570 L/91 cu. ft.)
Rear king sleeping maximum (width x length)	69" x 78" (1,750 mm x 1,980 mm)
Rear twin bed sleeping (width x length)	25" x 78" (635 mm x 1,980 mm)
Front single bed (width x length)	22" x 76" (560 mm x 1,930 mm) – optional feature

^{*} Refer to www.roadtrek.com for more details.

RV Warranty

5 year unlimited mileage/km, RV limited warranty covering the manufacture of the motorhome only (excludes chassis).

Chassis Warranty

3 year/36,000 mile or 60,000 km base limited warranty and 5 year/100,000 mile or 160,000 km limited diesel engine components warranty as offered by Mercedes. Refer to chassis manufacturers' website for details.

Roadtrek Motorhomes Inc. reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. This information is intended as a guide only; please visit www.roadtrek.com for a complete list of specifications and options. Some motorhomes may be shown with equipment that is optional. Accessories shown in the photography are not included.

Coach Features	Standard	Optional
Air conditioner – 110 V, 11,000 BTU roof mount	Х	
Armoire – with adjustable shelves & drawers;		Х
interchangeable with right 2 nd row seat		
Awning – 13' 2" (4,000 mm) power awning	Х	
Bathroom – permanently enclosed with sink & shower	Х	
Batteries – two 6 V AGM, 2,400 W	Х	
Batteries – four 6 V AGM, 4,800 W		Х
Cabinet – permanent wardrobe – replaces driver side 2 nd row se	eat	Х
Connection – external – 110 V with detachable power cord	Х	
Detectors – smoke, propane & CO	Х	
Furnace – propane automatic, 16,000 BTU	Х	
Generator – conventional – propane with remote-start, 2.5 kW		Х
Generator – under-hood		Х
Generator/alternator – engine mounted 12 V, 3,500 W		Х
Home theater system with 5.1 surround sound & dual center speakers with DVD, CD, AM/FM radio, dual use rear speakers	Х	
Mattress – single folding for 1st & 2nd row seats		Х
Microwave oven – 110 V convection, 28 L/1.0 cu. ft., 1,800 W convection/1000 W microwave	Х	
Monitor panel – water, propane & battery charge levels, battery disconnect & generator hour meter	Х	
Power inverter – 12/110 V, 3,000 W with remote	Х	
Propane tank – 60 L/16 U.S. gal., 70 lbs.	Х	
Rear power sofa – fabric		Х
Rear power sofa – faux leather		Х
Refrigerator – 12 V/110 V compressor driven with thermostat, 3.6 cu. ft.	Х	
Screen package – rear doors only		Х
Sewage disposal system – 12 V macerator sewage pump	Х	
Solar charging system – daylight – 240 W with charge controlle	r	Χ
Storage compartments (exterior) – one below floor	Х	
Stove – propane; two burner recessed with flush cover & built-in igniter	Х	
TV – 22" HD flat screen on rotating bracket with remote		Χ
Water heater – propane with bypass, 23 L/6 U.S. gal., 12,000 BTU	J X	
Water system – on demand 12 V with water pump	Х	

Coach Egatures

Chassis Features	Standard	Ontional
Airbag – driver & passenger	X	υμισται
Alternator – 14 V/220 AMP	X	
Axle - rear - 3.92 (USA) 4.18 (CAN) ratio	X	
Battery – 760 AMP	X	
Brakes – anti-lock (ABS), four wheel disc	X	
Camera – rearview backup	Х	
Climate control – electronic with glove box cooler	Х	
Cooling – transmission oil – external	Х	
Cruise control	Х	
Engine − 3.0 L CRD V6 turbo diesel BlueTec®	Х	
Headlights – automatic on/off	Х	
Luxury chassis OEM option package		X
Power – 140 kW/188 HP	Х	
Radio – Mercedes Becker Map Pilot Navigation System with Bluetooth & on-dash keypad, audio 15 FM/AM, aux-in, USB	Х	
Receiver – Class III	Х	
Stability program – adaptive (accounts for load)	Х	
Theft deterrent system	Х	
Tilt steering	Х	
Tire storage – vehicle underside between axles	Х	
Tires – LT215/85R16E black wall dual rear	Х	
Torque – 440 Nm/325 lbft.	Х	
Traction control	Х	
Transmission – automatic 5-speed heavy duty	Х	
Wheels – 16" aluminum polished with steel spare		Х
Window operation – power; front doors only	Х	
Wiring harness for towing – E40 wire harness & 7 pin connector	Х	
XL Package - 18" extended chassis at rear		Х

Find Your Roadtrek



Connect With Us



facebook.com/roadtrek



twitter.com/roadtrekmh



youtube.com/roadtrekmotorhomes









TS Adventurous



TS Adventurous







Travel Capacity Seven **Sleeping Capacity** Four Front & rear Dining **Engine** 3.0 L CRD V6 turbo diesel BlueTec® **Batteries** Four 6 V AGM, 4,800 W Water Heater Engine heat/110 V/12 V/ propane, 11 L/3 U.S. gal.,18,700 BTU **Water Capacity** 125 L/33 U.S. gal. Fresh 40 L/10 U.S. gal. Black 80 L/21 U.S. gal. Gray **Tow Weight** 7,000 lbs. (3,200 kg) **Tongue Weight** 750 lbs. (340 kg) **RV** Warranty 5 year unlimited mileage/ km, RV limited warranty covering the manufacture of the motorhome only (excludes chassis)

Exterior Paint Options











Champagne Pearl



A journey like no other

Luxury meets serenity in the beautifully crafted and feature laden TS Adventurous. Loaded with all the comforts you will ever need to tour around the countryside, the TS Adventurous offers a new stylish charcoal interior crafted with chrome accents, a top-of-the-line galley with true granite countertops, and the comfort and warmth of heated floors. Large panoramic windows, comfortable seating for up to seven, and a state of the art electronic package will leave you never wanting to return home.



Features

- Innovative and interactive Coach-Connect™ monitoring system (optional)
- Expanded galley features a 3.6 cu. ft. refrigerator, microwave, induction cooktop, and on demand hot water
- Large 11,500 BTU air conditioner
- Power awning with integrated lighting


Interior Color Options

Cabinetry



Charcoal (Gloss Finish)

Main & Accent Fabric



Platinum/Onvx

Leather Seating





TS Adventurous

Specifications

•	
Exterior length	22' 9" (6,945 mm)
Exterior width (without mirrors)	6' 7" (2,007 mm)
Interior aisle width	27" (686 mm)
Exterior height (with roof AC)	9' 7" (2,920 mm)
Interior standing height	6' 2" (1,880 mm)
Wheelbase	170" (4,325 mm)
Gross vehicle weight rating	11,030 lbs. (5,003 kg)
Occupant & cargo carrying capacity*	3,000 lbs. (1,350 kg)
Gross combined weight rating*	15,250 lbs. (6,915 kg)
Towing – tow weight*	7,000 lbs. (3,200 kg)
Towing – tongue weight*	750 lbs. (340 kg)
Fuel type	Diesel
Fresh water capacity	125 L/33 U.S. gal.
Black holding tank capacity	40 L/10 U.S. gal.
Gray holding tank capacity	80 L/21 U.S. gal.
Storage capacity	1,727 L/61 cu. ft.
Rear king sleeping maximum (width x length)	69" x 78" (1,750 mm x 1,980 mm)
Rear twin bed sleeping (width x length)	25" x 78" (635 mm x 1,980 mm)
Front single bed (width x length)	22" x 76" (560 mm x 1,930 mm) – optional feature

^{*} Refer to www.roadtrek.com for more details.

RV Warranty

5 year unlimited mileage/km, RV limited warranty covering the manufacture of the motorhome only (excludes chassis).

Chassis Warranty

3 year/36,000 mile or 60,000 km base limited warranty and 5 year/100,000 mile or 160,000 km limited diesel engine components warranty as offered by Mercedes. Refer to chassis manufacturers' website for details.

Roadtrek Motorhomes Inc. reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. This information is intended as a guide only; please visit www.roadtrek.com for a complete list of specifications and options. Some motorhomes may be shown with equipment that is optional. Accessories shown in the photography are not included.

Coach Features	Standard	Optional
Air conditioner – 110 V, 11,500 BTU roof mount	Х	
Awning – 13' 2" (4,000 mm) power awning with integrated lighting	Х	
Bathroom – permanently enclosed with sink & shower	Х	
Batteries – four 6 V AGM, 4,800 W	Х	
Cabinet – permanent – replaces driver side 2 nd row seat		Χ
Coach-Connect™ monitoring system		Χ
Connection – external – 110 V with detachable power cord	Х	
Detectors – smoke, propane & CO	Х	
Furnace – engine heat/110 V/12 V/propane in-floor radiant heating, 18,700 BTU	Х	
Generator – under-hood	Х	
Home theater system with sound bar speakers and DVD player	Х	
Instant hot water – on demand 3.4 L/0.09 U.S. gal., 110 V	Х	
Lighting - LED strip lighting	Х	
Mattress – single folding for 1 st & 2 nd row seats		Χ
Microwave oven – 110 V pull-out drawer style		Χ
Power inverter – 12/110 V, 2,500 W minimum	Х	
Propane tank – 60 L/16 U.S. gal./70 lbs.	Х	
Rear power sofa with faux leather	Х	
Refrigerator – 12 V/110 V compressor driven with thermostat, 3.6 cu. ft.	Х	
Screen package – rear doors		Х
Seats - two 2 nd row captain seats	Х	
Sewage disposal system – 12 V macerator sewage pump	Х	
Solar charging system – daylight – 240 W with charge controlle	r	Х
E-trek package - four additional 6 V AGM deep cycle auxiliary batteries (4,800 W), solar charging system (240 W), 3,500 W under-hood generator, upgraded 6 year warranty		Х
Stove – 110 V flush-mounted one burner inductive cooktop	Х	
TV – 22" HD flat screen on rotating bracket with remote		Χ
Water heater – engine heat/110 V/ 12 V/propane, 11 L/3 U.S. gal. 18,700 BTU	, Х	
Water system – on demand 12 V with water pump	Х	
Windows - tinted - front driver side, front passenger side & rear		Х

Chassis Features	Standard	Optiona
Airbag – driver & passenger	Х	
Alternator – 14 V/220 AMP	Х	
Axle - rear - 3.92 (USA) 4.18 (CAN) ratio	Х	
Battery – 760 AMP	Х	
Brakes – anti-lock (ABS), four wheel disc	Х	
Camera – rearview backup	Х	
Climate control – electronic with glove box cooler	Х	
Cooling – transmission oil – external	Х	
Cruise control	Х	
Engine – 3.0 L CRD V6 turbo diesel BlueTec®	Х	
Headlights – automatic on/off, Bi-xenon headlamps with U.S. headlamp washing system	Х	
Luxury chassis OEM option package	Х	
Mirrors (exterior) – power, heated with auxiliary parabolic	Х	
Power – 140 kW/188 HP	Х	
Radio – Mercedes Becker Map Pilot Navigation System with Bluetooth & on-dash keypad, audio 15 FM/AM, aux-in, USB	Х	
Receiver - Class III with 7,500 lbs. capacity	Х	
Stability program – adaptive (accounts for load)	Х	
Suspension package - stabilizer, rear axle, under frame; stabilizer reinforced at front axle, springs & dampers, front reinforced	Х	
Theft deterrent system	Х	
Tilt steering	Х	
Tire storage – vehicle underside between axles	Χ	
Tires – LT215/85R16E black wall dual rear	Х	
Torque – 440 Nm/325 lbft.	Χ	
Traction control	Χ	
Transmission – automatic 5-speed heavy duty	Х	
Wheels – 16" aluminum polished with steel spare		Х
Window operation – power; front doors only	Х	
Wiring harness for towing – E40 wire harness & 7 pin connector	Х	
XL Package - 18" extended chassis at rear		Х

Chaccic Eastures

Find Your Roadtrek



Connect With Us



facebook.com/roadtrek



twitter.com/roadtrekmh



youtube.com/roadtrekmotorhomes

