



Setting the bar for Features, Function, Quality and Amenities is the Coachmen Clipper Camping Trailers. With sizes and models to fit the needs of all Camping Trailer enthusiasts, the Coachmen Clipper is the clear choice for Today's discriminating Camper.



Features You Can't Live Without



Sliding Storage Trunk (SST)



New E-Z One-Hand Swing Level Galley (Classics and V1)





Optional Jensen AM/FM/Bluetooth Stereo with App Control and Int./Ext. Speakers (Std. on Classics, V-Trec and Hardsides)



Exterior Utility Shelf

◄ One-Piece Entry Door The Clipper's one piece entry door features an extra large privacy panel that allows for finite adjustment for air and sunlight. (N/A 806LS).





E-Z Swing Stepper Door



Optional Dometic® 3-Way Refrigerator



Dual Drive Dual Purpose Winch by Canimex



Scissor Style Stabilizer Jack




Optional Modular Cassette Potti with Electric Flush



Retractable Clothes Bar (Classics, V-Trec and Hardside)

The Clipper Difference. Construction & Features Competitors Can't Match





• Steel frame with powdercoat protection



Goshen Stamping doublewide lifter post with limited lifetime warranty (N/A 806 LS)

Largest heating capacity of any folding camper.


• Optional 20M BTU Suburban® Furnace with forced air, electronic ignition and thermostat control.

Dura Tuff Roof


- A. One Piece Seamless Skin
- **B.** Dura Tuff Wood Protective Layer No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.

C. Foam Roof Structure

- **D. Steel Reinforced Wood Frame** The roof is framed with steel supports to accept A/C on all models without extra reinforcement.
- Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.



Clipper LS





Limited Warranty

- Lift System Lifetime
- Vinyl Tent 5 years
- Roll Out System 5 years
- Frame 5 years
- Roof Assembly 5 years

128 ST

- AL-KO® Ultralube Spring Axle - 1 year
- Refrigerator 3 years
- Plumbing System 10/25 years

IUEEN SIZE 1-1/4" NSULATED

- Electronic Converter- 2 years
- Roof Exterior 2 years

Clipper Sport









Clipper Classic



1285 SST

Clipper Hardside





C12RBST





C12RBSTHW

Standard Features

|LS| S | C | H | V |

| Tubular Steel FrameImage: Constraint of the system of the sys | CHASSIS | 1 | | | |
|--|---------------------------------------|---|---|--|---|
| Heavy Duty Dolly Jack with Wheel Image: Constraint of the system of | Tubular Steel Frame | | | | |
| Wide Trac UltraLube Spring Suspension Image: Construct of the system | Dual Drive Winch by Canimex | | | | |
| Wide Trac Torsion Axle Image: Constraint of the system with Pads (4) Image: Constraint of the system with Pads (4) Radial Tires Image: Constraint of the system with Pads (4) Image: Constraint of the system with Pa | Heavy Duty Dolly Jack with Wheel | | | | |
| Image: All of the second of | Wide Trac UltraLube Spring Suspension | | | | |
| Radial Tires Image: Constraint of the second se | Wide Trac Torsion Axle | | | | |
| Aluminum Rims Image: Constraint of the system with Pads (4) Image: Constraint of the system with Double Arms (Single Arm on 806LS) EXTERIOR Image: Constraint of the system with Double Arms (Single Arm on 806LS) Image: Constraint of the system with Double Arms (Single Arm on 806LS) EXTERIOR Image: Constraint of the system with Double Arms (Single Arm on 806LS) Image: Constraint of the system with Double Arms (Single Arm on 806LS) EXTERIOR Image: Constraint of the system with Double Arms (Single Arm on 806LS) Image: Constraint of the system with Double Arms (Single Arm on 806LS) Exterior Image: Constraint of the system with Double Arms (Single Arm on 806LS) Image: Constraint of the system with Double Arms (Single Arm on 806LS) Laminated Hi-Gloss Gray Fiberglass Walls (V-Trec Models) Image: Constraint of the system with Double Arms (V-Trec Models) Image: Constraint of the system with Double Arms (V-Trec Models) Diamond Plate Front Wall Protection Image: Constraint of the system Arms (Constraint of the system Arms (| Electric Brakes | | | | |
| Scissor Jacks with Pads (4) Image: Constraint of the system with Double Arms (Single Arm on 806LS) Image: Constraint of the system of the | Radial Tires | | | | |
| Goshen Lift System with Double Arms (Single Arm on 806LS) Image: Construction of the system of t | Aluminum Rims | | | | |
| (Single Arm on 806LS) Image: Single Arm on 806LS) EXTERIOR Image: Single Arm on 806LS) "Zero Exposure"Bunk Technology Image: Single Arm on 806LS) Laminated Aluminum Skin Walls Image: Single Arm on 806LS) Laminated Hi-Gloss Fiberglass Walls Image: Single Arm on 806LS) Laminated Hi-Gloss Gray Fiberglass Walls Image: Single Arm on 806LS) Diamond Plate Front Wall Protection Image: Single Arm on 806LS) E-Z Swing Stepper Door Image: Single Arm on 806LS) 4 Layer Laminated Seamless Fiberglass Image: Single Arm on 806LS) | Scissor Jacks with Pads (4) | | | | |
| "Zero Exposure"Bunk Technology Image: Comparison of the | | | | | |
| Laminated Aluminum Skin Walls Image: Constraint of the second | EXTERIOR | | | | |
| Laminated Hi-Gloss Fiberglass Walls Image: Constraint of the constraint of | "Zero Exposure"Bunk Technology | | | | |
| Laminated Hi-Gloss Gray Fiberglass Walls (V-Trec Models) Diamond Plate Front Wall Protection E-Z Swing Stepper Door One Piece Screen Door (N/A 806LS) 4 Layer Laminated Seamless Fiberglass Roof Prebraced for A/C | Laminated Aluminum Skin Walls | | - | | |
| (V-Trec Models) Image: Constraint of the second | Laminated Hi-Gloss Fiberglass Walls | | | | |
| E-Z Swing Stepper Door Control | | | | | - |
| One Piece Screen Door (N/A 806LS) Image: Constraint of the seamless fiberglass 4 Layer Laminated Seamless Fiberglass Image: Constraint of the seamless fiberglass Roof Prebraced for A/C Image: Constraint of the seamless fiberglass | Diamond Plate Front Wall Protection | | | | |
| 4 Layer Laminated Seamless Fiberglass Roof Prebraced for A/C | E-Z Swing Stepper Door | | | | |
| Roof Prebraced for A/C | One Piece Screen Door (N/A 806LS) | | | | |
| Exterior High Pressure LP Tank Hookup | | | | | |
| | Exterior High Pressure LP Tank Hookup | | | | |

Popular Options _______

| roputar options | 2 | ιı | н | V |
|--|---|----|---|---|
| Essentials Package | | | | |
| ✓ 3-Way Dometic[®] Refrigerator 1.9 Cu. Ft. (2.5 Cu. Ft. on Legend and V3) | | | | |
| ✓ 20,000 BTU Furnace | | | | |
| ✓ A & E Awning | | | | |
| \checkmark Spare Tire, Carrier and Cover | | | | |
| ✓ 72" High Pressure LP Accessory Hose (N/A LS) | | | | |
| Thetford Modular Cassette Potti with Electric Flush (108ST, 125ST, and V1) | - | - | | |
| DSI Hot Water System W/ Hot/Cold Exterior Shower (106ST, 107, 108ST, 1255ST and 128ST ONLY) | | | | |

| | 1 - 0 | | ~ 1 | |
|--|-------|---|-----|------|
| VRX Sectionalized Tent with Storm Cuff (Storm Cuff N/A LS Series) | | | | |
| Laminated/Insulated Bed Platforms (N/A LS) | | | | |
| Glide-n-Lock Cable Supported Bed System | | | | |
| Exterior Utility Shelf | | | | |
| Above Floor 16 Gallon Fresh Water Tank (106, 106ST, and LS Only) | | - | | |
| 23 Gallon Below Floor Fresh Water Tank | | | | |
| 27 Gallon Below Floor Fresh Water Tank | | | | |
| 25 AMP Converter with Battery Charger (12 AMP on LS) | | | | |
| 120 Volt GFI Exterior Recept | | | | |
| Amber Patio Light | | | | |
| "SST" Super Sliding Storage Compartment 1285SST (Optional on V1) | | | | |
| Removable Exterior Storage Box (C12RBST, C12RSST, C12RBSTHW) | | | | |
| Exterior Storage Access Door(s) (N/A LS, 106, 107, V1) | | | | |
| Create a Breeze Power Roof Vent | | | | |
| Tinted Safety Glass Windows | | | | |
| INTERIOR | | | | |
| 100% Adhesion Residential Grade Linoleum | | | | |
| Walnut Cabinetry | | | | |
| Mortise and Tenon Residential Cabinet Doors | | | | |
| Residential Laminated Countertops | | | | |
| | | | | |

|LS| S | C | H | V |

| | LS | S | C | Н | V |
|--|----|---|---|---|---|
| Screenroom with Privacy Flaps | | | | | |
| Single LP Bottle Cover (N/A V1 & V3) | | | | | |
| Double LP Bottles Rings and Cover (Std. on Hardsides, V1, and V3) | | | | | |
| Hanging Storage Cabinet | | | | | |
| Bed End Fan Light (1 Standard on Legend and V Trec) | | | | | |
| Second Bed End Fan Light (N/A LS Models) | | | | | |
| Ultra Comfort 4" Heated Mattresses (106, 106ST Only) | | | | | |
| High Density Serta Mattresses | | | | | |
| | | | | | |

| Ultra Comfort 4" Heated Mattresses (N/A LS) (Optional 106, 106ST) | | - | | |
|--|--|---|---|--|
| High Density Serta Mattresses | | | | |
| Ultra Comfot 4" High Density Cushions | | | | |
| Lined Privacy Drapes (Vented on Bed Ends N/A LS) | | | | |
| E-Z Swing Galley with Drawer | | | | |
| Microwave | | | | |
| Deep Bowl Acrylic Sink | | | | |
| 3 Burner Range (2 Burner on 806LS, 107LS, 106, and 106ST) | | | | |
| 12 Volt On Demand Water Pump | | | | |
| Built in Shower (105ST, 1285SST, and V3) | | | | |
| Thetford Cassette Potti (105ST, 1285SST, and V3) | | | | |
| DSI 6 Gallon Water Heater (105ST, 1285SST, C12RB, C12RBST, C12RSST, C12RBST HW, V1 and V3) | | | 7 | |
| 20,000 BTU Furnace | | | | |
| Dometic Cool Cat Heat Pump | | | | |
| Skylights with Night Shades | | | | |
| Indoor/Outdoor Dinette Table | | | | |
| 12 Volt LED Interior Lights | | | | |
| 120 Volt Interior Outlets | | | | |
| Retractable Clothes Bar | | | | |
| Powdercoated Interior Tent Support Poles | | | | |

|LS| S | C | H | V |

| | LS | S | C | Η | V |
|---|----|---|---|---|---|
| AM/FM/Bluetooth W/Exterior Speakers (Std. on Legend Hardside and V-Trec) | | | | | |
| Coleman Outdoor Grill and Stand | | | | | |
| SST Super Sliding Storage Trunk (V1) | | | | | |
| Laminated High Gloss Tan Fiberglass Walls (Std. on C12RB, C12RBST, C12RSST and C12RBST HW) | | | | | |
| 13.5M Air Conditioner | | | | | |
| 40 Watt Portable Zamp Solar Panel | | | | | |
| 80 Watt Portable Zamp Solar Panel | | | | | |
| Bathroom Package (125ST Only) | | | | | |
| Awning and Skirt Package | | | | | |

LS = LS Series S = Classic Sport C = Classic H = Hardside V = V-Trec

| | 15 | 15 | | er | er | er | 12555 | er (| 1285 55 | C12RB | CI2RBS | C12RSST | C12BBSTH | IN | / |
|----------------------------|-----------|-----------|-----------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Specifications | 80615 | 10715 | 100 | 10651 | 105 51 | 108 51 | 125 | 12851 | 128- | 6124 | 6124 | C124 | c12h | V1 | 13 |
| | LS M | odels | | | Sport | Series | | | Classic | | Classic I | Hardside | | V-I | 'rec |
| Interior Box Size: | 8' | 10' | 8.5' | 8.5' | 10' | 10' | 12' | 12' | 12' | 12' | 12' | 12' | 12' | 10' | 12' |
| Travel Length: | 12' 2" | 14' 2" | 12' 8" | 14' 10" | 16' 4" | 16' 4" | 18' 3" | 18' 3" | 18' 5" | 16' 7" | 20' 2" | 20' 2" | 20' 2" | 16' 9" | 21' 4" |
| Travel Width: | 85" | 85" | 85" | 85" | 85" | 85" | 85" | 85" | 85" | 88" | 88" | 88" | 88" | 85" | 85" |
| Travel Height: | 54" | 58" | 56" | 56" | 58" | 58" | 58" | 58" | 55" | 59" | 59" | 59" | 59" | 65" | 65" |
| Interior Open Length: | 16' 11" | 20' 5" | 17' 11" | 17' 11" | 20' 9" | 20' 9" | 24' 5" | 23' 5" | 24' 5" | 12' | 12' | 12' | 12' | 20' 5" | 24' 5" |
| Interior Open Height: | 6' 10" | 6' 10" | 6' 10" | 6' 10" | 6' 10" | 6' 10" | 6' 10" | 6' 10" | 6' 10" | 95" | 95" | 95" | 95" | 6' 10" | 6' 10" |
| Sleeping Capacity: | 6 | 7 | 6 | 6 | 6 | 7 | 8 | 8 | 6 | 4 | 4 | 4 | 4 | 6 | 6 |
| Front Sleeping Area: | 48" x 80" | 58" x 80" | 54" x 80" | 54" x 80" | 58" x 80" | 58" x 80" | 70" x 80" | 70" x 80" | 70" x 80" | N/A | N/A | N/A | N/A | 58" x 80" | 70" x 80" |
| Rear Sleeping Area: | 48" x 80" | 54" x 80" | 48" x 80" | 48" x 80" | 58" x 80" | 58" x 80" | 70" x 80" | 58" x 80" | 70" x 80" | 54" x 80" | 54" x 80" | N/A | 54" x 80" | 58" x 80" | 70" x 80" |
| Dinette Area: | 38" x 64" | 38" x 70" | 38" x 64" | 38" x 64" | 38" x 70" | 38" x 70" | 38" x 70" | 38" x 64" | 41" x 74" | 45" x 80" | 45" x 80" | 45" x 80" | 45" x 80" | 38" x 70" | 41" x 74" |
| "U" Dinette | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 42" x 80" | N/A |
| Lounge Area: | N/A | 80" | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Sofa Bed: | N/A | N/A | N/A | N/A | N/A | 34"x 76" | 40"x 72" | N/A | N/A | N/A | N/A | 40"x 72" | N/A | N/A | N/A |
| Radial Tire Size: | 5.30X12 | 5.30X12 | ST145R12 | ST145R12 | ST145R12 | ST185/80R13 | LT235/75R15 | LT235/75R15 |
| Tire Load Range: | 5 Bolt C | 5 Bolt D | 5 Bolt C | 5 Bolt C |
| Hitch Weight (Lbs./Kg.): | 120/55 | 210/95 | 116/53 | 184/83 | 214/96 | 187/85 | 243/109 | 191/87 | 282/128 | 222/101 | 320/145 | 321/146 | 337/153 | 252/114 | 420/191 |
| Axle Weight(Lbs./Kg.): | 1138/51 | 1576/715 | 1338/607 | 1381/627 | 1961/883 | 1667/756 | 2083/938 | 1859/843 | 2403/1090 | 1724/782 | 1845/837 | 1840/835 | 1893/859 | 1981/892 | 2700/1225 |
| Dry Weight (Lbs./Kg.): | 1305/591 | 1786/810 | 1503/682 | 1651/749 | 2175/980 | 1863/845 | 2326/1048 | 2154/977 | 2702/1226 | 1946/883 | 2165/982 | 2161/980 | 2230/1011 | 2233/1013 | 3065/1390 |
| Cargo Capacity (Lbs./Kg.): | 778/353 | 514/233 | 813/369 | 733/332 | 526/237 | 824/374 | 1120/505 | 1257/570 | 800/363 | 1662/754 | 1453/659 | 1546/701 | 1439/677 | 1519/689 | 1325/601 |
| GVWR (Lbs./Kg.): | 2098/952 | 2300/1043 | 2096/951 | 2200/999 | 2718/1224 | 2702/1227 | 3463/1560 | 3464/1571 | 3502/1588 | 3642/1652 | 3635/1649 | 3741/1697 | 3757/1704 | 3994/1799 | 4380/1987 |
| Coupler Size: | 2" | 2" | 2" | 2" | 2" | 2" | 2" | 2" | 2" | 2" | 2" | 2" | 2" | 2 -5/16" | 2 -5/16" |

*Weights shown are approximate. †Estimated Average based on standard build optional equipment. All weights shown are in Pounds/Kilograms.

V-Trec


Heavier Duty Than Other Folding Campers!

| Specs | V1 | V3 |
|--------------------------------------|-------------|-------------|
| Interior Box Size | 10' | 12' |
| Travel Length | 16'9" | 21' 4" |
| Travel Width | 85" | 85" |
| Travel Height | 65" | 65" |
| Interior Open Length | 20'5" | 24' 5" |
| Interior Open Height | 6' 10" | 6' 10" |
| Sleeping Capacity | 6 | 6 |
| Front Sleeping Area | 58 X 80 | 70 X 80 |
| Rear Sleeping Area | 58 X 80 | 70 X 80 |
| Dinette Area | 38 X 70 | 41 X 74 |
| "U" Dinette | N/A | N/A |
| Lounge Area | N/A | N/A |
| Sofa Bed | N/A | N/A |
| Radial Tire Size | LT235/75R15 | LT235/75R15 |
| Tire Load Range | 5 Bolt C | 5 Bolt C |
| Hitch Weight # (approx.), (lbs./Kg) | 252/114 | 420/191 |
| Unloaded Vehicle Weight† | 2233/1013 | 3065/1390 |
| Cargo Carrying Capacity [†] | 1519/689 | 1325/601 |
| GVWR (lbs./Kg) | 3994/1799 | 4380/1987 |
| Coupler Ball Size | 2-5/16" | 2-5/16" |



5" Tube Frame
Reinforced Diamond Plate Front Deck
4000 Lb. Heavy Duty Leaf Spring Axle for Heavy Cargo Capacity

V-Trec Series



† Estimated Average based on standard build optional equipment. All weights shown are in Pounds/Kilograms.

All weights shown are in Pounds/Kilograms.



To learn more about Coachmen RV and our products and see how Coachmen is making the easy life easier, visit www.coachmenry.com.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Coachmen reserves the right to make all such changes without notice, including changes in prices, colors, materials, equipment and specifications, as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Coachmen dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.



Free Roadside Assistance

Coachmen provides one year of free Travel EasyTM

emergency roadside assistance for those who buy a new Coachmen RV. Administered by Coach-Net[®], this service gives Coachmen owners 24/7 access to operational, technical and emergency road services, including towing, fuel delivery, jump starts, lockout service, tire changes, mobile mechanic and unlimited technical advice. So no matter where you go, we're ready to help!



Big Benefits For New Owners

Owners club discounts and more — A free one-year membership in the Coachmen Owners Association comes with the purchase of any Coachmen product. This add-on value not only provides a host of travel services and campground discounts, but also a 24/7 online service that locates needed services while offering member savings at more than 180,000 merchants across the country. And, of course, the COA is an excellent way to share experiences with other Coachmen owners through rallies and caravans.



Forest River, Inc. encourages our customers to purchase their Forest River products from a local dealership whenever possible for the following reasons:

- Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.
- 2) Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RV experience through assistance with product questions, user tips or RV regulations for your state or country, and much more!
- 3) Canadian customers must meet requirements to bring an RV purchased out of the country to their home. These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- 4) Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!

It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectations!



Contact your Clipper Dealer for a complete list of parts and accessories: