

Interior Features	170 // 190 Chevrolet	210 Chevrolet	RS // SS Dodge Sprinter	Roadtrek Benefits
large lowered floor	64" // 68" x 35" x 2"	80" x 35" x 2"	not available	more standing height, easier entry & exit, better counter height
aisle width	30"	26"	28"	2 people can pass with ease
sleeping capacity	3 or 4 people	3 or 4 people	2 or 4 people	can sleep extra people if desired
size of rear bed	up to 76" x 73"	76" x 80"	76" (max.) x 68"	bigger than others
bed cushion foam	5" dual density	5" dual density	5" dual density	comfortable box-spring effect
comfortable eating area at front (separate from sleeping)	large table with 3 to 4 seats	large table with 3 to 4 seats	large table with 4 seats // not available	avoid making up rear seating area, get up & retire at different times
bathroom	large temporary	permanently enclosed	permanently enclosed	choice of most space & storage or spacious without wasting space
shower	stand-up in aisle	stand-up in aisle or sit-down in bath	sit-down or stand-up in bathroom	room to shower in your own van if needed or desired
propane capacity	45 lbs.	45 lbs.	50 // 45 lbs.	fill up propane less often, longer trips
storage volume (std./ w/opts.)	up to 62/80 cu. ft.	up to 74/81 cu. ft.	up to 55/81//47/50cu ft	room for everything you need
heat pump w/ducts to rear	standard	standard	not available	also provides air cond. & heating
refrigerator - automatic	3.0 cu. ft. 3-way	4.0 cu. ft. 3-way	3.8 cu. ft. 3-way	roomier & no dead batteries
oven	microwave	microwave/convection	microwave/convection	can toast and bake as well
inverter w/charger	750W, 3 step charger	750W, 3 step charger	750W, 3 step charger	110V w/o generator or hook-up
auxiliary batteries	one or two 12V	one 12V or two 6V	one 12V or two 6V	longer battery life w/o gen. or hook-up
counter tops	solid surface	solid surface	solid surface	better looks, scratches can be repaired
recessed propane stove	with flush cover	with flush cover	n/a // w/flush cover	more counter space when not in use
cabinet door material	solid maple	solid maple	solid maple	stronger, unaffected by moisture
carpet	40 oz.	40 oz.	40 oz.	great durability
Exterior Features	170 // 190 Chevrolet	210 Chevrolet	RS // SS Dodge Sprinter	Roadtrek Benefits
lowered floor, low roof	standard	standard	not available	better fuel economy & stability
exterior height w/air cond.	8' 6"	8' 6"	9' 5"	better appearance & clearance
air conditioner, exterior	built-in, hidden or	built-in, hidden or		better appearance, helps
vents, connections	camouflaged	camouflaged		avoid RV parking restrictions
overall styling	automotive	automotive	RV	same as above
primary paint colours	sand, silver, white	sand, silver, white	silver, white	more choice, better appearance
spare tire storage - std.	inside	inside	under floor // Cont. kit	reduces unit length, easy access to rear
spare tire storage - opt.	Continental kit	Continental kit	Continental kit	more storage without stress on door

storage compartments - ext.	1 // 2 below floor	3 drawers below floor	not available	room for even more
rear access	2 wide swing doors	2 doors	2 wide swing doors	easy loading and/or egress
aux. propane BBQ connection	standard	standard	standard	no need to carry other tanks, charcoal
sewage disposal system	12V macerator	12V macerator	12V macerator	no handling or storage mess
sewage pump	sewage pump	sewage pump	sewage pump	
Automotive features	170 // 190 Chevrolet	210 Chevrolet	RS // SS Dodge Sprinter	Roadtrek Benefits
four-wheel-drive (US only)	not avail. // optional	not available	not available	traction, all-weather safety, adventure
quality rating of Chevy Express	#1 by JD Power	#1 by JD Power		why settle for less than #1?
new head impact protection	meets new standard	meets new standard		reduced head injury during crashes
driver & pass. leg room	abundant	abundant	abundant	more riding comfort
seating capacity (front/total)	up to 4/6 people	up to 4/6 people	up to 4 // 2 people	more versatile as a second car
captain's seat lumbar supports	standard (power)	standard (power)	standard	improved riding comfort
handling	outstanding	outstanding	excellent	ultimate driving pleasure & safety
parking ease	easiest // easier	easy	easy // easiest	fits in a normal sized parking space
net carrying capacity	1400 // 1900 lbs.	1300 lbs.	1500 lbs.	carry lots without exceeding GVWR
power/torque	300 HP/360 ft. lbs.	300 HP/360 ft. lbs.	154 HP/243 ft. lbs.	better passing & towing ability
towing capacity (tow weight)	8100 lbs. max.	7500 lbs. max.	5000 lbs. max.	great for heavy towing
wheelbase	135" // 155"	155"	158" // 140"	better stability & towing
mirror w/compass & temp.	standard	standard	not available	helpful to know
rear window defroster	standard	standard	standard	improved rearward visibility
Other Considerations (for All Models)	Roadtrek Benefits			
motorhome warranty	4 year/48,000 miles or 80,000 Km		industry leading warranty	
durability & safety testing	extensive testing makes for top quality, safe vehicles		long term, trouble free piece of mind	
international quality process	registered to ISO 9001: 2000		ensures quality processes throughout company	
dealer service network	100+		get service while away from home	
factory trained dealer service technicians	ServiceTrek certified		get service done right and fast	
owning & operating costs	less than owning both a car/SUV & motorhome		better value for your money	
years building class Bs	since 1974		nothing can replace experience	
sales ranking (since 1990)	#1 selling North American class B		you've got plenty of company	
sales ranking by dollars	among top 15% of North American RV manufacturers		we'll be around for years to come	
international owners' club	5th largest chapter of the FMCA, 4000 members		too many benefits to mention	
repeat customers	85% will buy another		unbeatable owner satisfaction	

MOTORHOME SPECIFICATIONS

	170 models on 2007 Chevrolet Express 3500 Regular van	190 models on 2007 Chevrolet Express 3500 Extended Van	210 models on 2007 Chevrolet Express 3500 Extended Van	RS models on 2006 Dodge Sprinter 2500 Van	SS models on 2006 Dodge Sprinter 2500 Van
Air conditioner - 110V	'Dometic' recessed air conditioner & heat pump, 12000 BTU	'Dometic' recessed air conditioner & heat pump, 12000 BTU	'Dometic' recessed air conditioner & heat pump, 12000 BTU	optional, roof mount with electrical heat strip, 11000 BTU	optional, roof mount with electrical heat strip, 11000 BTU
Aisle	30"/760 mm wide	30"/760 mm wide	26"/660 mm wide	28"/710 mm wide	28"/710 mm wide
Awning - box - 'Fiamma'	3000 mm/9'10"	3500 mm/11'6"	3500 mm/11'6"	optional, 4000 mm/13'2"	optional, 3000 mm/9'10"
Bathroom	temporarily enclosed with bifold door (creates private change area as well)	temporarily enclosed with bifold doors (creates private change area as well)	permanently enclosed w/vanity sink & sit-down, stand-up shower in aisle	permanently enclosed w/vanity sink and stand-up or sit-down shower	permanently enclosed w/vanity sink and stand-up or sit-down shower
Battery - auxiliary - 12V	lead acid deep cycle, 95 amp-hrs.	lead acid deep cycle, 95 amp-hrs.	lead acid deep cycle, 95 amp-hrs.	lead acid deep cycle, 95 amp-hrs.	lead acid deep cycle, 95 amp-hrs.
Battery storage - auxiliary	slide-out tray below floor	slide-out tray below floor	slide-out tray below floor	below floor	below floor
Beds - dual density foam	130 mm/5"	130 mm/5"	130 mm/5"	130 mm/5"	130 mm/5"
Carpet	40 oz. 100% Dupont nylon	40 oz. 100% Dupont nylon	40 oz. 100% Dupont nylon	40 oz. 100% Dupont nylon	40 oz. 100% Dupont nylon
Connection - auxiliary - propane	for BBQ w/quick disconnect	for BBQ w/quick disconnect	for BBQ w/quick disconnect	for BBQ w/quick disconnect	for BBQ w/quick disconnect
Connection - external - 110V	standard	standard	standard w/detachable power cord	standard	standard w/detachable power cord
Connection - external - TV cable	standard	standard	standard	standard	standard
Connection - external - water	standard with quick disconnect	standard with quick disconnect	standard with quick disconnect	standard with quick disconnect	standard with quick disconnect
Counter top	solid surface	solid surface	solid surface	solid surface	solid surface
Detectors	smoke, propane & CO	smoke, propane & CO	smoke, propane & CO	smoke, propane & CO	smoke, propane & CO
Faucet - galley	single lever	single lever	single lever	single lever	single lever
Floor - lowered	1620 mm x 880 mm x 50 mm/64" x 35" x 2"	1730 mm x 880 mm x 50 mm/68" x 35" x 2"	2025 mm x 880 mm x 50 mm/80" x 35" x 2"	not applicable	not applicable
Furnace - 'Suburban'	propane automatic, 16000 BTU	propane automatic, 16000 BTU	propane automatic, 16000 BTU	propane automatic, 16000 BTU	propane automatic, 16000 BTU
Generator ready package	for gasoline 'Onan'	for gasoline 'Onan'	for gasoline 'Onan'	for propane 'Onan'	for propane 'Onan'
Home theatre system with 5.1 surround sound, dual centre speakers	not available	not available	w/DVD, CD, AM/FM radio, dual use rear speakers	optional w/DVD, CD, AM/FM radio, dual use rear speakers	optional w/DVD, CD, AM/FM radio, dual use rear speakers
Microwave oven - 110V	20 L/0.7 cu. ft., 700 W	20 L/0.7 cu. ft., 700 W	convection, 28 L/1.0 cu. ft., 1800 W Conv./1000 W micro (210-Popular); 20 L/0.7 cu. ft., 700 W (210-Versatile)	convection, 28 L/1.0 cu. ft., 1800 W convection/1000 W microwave	convection, 28 L/1.0 cu. ft., 1800 W convection/1000 W microwave
Monitor panel	water & propane levels, battery charge & battery disconnect	water & propane levels, battery charge & battery disconnect	water & propane levels, battery charge & battery disconnect	water & propane levels, battery charge & battery disconnect	water & propane levels, battery charge & battery disconnect
Power inverter with charger - 12/110V	750W, w/3 step 45 amp. charger	750W, w/3 step 45 amp. charger	750W, w/3 step 45 amp. charger (w/remote on/off switch)	750W, w/3 step 45 amp. charger (w/remote on/off switch)	750W, w/3 step 45 amp. charger (w/remote on/off switch)
Propane tank	38 L/10 US gal./45 lbs.	38 L/10 US gal./45 lbs.	38 L/10 US gal./45 lbs.	45 L/12 US gal./50 lbs.	39 L/10 US gal./45 lbs.
Refrigerator - 'Dometic' - 12V/110V/propane	3.0 cu. ft. w/ auto. source selection	3.0 cu. ft. w/ auto. source selection	4.0/5.0 cu. ft. w/ auto source selection	3.8 cu. ft.	3.8 cu. ft.
Roof vent - 'FanTastic' - 12V	low profile power w/thermostat	low profile power w/thermostat	low profile power w/thermostat	low profile power w/thermostat	low profile power w/thermostat
Sewage disposal system - 12V	macerator sewage pump	macerator sewage pump	macerator sewage pump	macerator sewage pump	macerator sewage pump
Shower	stand-up in aisle	stand-up in aisle	stand-up in aisle	sit-down or stand-up in bathroom	sit-down or stand-up in bathroom

MOTORHOME SPECIFICATIONS

Sink	w/flush cover	w/flush cover	stainless steel w/flush cover	stainless steel w/flush cover	stainless steel w/flush cover
Storage area	across the rear	across the rear	across the rear with trunk	across the rear	across the rear
Storage capacity	49 cu. ft., 62 w/options	62 cu. ft., 80 w/options	74 cu. ft., 81 w/options	55 cu. ft., 81 w/options	47 cu. ft., 50 w/options
Storage compartments - exterior	1 below floor	2 below floor	3 drawers below floor	1 below floor	1 below floor
Stove - two burner - propane	recessed w/flush cover	recessed w/flush cover	recessed w/flush cover	with stainless steel cover	recessed with glass cover
Table - dining	front & rear	front & rear	front & rear	front & rear	rear only
Toilet - 'Theford'	marine with foot pedal flush	marine with foot pedal flush	marine with foot pedal flush	marine with foot pedal flush	marine with foot pedal flush
TV antenna	'Winegard' crank-up	'Winegard' crank-up	'Winegard' crank-up	'Winegard' crank-up	'Winegard' crank-up
Water fill - fresh - location	front door post to reduce clutter & prevent tampering w/supply	front & rear door posts to reduce clutter & prevent tampering w/supply	front & rear door posts to reduce clutter & prevent tampering w/supply	behind door to reduce clutter & prevent tampering w/supply	behind door to reduce clutter & prevent tampering w/supply
Water heater - 'Suburban'	propane with bypass, 23L/6 US gal., 12000 BTU	propane with bypass, 23L/6 US gal., 12000 BTU	propane with bypass, 23L/6 US gal., 12000 BTU	propane with bypass, 23L/6 US gal., 12000 BTU	propane with bypass, 23L/6 US gal., 12000 BTU
Water system - on demand	12V with 'Shurflo' water pump	12V with 'Shurflo' water pump	12V with 'Shurflo' water pump	12V with 'Shurflo' water pump	12V with 'Shurflo' water pump
Water tank - fresh	55 L/14 US gal.	95 L/25 US gal.	115 L/30 US gal.	115 L/30 US gal.	80 L/21 US gal.
Water tank - grey	85 L/23 US gal.	85 L/23 US gal.	85 L/23 US gal.	90 L/24 US gal.	85 L/22 US gal. (includes black)
Water tank - black	30 L/8 US gal.	40 L/10 US gal.	40 L/10 US gal.	40 L/10 US gal.	included above
Windows	frameless awning type	frameless awning type	frameless awning type	frameless awning type	frameless awning type
Windows - roof	3 frameless with curtains	3 frameless with curtains	3 frameless with removable panels	not applicable	not applicable

2007 MOTORHOME OPTIONS

	170 models on 2007 Chevrolet Express 2500 Regular van	190 models on 2007 Chevrolet Express 3500 Extended Van	210 models on 2007 Chevrolet Express 3500 Extended Van	RS models on 2006 Dodge Sprinter 2500 Van	SS models on 2006 Dodge Sprinter 2500 Van
Armoire - with adjustable shelves & drawers	replaces right lounge seat	replaces right lounge seat	replaces right lounge seat	interchangeable w/ right lounge seat (not avail. with 2nd row captain seats)	not available
Battery - second auxiliary	not available	lead acid deep cycle, 12V, 190 total amp-hrs.	two lead acid deep cycle, 6V, 220 total amp-hrs (repl. 12V)	two lead acid deep cycle, 6V, 220 total amp-hrs (repl. 12V)	two lead acid deep cycle, 6V, 220 total amp-hrs (repl. 12V)
Coffee maker	not available	not available	110V	110V	110V
Delete box awning	available	available	available	not applicable	not applicable
Delete TV antenna	available	available	available	not available	not available
DVD player	110V with remote	110V with remote	not applicable	not applicable	not applicable
'Florida' room	3 screened sides & door with privacy panels & skirting	3 screened sides & door with privacy panels & skirting	not available	not available	not available
Generator - 'Onan MicroLite'	gasoline, remote-start, 2.8 kW	gasoline, remote-start, 2.8 kW	gasoline, remote-start, 2.8 kW	propane, remote-start, 2.5 kW	propane, remote-start, 2.5 kW
Mattresses - folding	for front lounge seat	for front lounge seats	for front lounge seats	for front lounge or captain's seats	not applicable
Pantry - hanging	not applicable	not applicable	beside galley towards rear	beside stove towards rear	beside stove towards rear
Screen package	for side van door windows and side & rear door openings	for side van door windows and side & rear door openings	for side van door window and side & rear door openings	for side & rear door openings	for side & rear door openings
TV - flat screen	17" or 19" with remote	17" or 19" with remote	17" or 19" with remote	17" or 19" with remote	19" with remote
Wardrobe - removable	not available	interchangeable with left lounge seat	interchangeable with left lounge seat	interchangeable with left lounge seat (not avail. with 2nd row captain seats)	not available

2007/06 STANDARD AUTOMOTIVE FEATURES

	170 models on 2007 Chevrolet Express 2500 Regular van	190 models on 2007 Chevrolet Express 3500 Extended Van	210 models on 2007 Chevrolet Express 3500 Extended Van	RS models on 2006 Dodge Sprinter 2500 Van	SS models on 2006 Dodge Sprinter 2500 Van
Air bag - driver & passenger	with passenger on/off switch	with passenger on/off switch	with passenger on/off switch	standard	standard
Alternator	145 amp.	145 amp.	145 amp.	150 amp.	150 amp.
Axle - rear	3.73 ratio	4.10 ratio	4.10 ratio	4.11 ratio	4.11 ratio
Battery	600 amp.	600 amp.	600 amp.	760 amp.	760 amp.
Brakes - anti lock (ABS)	four wheel disc	four wheel disc	four wheel disc	four wheel disc	four wheel disc
Cooling - transmission oil	internal	internal	internal	external	external
Cruise control	standard	standard	standard	standard	standard
Defroster - rear window	standard	standard	standard	standard	standard
Door locks - with remote	power - all doors, single key	power - all doors, single key	power - all doors, single key	power - all doors, single key	power - all doors, single key
Doors & exits	double 40/60 side & 50/50 rear	double 40/60 side & 50/50 rear	wide side & 50/50 rear	sliding side & 50/50 rear	sliding side & 50/50 rear
Engine	6.0 L SFI gas V8	6.0 L SFI gas V8	6.0 L SFI gas V8	Mercedes 2.7 L CDI 5 cyl. turbo diesel	Mercedes 2.7 L CDI 5 cyl. turbo diesel
Fuel capacity	117 L/31 US gal.	117 L/31 US gal.	117 L/31 US gal.	100 L/26 US gal.	100 L/26 US gal.
Mirror - interior	with compass & exterior temperature	with compass & exterior temperature	with compass & exterior temperature	standard	standard
Mirrors - exterior	power, heated	power, heated	power, heated	power, heated w/aux. parabolic	power, heated w/aux. parabolic
Power	223 kW/300 HP	223 kW/300 HP	223 kW/300 HP	115 kW/154 HP	115 kW/154 HP
Receiver	class IV	class IV	class IV	class III	class III
Seats - cab - Captain's & dual armrests	swiveling, power lumbar support & dual armrests	swiveling, power lumbar support & dual armrests	swiveling, power lumbar support & dual armrests	swiveling, height adjustable, manual lumbar support & dual armrests	swiveling, height adjustable, manual lumbar support & dual armrests
Sound system	AM/FM & CD	AM/FM & CD	AM/FM & CD	AM/FM & CD	AM/FM & CD
Stability program - electronic	not available	not available	not available	standard (ESP)	standard (ESP)
Tilt steering	standard	standard	standard	not available	not available
Tire storage - spare	rear storage area	rear storage area	rear storage area	below floor at rear	receiver mounted Continental kit
Tires	LT245/75R16E black wall	LT245/75R16E black wall	LT245/75R16E black wall	LT225/75R16E black wall	LT225/75R16E black wall
Torque	490 N-m/360 lb-ft	490 N-m/360 lb-ft	490 N-m/360 lb-ft	330 N-m/243 lb-ft	330 N-m/243 lb-ft
Traction control	not available	not available	not available	standard	standard
Trim - real maple wood	dash & front door panels	dash & front door panels	dash & front door panels	dash & front door panels	dash & front door panels
Wheel covers	chrome look	chrome look	chrome look	not available	not available
Wheels - steel	16" - with trim	16" - with trim	16" - with trim	16" - with trim	16" - with trim
Window operation	power - front doors only	power - front doors only	power - front doors only	power - front doors only	power - front doors only
Window tint	deep tinted - all	deep tinted - all	deep tinted - all	deep tinted	deep tinted
Wiring harness for towing	4 and 7 way (brake controller not included)	4 and 7 way (brake controller not included)	4 and 7 way (brake controller not included)	4 and 7 way (brake controller not included)	4 and 7 way (brake controller not included)

2007 AUTOMOTIVE OPTIONS

Axle - rear	not available	locking differential, external transmission cooler	locking differential, external transmission cooler	not available	not available
Bumper covers	front & rear	front & rear	front & rear	standard, front only	standard, front only
Continental spare tire kit	available	available	available	available	standard
Four-wheel-drive with IFS	not available	available (U.S. only)	not available	not available	not available
Freightliner Sprinter 2500 van	not applicable	not applicable	not applicable	optional in US (replaces Dodge, different features, see Dealer)	not available
LX package	sand paint w/charcoal lower body	sand paint w/charcoal lower body	sand paint w/ charcoal lower body	not available	not available
SE package	silver paint w/black-out sections & grey lower body & silver dash trim	silver paint w/black-out sections & grey lower body	silver paint w/grey lower body, & silver dash trim	silver paint w/grey lower body	silver paint w/grey lower body
Seat belts in rear	standard for 2	standard for 2 on 190-Versatile (replaces night table on 190-Popular)	std. for 2 on 210-Versatile (U.S. only) (replaces night table on 210-Popular)	3 available (2 in Canada) w/ optional rear power sofa	3 standard
Seats - 2nd row - Captain's	not available	not available	not available	swiveling, dual armrests	not applicable
Seats - leather - faux	captain's & lounge seats	captain's & lounge seats	captain's & lounge seats	captain's &/or lounge seats	captain's seats
Sofa - rear - electric power	not available	not available	not available	std. on 210-Versatile, w/2 seat belts (0 in Canada, converts to bed(s))	standard w/3 seat belts (converts to twins/king bed)
Striping - Minimalist	available (replaces std. graphics)	available (replaces std. graphics)	available (replaces std. graphics)	available (replaces std. graphics)	available (replaces std. graphics)
Wheels - aluminum	16" - with steel spare	16" - with steel spare	16" - with steel spare	16" - with steel spare	16" - with steel spare
Wheels - polished chrome look	16" - with steel spare	16" - with steel spare	16" - with steel spare	not available	not available

2007/06 EXTERIOR DIMENSIONS

Length	5720 mm/18' 9" (1)	6220 mm/20' 5" (1)	6680 mm/21' 11" (1)	6600 mm/21' 8"	5900 mm/19' 4" (2)
Height - overall	2540 mm/8' 4"	2590 mm/8' 6"	2590 mm/8' 6"	2870 mm/9' 5" (with roof A/C)	2870 mm/9' 5" (with roof A/C)
Width - overall (w/o mirrors)	2010 mm/6' 7"	2010 mm/6' 7"	2240 mm/7' 4"	1930 mm/6' 4"	1930 mm/6' 4"
Wheel base	3430 mm/11' 3"	3940 mm/12' 7"	3940 mm/12' 7"	4010 mm/13' 2"	3560 mm/11' 8"
Unloaded vehicle weight (3)	3200 Kg/7050 lbs.	3450 Kg/7600 lbs.	3700 Kg/8100 lbs.	3000 Kg/6600 lbs.	2850 Kg/6300 lbs.
Gross vehicle weight rating	3900 Kg/8600 lbs.	4355 Kg/9600 lbs.	4355 Kg/9600 lbs.	3878 Kg/8550 lbs.	3878 Kg/8550 lbs.
Gross combined weight rating (4)	6350 Kg/14000 lbs.	7258 Kg/16000 lbs.	7258 Kg/16000 lbs.	6146 Kg/13550 lbs.	6146 Kg/13550 lbs.
Towing - tow weight (5)	3000 Kg/6600 lbs.	3700 Kg/8100 lbs.	3400 Kg/7500 lbs.	2268 Kg/5000 lbs.	2268 Kg/5000 lbs.
Towing - tongue weight (6)	454 Kg/1000 lbs.	454 Kg/1000 lbs.	454 Kg/1000 lbs.	227 Kg/500 lbs.	227 Kg/500 lbs.

(1) Add 250 mm/10" if equipped with optional Continental spare tire kit.

(2) Includes 10" for Continental spare tire kit.

(3) Includes weight of base vehicle and fuel only. Does not include weight of optional equipment, water, propane, cargo and/or passengers.

(4) GVWR includes total weight of vehicle, trailer, equipment, fuel, water, propane, cargo, driver and passengers.

(5) Maximum towable weight with driver only. This weight reduced by weight of optional equipment, fuel, water, propane, cargo and/or passengers.

(6) A weight distributing hitch is required for tongue weights over 200 Kg/400 lbs.

2007 INTERIOR DIMENSIONS

Standing height	1855 mm/73"	1855 mm/73"	1880 mm/74"	1855 mm/73"	1855 mm/73"
Rear king bed length	not applicable	1930 mm/76" (max.)	1930 mm/76" (maximum)	1930 mm/76"	1930 mm/76" (maximum)
Rear king bed width	not applicable	1855 mm/73"	2030 mm/80" (maximum)	1730 mm/68"	1730 mm/68"
Rear double or queen bed length	1880 mm/74"	1880 mm/74"	2030 mm/80"	not applicable	not applicable
Rear double or queen bed width	1260 mm/50"	1320 mm/52"	1520 mm/60"	not applicable	not applicable
Rear twin bed length - left, right	not applicable	1930 mm/76", 1830 mm/72"	1930 mm/76", 1830 mm/72"	1930 mm/76"	1930 mm/76", 1780 mm/70"
Rear twin bed width	not applicable	690 mm/27"	760 mm/30"	710 mm/28"	710 mm/28"
Front single bed length - left, right	1660 mm/65"	1540 mm/61", 1660 mm/65"	1575 mm/62", 1660 mm/65"	1830 mm/72", 1930 mm/76" (opt.)	not applicable
Front single bed width	560 mm/22" (maximum)	560 mm/22" (maximum)	560 mm/22" (maximum)	510 mm/20" (opt.)	not applicable