

# SOLAIRE

BY PALOMINO

## NON-BUNK MODELS

208 SS



242 RBS



258 RBSS



304 RKDS



## BUNK MODELS

243 BHS



294 DBHS



315 DQBH



320 TSBH





# SOLLAIRE

BY PALOMINO

## NON-BUNK MODELS

208 SS



242 RB



258 RBSS



304 RKDS



## BUNK MODELS

243 BHS



294 DBHS



315 DQBH



320 TSBH





# SOLAIRE

BY PALOMINO

## NON-BUNKS

## BUNKS

	208 SS	242 RBS	258 RBSS	304 RKDS	243 BHS	294 DBHS	315 DQBH	320 TSBH
Hitch Dry Weight	615	625	765	920	570	675	838	1085
Dry Axle Weight	4170	5025	5595	6333	4925	5680	6170	6835
Total Dry Weight	4785	5650	6360	7253	5495	6355	7008	7920
GVWR	6315	7265	7765	8920	7120	7675	8908	9825
Unloaded Vehicle Weight	4823	5688	6398	7291	5533	6393	7046	7958
Interior Height	6'8"	6'8"	6'8"	6'8"	6'8"	6'8"	6'8"	6'8"
Exterior Height w/ AC	11'1"	11'1"	11'1"	11'1"	11'1"	11'1"	11'1"	11'1"
Exterior Width	8'	8'	8'	8'	8'	8'	8'	8'
Travel Length	24'2"	27'11"	32'8"	35'2"	28'11"	33'6"	36'4"	36'3"
Open Length	NA	NA	N/A	N/A	NA	N/A	N/A	N/A
Fresh Water Capacity (Gal.)	44	44	44	44	44	44	44	44
Gray Water Capacity (Gal.)	38	38	68	106	60	60	106	98
Black Water Capacity (Gal.)	30	38	30	38	30	30	38	30
Cargo Carrying Capacity (Gal.)	1492	1577	1367	1629	1587	1282	1862	1867

## SUPERIOR FEATURES.

# TOP TEN REASONS TO BUY

- Vacuum bonded walls and roof
- White gel-coat fiberglass exterior
- Dexter® torsion axle
- Outdoor convenience center for hookups
- Fully welded aluminum super structure
- Solid surface counter tops
- 11 cu. ft. electric refrigerator
- Fiberglass front cap w/ windshield and LED lights
- Raised panel cabinet doors with hidden hinges
- King memory foam mattress (N/A on ???)

## SPECIFICATION DEFINITIONS

**GVWR (Gross Vehicle Weight Rating)** - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

**GAWR (Gross Axle Weight Rating)** - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

**UVW (Unloaded Vehicle Weight)\*\*** - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

\*Estimated average based on standard build optional equipment.

**CCC (Cargo Carrying Capacity)\*\*** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

\*\* Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.



Learn More  
Scan this barcode using  
a QR Reader on your  
smart phone to learn  
more about Forest River.



A Berkshire Hathaway company.



## PALOMINO

1047 East M-86 | Colon, MI 49040  
P: 269.432.3271 | F: 269.432.2516  
[www.palominorv.com](http://www.palominorv.com)

# SOLAIRE

BY PALOMINO

## NON-BUNKS

## BUNKS

	208 SS	242 RBS	258 RBSS	304 RKDS	243 BHS	294 DBHS	315 DQBH	320 TSBH
Hitch Dry Weight	615	625	765	920	570	675	838	1085
Dry Axle Weight	4170	5025	5595	6333	4925	5680	6170	6835
Total Dry Weight	4785	5650	6360	7253	5495	6355	7008	7920
GVWR	6315	7265	7765	8920	7120	7675	8908	9825
Unloaded Vehicle Weight	4823	5688	6398	7291	5533	6393	7046	7958
Interior Height	6'8"	6'8"	6'8"	6'8"	6'8"	6'8"	6'8"	6'8"
Exterior Height w/ AC	11'1"	11'1"	11'1"	11'1"	11'1"	11'1"	11'1"	11'1"
Exterior Width	8'	8'	8'	8'	8'	8'	8'	8'
Travel Length	24'2"	27'11"	32'8"	35'2"	28'11"	33'6"	36'4"	36'3"
Open Length	NA	NA	N/A	N/A	NA	N/A	N/A	N/A
Fresh Water Capacity (Gal.)	44	44	44	44	44	44	44	44
Gray Water Capacity (Gal.)	38	38	68	106	60	60	106	98
Black Water Capacity (Gal.)	30	38	30	38	30	30	38	30
Cargo Carrying Capacity (Gal.)	1492	1577	1367	1629	1587	1282	1862	1867

## SUPERIOR FEATURES.

# TOP TEN REASONS TO BUY

1. Vacuum bonded walls and roof
2. White gel-coat fiberglass exterior
3. Dexter® torsion axle
4. Outdoor convenience center for hookups
5. Fully welded aluminum super structure
6. Solid surface counter tops
7. 11 cu. ft. electric refrigerator
8. Fiberglass front cap w/ windshield and LED lights
9. Raised panel cabinet doors with hidden hinges
10. King memory foam mattress (N/A on ???)

## SPECIFICATION DEFINITIONS

**GVWR (Gross Vehicle Weight Rating)** - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

**GAWR (Gross Axle Weight Rating)** - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

**UVW (Unloaded Vehicle Weight)** - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

\*Estimated average based on standard build optional equipment.

**CCC (Cargo Carrying Capacity)\*\*** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

\*\* Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.



**Learn More**  
Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.



**PALOMINO**

1047 East M-86 | Colon, MI 49040  
P: 269.432.3271 | F: 269.432.2516  
[www.palominorv.com](http://www.palominorv.com)