



NOBO
NO BOUNDARIES

10 SERIES
(under 2,000 LBS)



16 SERIES
(under 3,500 LBS)



19 SERIES
(under 5,000 LBS)



20 SERIES
(under 5,000 LBS)



Kyna Williams / NB19.8



WHAT IF THERE WERE NO•BOUNDARIES?

Designed for those who push limits, the versatile and exceptionally light weight No Boundaries (**NOBO**) travel trailer is rugged enough for any outdoor enthusiast. It's innovative and durable rooftop Rhino-Rack offers adaptable storage for Kayaks, mountain bikes, snowboards, fishing equipment, or just simply extra luggage. Towable by both 4- and 6-cylinder vehicles, **NOBO** is ready when you are.





**JBL PORTABLE
BLUETOOTH SPEAKER**



**MORRYDE STEPS
(N/A ON 16 SERIES)**



**SHOWERMISER
(16/19 SERIES ONLY)**



**CENTRAL VAC SYSTEM
W/LED BACKLIT VAC PORT
NO HOSES NEEDED**



**WELDED ALUMINUM BED FRAMING
(16/19 SERIES ONLY)**



BACKUP CAMERA PREP



**OUTDOOR KITCHEN
(STANDARD ON 10.5/10.6)**



**ALL-NEW 16/19 SERIES BUSH KITCHEN
EXTERIOR FLAT TOP GRILL, HIGH PRESSURE SPRAY PORT,
PREP STATION, SHOWERMISER**



WHEN YOU LIVE LIFE BY A COMPASS, NOT A CLOCK.

With industry-leading ground clearance, larger diameter tires and a nimble suspension system, you'll be able to explore and set up camp in places that would otherwise be inaccessible. Additionally, the upscale interior focuses on thoughtful, useful design with ample storage and an ergonomic and refreshing living space. **NO•BO** is attractively equipped with both familiar standard equipment as well as fresh features for a truly unforgettable adventure.





SPECIFICATIONS

MODEL	NB10.6	NB10.8	NB16.6	NB16.8
Unloaded Vehicle Weight	1763	TBD	3346	3264
Hitch Weight (lbs.)	236	TBD	382	320
Cargo Carrying Capacity	1973	TBD	1417	1541
Roof Capacity (lbs.)	500	TBD	500	500
Exterior Length w/o Spare Tire	13' 9"	TBD	21' 8"	22' 2"
Exterior Width	88"	TBD	96"	96"
Exterior Height (w/ A/C)	7' 9"	TBD	9' 11"	9' 11"
Interior Height	54"	TBD	78"	78"
Fresh Water (gal.)	30	TBD	30	30
Grey Water (gal.)	N/A	TBD	30	30
Black Water (gal.)	N/A	TBD	30	30


NOTE - Definitions for specifications can be found on the back page of this brochure.

FLOORPLANS



KEY FEATURE

10.6 can haul a full-size ATV, Standard Enclosed Underbelly, 30 gal. Fresh Water Capacity





Daniel Stoute / NB16.8

10 SERIES STANDARDS/OPTIONS

DISCOVERER PACKAGE KEY STANDARD EQUIPMENT

JBL Portable Bluetooth Speaker
Complete Interior/Exterior LED Lighting PKG
1000 Lumen White Scare Light
Metropolitan Grey Lightweight-Ply Countertops
Stainless Steel Utility Hooks
Bottle Opener
Black Satin Faucet/Door Pulls (where applicable)
High Performance Vinyl Furniture
2-Burner Glass Recessed Cook Top
Black Stainless Steel Sink (where applicable)
Pleated Shades
USB Charging Station
Lamilux 1000 Fiberglass Exterior
Featuring Satin Matte Graphics
Cold Weather Package (Required)
(Some Features N/A 10 Series)

OVERLANDER PACKAGE

Standard RVT Track (Rhino Rack #RTV148)
Two Vortex Bars (Rhino Rack #VA180B)
J-Cradle Kayak Holder (Rhino Rack #S510)
Satin Matte Finish Wheels Wrapped in
All Terrain Tires

OPTIONAL EQUIPMENT

13.5 BTU Low Profile Air Conditioning
5500 BTU Heat Strip
(applicable only with A/C equipped)
Power Tongue Jack w/LED Light
12V LED TV
Pioneer Platform
(IPO Vortex Bars and J-Cradle Kayak Rack)
Hybrid Single Bike Carrier
(Rhino Rack #RBC050)
Snowboard/Ski/Fishing Rod/Paddle Holder
(Rhino Rack #573)
J-Cradle Kayak Holder (Rhino Rack #S510)
One Standard Kayak Holder in Overlander PKG
Batwing Awning
Dinette Package
Ramp Door Screen Door (n/a 10.5)
NOBO Nest - Roof Top Tent



NB16.8

16 SERIES STANDARDS/OPTIONS

ACTION PACKAGE (REQUIRED) KEY STANDARD EQUIPMENT

Azel Exterior Construction
PVC Roofing Membrane
Rhino Rack RVT Track
5 Cu. Ft. Refrigerator
Aluminum Cage Construction
Torsion Axle with Industry Leading Ground
Clearance
Panoramic 60" x 22" Front Window
Roof-Mounted Heavy Duty Solar Prep
Rear Ladder

OVERLANDER PACKAGE (OPTIONAL)

Standard RVT Track (Rhino Rack #RTV148)
Two Vortex Bars (Rhino Rack #VA180B)
J-Cradle Kayak Holder (Rhino Rack #S510)
Satin Matte Finish Wheels Wrapped in
All Terrain Tires

OPTIONAL EQUIPMENT

Stainless Steel Convection Microwave Oven
12V LED TV
Power Tongue Jack w/LED Light
Cold Weather Package (Required)
Custom Front Fiberglass Protective Shell
JBL Bluetooth Speaker
Central Vacuum System (Required)
Solar Package (Heavy-Duty Panel, Inverter,
and Charge Controller)
15K A/C IPO 13.5K A/C
Bush Kitchen (Required)
Exterior Flat Top Grill, High Pressure Spray Port,
Prep Station, Showermiser



NB16.8



NB16.8



WHEN YOU THRIVE ON PUSHING THE LIMITS.

NO•BO 19 Series delivers a true 7' wide box to align perfectly with smaller tow vehicles. Combine this with our enclosed underbelly and gate valves, panoramic front window, and torsion axle suspension system to offer you the most versatile, capable, and affordable towable on the market. Each **NO•BO** 19 series also features factory installed RVT tracks on the roof, ready to accept and integrate your personalized Rhino Rack Roof System!




SPECIFICATIONS


MODEL	NB19.1	NB19.2	NB19.3	NB19.5	NB19.6	NB19.8
Unloaded Vehicle Weight	4264	3502	4199	3456	4284	3789
Hitch Weight (lbs.)	720	414	550	365	490	395
Cargo Carrying Capacity	3456	1293	3351	1309	3206	1006
Roof Capacity (lbs.)	500	500	500	500	500	500
Exterior Length w/o Spare Tire	24' 11"	21' 6"	24' 4"	22' 8"	24' 4"	22' 8"
Exterior Width	88"	88"	88"	88"	88"	88"
Exterior Height (w/ A/C)	9' 11"	9' 11"	9' 11"	9' 11"	9' 11"	9' 11"
Interior Height	78"	78"	78"	78"	78"	78"
Fresh Water (gal.)	30	30	30	30	30	30
Grey Water (gal.)	30	30	30	30	30	30
Black Water (gal.)	30	30	30	30	30	30

NOTE - Definitions for specifications can be found on the back page of this brochure.


FLOORPLANS




NB19.1




NB19.2



NB19.3



NB19.5



NOBO
NO BOUNDARIES



19 SERIES STANDARDS/OPTIONS

DISCOVERER PACKAGE KEY STANDARD EQUIPMENT

JBL FLIP Portable Bluetooth Speaker
Complete Interior/Exterior LED Lighting PKG
1000 Lumen White Scare Light
Metropolitan Grey Lightweight-Ply Countertops
Stainless Steel Utility Hooks
Bottle Opener
Black Satin Faucet/Door Pulls (where applicable)
High Performance Vinyl Furniture
2-Burner Glass Recessed Cook Top
Black Stainless Steel Sink (where applicable)
Pleated Shades
USB Charging Station
RVT Track (Rhino Rack #RVT148)
Lamilux 1000 Fiberglass Exterior
Featuring Satin Matte Graphics

OVERLANDER PACKAGE

Two Vortex Bars (Rhino Rack #VA180B)
J-Cradle Kayak Holder (Rhino Rack #S510)
Satin Matte Finish Wheels Wrapped in
All Terrain Tires

BACK COUNTRY PACKAGE

Custom Front Fiberglass Protective Shell
Featuring Tempered Seamless Panoramic Window
Roof Mounted Solar Prep
13.5 BTU Low Profile Air Conditioning
Power Awning
Rear Ladder
Azdel Exterior Construction

OPTIONAL EQUIPMENT


Stainless Steel Convection Microwave Oven
12V LED TV
Power Tongue Jack w/LED Light
Cold Weather Package (Required)
Central Vacuum System (Required)
Hybrid Single Bike Carrier (Rhino Rack #RBC050)
Snowboard/Ski/Fishing Rod/Paddle Holder
(Rhino Rack #573)
J-Cradle Kayak Holder (Rhino Rack #S510)
One Standard Kayak Holder in Overlander PKG
Solar Package (Heavy-Duty Panel, Inverter,
and Charge Controller)
15K A/C IPO 13.5K A/C
Bush Kitchen (Required)
Exterior Flat Top Grill, High Pressure Spray Port,
Prep Station, Showermiser




Kenneth Calhoun / NB19.1



Hillery York / NB19.2



NB19.6



NB19.8



WHEN YOUR NEXT PATH IS OFF THE GRID.

Count on **NO•BO** to take you into uncharted territory. Escape the crowds into the remote rugged wilderness and take your gear with you. Whether in search of a big catch or a big wave, you don't have to leave amenities behind. Explore, get dirty, then return to home base to clean up, relax and recharge.



NB20.4

SPECIFICATIONS


MODEL	NB20.4
Unloaded Vehicle Weight	4733
Hitch Weight (lbs.)	550
Cargo Carrying Capacity	2817
Roof Capacity (lbs.)	500
Exterior Length w/o Spare Tire	23' 9"
Exterior Width	96"
Exterior Height (w/ A/C)	11' 3"
Interior Height	82"
Fresh Water (gal.)	40
Grey Water (gal.)	40
Black Water (gal.)	30

NOTE - Definitions for specifications can be found on the back page of this brochure.




NB20.4

FLOORPLANS



NB20.4





20 SERIES STANDARDS/OPTIONS

NOBO EX-L PACKAGE (REQUIRED) KEY STANDARD EQUIPMENT

12V TV
All LED Lighting
15K Air Conditioner
Tinted Windows
JBL Flip 5 Bluetooth Speaker
Best-in-Class Refrigerator
Seamless Surf-X Countertops
Recessed Cooktop
Convection Microwave
2-Tone Azdel Exterior with Full Graphics Package
Panoramic Front Window
Bauer 7-Way Cord Keeper
Full-Size Spare Tire
Black Tank Flush
Friction Hinge Entrance Door
Power Tongue Jack w/LED Light
LP Quick Connect
Rhino Rack RVT Track
PVC Roofing Membrane
Aluminum Cage Construction
Oversized Power Awning
Aluminum Rims w/All Terrain Tires
Large Folding Assist Handle
Pet Link Leash Connection
2 LP Tanks
Enclosed and Heated Underbelly
Enclosed Termination System
Tank Heater Pads
Smart Vacuum System
Large Solar Panel
10 Amp Controller
1000W Inverter
Battery Disconnect Switch
MORyde Entry Step





NB19.6



NB19.6




NB19.8



NB19.8



NB10.8




NB19.1



TO THOSE WITH
NO BOUNDARIES



Jeff Siter / NB19.6




Ly Hoang / NB10.6



Alicia King / NB10.6



Tyler MacMillan / NB10.6



Danny Hyde / NB19.6



Maria Ricasa / NB19.7



William Bunting / NB19.5



Forest River Owner "Digital Kit" App

Now you can have your Owner's Manual with you wherever you are. Download our FREE App from the App Store or Google Play and you'll have the information right at your fingertips.

This brochure is complete thanks to the support of our wonderful Retail Customers, as you will see their photos throughout. These customers truly exemplify what it takes to be a NoBo Owner – and for that we are grateful and happy to share in their memories.

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.



Find us on
Facebook

FREE MEMBERSHIP
to Forest River Owners' Group

www.forestriverfrog.com



CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com

No Boundaries Division

Forest River, Inc.
1702 Century Dr.
Goshen, IN 46528
(574) 642.3119

www.forestriverinc.com/nobo

www.forestriveraccessories.com



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE*

TOWING
JUMP-STARTS
TIRE CHANGES
FLUID DELIVERY
LOCKOUT
SERVICE

WINCH-OUT
MOBILE MECHANIC
TECHNICAL
SUPPORT
DEALER LOCATOR
SERVICES



*VALID FOR 1 YEAR FROM DATE OF PURCHASE

Your local  dealer



Learn More
Scan this barcode using
a QR Reader on your
smart phone to learn
more about Forest River.



A Berkshire Hathaway company.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. 12/21

©Copyright 2021 Forest River Inc – All Rights Reserved.