

PRIME TIME
Manufacturing



AVENGER
YOUR JOURNEY BEGINS HERE



29QBS



32BHS

To guarantee that Avenger provides true customer satisfaction, our engineers carefully examine every component, every small detail, and every process in the Avenger's creation.

It is important to offer industry-leading beauty. Shaker-style cabinet doors are paired with premium fabrics, flooring, and countertops for a luxurious appearance.

"Best In Class" features and design elements are utilized to fully maximize customer enjoyment. Industry-leading construction and demanding standards for testing were developed to ensure long-term quality and durability.

If "Your Journey Begins Here," Avenger is sure to please.

For both the first-time buyer and seasoned camping veteran, the economical Avenger often represents a customer's first experience with a recreational vehicle from Prime Time Manufacturing.

Since first impressions are critical—and last a lifetime—we've insisted that Avenger combine comfort, convenience, and style with the industry's highest standard of quality and construction. By providing a GREAT ownership experience, Avenger is Prime Time's way of welcoming you to our family.

We hope that your future journeys will always include a Prime Time RV.



29QBS



32BHS



29QBS

AVENGER FLOORPLANS & SPECIFICATIONS



SPECIFICATIONS	20RD	21RB	21RBS	24BHS	24RLS	26BBS	26BK	26RDS	27DBS	27RBS	27RKS	28REI	29QBS	29RBS	29RSL	31RKD	32BHS	32DEN	32QBI
LENGTH	24' 11"	26' 9"	27' 7"	28' 2"	29' 4"	30' 5"	28' 11"	31' 8"	33' 6"	33' 6"	33'	33' 9"	36' 11"	33' 5"	34' 2"	36' 6"	37' 6"	37' 11"	38'
HEIGHT	10' 3"	10' 3"	10' 8"	10' 8"	10' 8"	10' 8"	10' 3"	10' 8"	10' 8"	10' 8"	10' 8"	10' 8"	11' 2"	10' 8"	10' 8"	11' 4"	11' 4"	11' 4"	11' 4"
HITCH WEIGHT	620 lb.	587 lb.	773 lb.	660 lb.	581 lb.	651 lb.	474 lb.	700 lb.	721 lb.	765 lb.	681 lb.	764 lb.	982 lb.	770 lb.	880 lb.	962 lb.	845 lb.	858 lb.	1,000 lb.
UNLOADED VEHICLE WEIGHT (UVW)	4,294 lb.	4,537 lb.	5,209 lb.	5,481 lb.	5,373 lb.	5,518 lb.	4,763 lb.	6,363 lb.	6,652 lb.	6,663 lb.	6,586 lb.	7,098 lb.	7,030 lb.	6,991 lb.	6,648 lb.	8,226 lb.	8,403 lb.	7,989 lb.	9,029 lb.
CARGO CARRYING CAPACITY (CCC)	3,326 lb.	3,050 lb.	2,564 lb.	2,179 lb.	2,208 lb.	2,133 lb.	2,711 lb.	1,337 lb.	2,869 lb.	2,902 lb.	2,895 lb.	2,428 lb.	2,752 lb.	3,041 lb.	3,032 lb.	2,936 lb.	2,642 lb.	3,069 lb.	2,371 lb.
AWNING	13'	13'	15'	13'	16'	16'	13'	19'	16'	16'	16'	10' & 11'	19'	16'	19'	9' & 13'	19'	16'	9' & 13'

* LED TV included

AVENGER



AVENGER LE



SPECIFICATIONS	26DBSLE	28DBSLE
LENGTH	30' 11"	34' 6"
HEIGHT	10' 8"	10' 8"
HITCH WEIGHT	667 lb.	785 lb.
UNLOADED VEHICLE WEIGHT (UVW)	5209 lb.	6197 lb.
CARGO CARRYING CAPACITY (CCC)	2458 lb.	1588 lb.
AWNING	16'	19'

AVENGER LT SINGLE AXLE TRAILER LINE



SPECIFICATIONS	16BH	16FQ	16RD	17BHS	17FQS	22BH
LENGTH	20'	21' 1"	20' 11"	21' 8"	21' 7"	26' 2"
HEIGHT	9' 11"	9' 11"	9' 11"	9' 11"	9' 11"	10' 2"
HITCH WEIGHT	343 lb.	386 lb.	390 lb.	332 lb.	355 lb.	420 lb.
UNLOADED VEHICLE WEIGHT (UVW)	2,970 lb.	2,880 lb.	2,939 lb.	3,197 lb.	3,014 lb.	3,914 lb.
CARGO CARRYING CAPACITY (CCC)	810 lb.	1,006 lb.	951 lb.	635 lb.	841 lb.	3,506 lb.
AWNING	10'	10'	10'	10'	10'	10'

*NOTE — The 22BH is a tandem axle model.

UVW (Unloaded Vehicle Weight) is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. Estimated Average based on standard build optional equipment. CCC (Cargo Carrying Capacity) is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity. Estimated average based on standard build optional equipment. See back page for additional specification definitions.

AVENGER STANDARDS & OPTIONS

AVENGER ADVANTAGE PACKAGE (MANDATORY)

2" Wall Construction on 16" Centers Cross-Banded Construction
Dynaspan 5/8" Seamless Floor Decking up to 24' with 25 Year Warranty
5" LVL Headers Above Slideouts
Dexter EZ Lube Axles
Radial Tires
Exterior Hot/Cold Shower
Blue LED Outside Speakers
LED Lit Power Awning
Solar Prep
Back Up Camera Prep
"Solid Stance" Fold Down Steps
LED Interior Lighting
Large 17" Oven
High Rise Kitchen Faucet
Kitchen Backsplash
Fully Enclosed Underbelly
(2) 20# LP tanks

10TH ANNIVERSARY PACKAGE (MANDATORY)

Sliding Barn Door (Select Floor Plans)
Thermofoil Seamless Kitchen Countertops
Under-mount Stainless Steel Kitchen Sink
Stainless Steel Rolling Drying Rack
Shower Surround
Folding Grab Handle at Main Entry
10.7 CU. FT. 12V Refrigerator
Pleated Black Out Night Shades
Gas/Electric DSI Water Heater
Designer Window Treatments
Deluxe Graphics Package

CONSTRUCTION

Powder Coated I-Beam Frame
Full Length Outriggers on Frame
8' Exterior Width
Aluminum Exterior Skin
R-7 Insulation Throughout
2"x3" Floor Joists on 16" Centers
Walk-On Roof with 3/8" Decking
One Piece TPO Roof Membrane
PEX Plumbing System

SECURE TANK SYSTEM:

- Fresh Water Tank Steel Cage
- Removable Cotter Pins for Easy Tank Access
- Fresh Water Tank Direct Valve Overflow
- Fully Insulated and Enclosed Underbelly with Radiant Heat
- Convenience Panels for Underbelly Access

EXTREME WEATHER PACKAGE

- Cross Band Construction
- Hurricane Strapped Base
- Premium Gutter Rail Above all Slides
- Full Framed with Covered Hinge Baggage Doors
- Triple Seal Slide System

EXTERIOR FEATURES

Aerodynamic Radius Front Profile
LED Lit Power Awning
"Solid Stance" Fold Down Steps
(2) 20# LP Bottles
4 Stabilizer Jacks
Diamond Plate Front Rock Guard
Radius Entry Doors with Windows
Folding Grab Handle at Main Entry
Bottle Opener at Main Entry
Solar Prep
Back Up Camera Prep
Extended Drip Spouts
Spare Tire
Outdoor Kitchen (Select Models)
Radial Tires
Hot/Cold Shower
Blue LED Outside Speakers
Black Frame Radius Windows
DOT Approved Safety Glass Windows
Fully Vented Windows Throughout
Doggy D-Ring
City Water Fill
Gravity Fresh tank Fill

INTERIOR FEATURES

Oversized MAX Slide (Where Available)
Massive 87" U-Shaped Dinette in MAX Slides
Large Fully Vented Windows Throughout
Pleated Black Out Night Shades in Living Room and Dining Area
Designer Window Treatments
Predrilled and Screwed Cabinetry
Residential Extended Ball Bearing Drawer Guides
LED Interior Lighting
Jackknife Sofa w/LED Cup Holders and USB Charging Ports (Select Models)
USB Ports at Bunks
Seamless Carefree Congoleum Flooring

BEDROOM

Quilted Residential Bedspread
TV Cable Connection
Dual Shirt Closets
Extra Large Enclosed Overhead Cabinet Above Bed
Massive Under-Bed Storage
Bedside USB Port
Bedside 110V Power Outlets

KITCHEN

Undermount Stainless Steel Deep Basin Sink
Stainless Steel Rolling Drying Rack
High Rise Faucet
Kitchen Tile Backsplash
Thermofoil Seamless Countertop
Pot & Pan Drawer

BATHROOM

Shower Pans in All Models
Shower Surround
Shower Curtains with Curved Track

Glass Neo-Angle Shower (Select Models)
12V Power Vent Fan
Medicine Cabinet with Mirror

APPLIANCES AND EQUIPMENT

Large LED TV (27DBS and Above)*
Cable TV Hook-Up with RG6 Coax
Digital TV Antenna with Signal Booster
Exterior TV Coax Connection
Bluetooth Entertainment System
13,500 BTU Air Conditioner
Large 17" Oven
3-Burner Range with High Output Front Burner
Flush Mount Glass Range Top Cover
Low Profile Range Hood with Light and Exhaust Fan
Large Everchill 12V Refrigerator
Gas/Electric 6 Gallon DSI Water Heater with Quick Recovery
Water Heater Bypass
Auto Ignition Furnace with Wall Thermostat
25K or 30K BTU Furnace (depending on model)
In-Floor Ducted Heat
Systems Monitor Panel
110V GFCI Protected
12V High Capacity Water Pump
12V Electrical System with 55 amp Power Converter
30 amp Power
50 amp power with Wire/Brace for 2nd A/C (Mandatory on 28REI, 29QBS, 29RBS, 29RSL, 31RKD, 32BHS, 32DEN and 32QBI)
Fireplace (28REI, 29QBS, 29RSL, and 31RKD)

SAFETY EQUIPMENT

CO Detector
LP Detector
Fire Extinguisher
Smoke Alarm
Leak-Guard Assurance Process

OPTIONS

15K btu Air Conditioner
Free Standing Dinette w/4 Chairs (Mandatory 31RKD, Available MAX Slide Models)
50 Amp Service with Wire/Frame for 2nd A/C (Mandatory 29RBS, 32BHS, 32DEN, 32QBI)
Fireplace, 50 Amp Service with Wire/Frame for 2nd A/C (Mandatory 28REI, 29QBS, 29RSL, 31RKD)
Gas/Electric 6 Cubic Foot Refrigerator
QAI Canadian Compliance**

**Some models vary.*

***Limited availability based on batch runs.*

See website for additional details.



AVENGER LE STANDARDS & OPTIONS

Standards and Options will vary from standard Avenger Travel Trailers.

AVENGER LT STANDARDS & OPTIONS

PRO PACKAGE

6 CU. FT. Refer
13,500 BTU A/C
Kitchen Skylight
LED Lit Power Awning
Solar Prep and Back-Up Camera Prep
Exterior Shower
Residential Sound Bar
LED Lit Outside Speakers
Doggy D-Ring

CONSTRUCTION

R-7 Insulation Throughout
Powder Coated Frame
Dexter E-Z Lube Axles
One-Piece TPO Roof
2" Wall Construction on 16" Centers

EXTERIOR FEATURES

Two Rear Stabilizer Jacks
Front Diamond Plate
Radial Tires
Single #20 LP Tank
Aerodynamic Front Profile
Extended Drip Spouts
E-Z Open Entry Step
Oversized Pass-Thru Storage
Cable/Satellite Prep
6 Gallon DSI Gas Water Heater

Oversized Holding Tanks: Fresh: 38 Gal / Gray: 30 Gal / Black: 30 Gal.
Digital TV Antenna
12V Electrical System with 40 AMP Converter
Safety Glass Windows
Bottle Opener
26" Fiberglass Entry Door with Window

INTERIOR FEATURES

Two Large Galley Drawers in Kitchen
Extended Ball Bearing Drawer Guides
Two Burner Cooktop
Microwave
Range Hood
16K BTU Furnace
78" Interior Height
LED Interior Lights
Seamless Carefree Congoleum Flooring
Overhead Storage Above Dinette
Skylight
Oversized Cabinet Above Bed (Most Models)
Pleated Night Shades Throughout

OPTIONS

MVSA
QAI

10TH ANNIVERSARY PACKAGE



BARN DOOR (SELECT FLOORPLANS)



UNDERMOUNT STAINLESS STEEL SINK W/DRYING RACK



THERMOFOIL COUNTERTOPS



SHOWER SURROUND



12V REFRIGERATOR



BLACKOUT SHADES



6 GALLON GAS/ELECTRIC DSI WATER HEATER



DELUXE GRAPHICS PACKAGE



DESIGNER WINDOW TREATMENTS WITH LAMBREQUINS



LARGE EXTERIOR GRAB HANDLE

A RENEWED COMMITMENT TO QUALITY.

When it comes to choosing an RV, customers demand quality. At Prime Time Manufacturing, we have renewed our commitment to product quality and customer satisfaction with our new **Customer Assurance Inspection (CAI)** process.

Before any RV can be cleared to leave our site, it must first pass a newly-developed, **rigorous 125-point checklist**. Our skilled technicians review every model from top to bottom, both inside and out. We check and double-check the entire unit, from water tanks to the electrical system, roof to underbelly, kitchen appliances and countertops—and everything in-between.

When you choose a Prime Time Manufacturing product, you can be assured that our enhanced commitment to quality has been developed with you in mind. **Choose quality. Choose Prime Time Manufacturing.**



Download the Prime Time Manufacturing mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Prime Time Manufacturing product. From "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away.



View the online manual at <http://www.primetimerv.com/OnlineManual.aspx> or download our FREE app from the App Store or Google Play!

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

©2019 Prime Time Manufacturing, a Division Of Forest River, Inc., a Berkshire Hathaway Company. All Rights Reserved.



Learn More
Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.



FROG™ the Forest River Owners' Group!



www.ForestRiverBuyLocal.com

ADDITIONAL SPECIFICATIONS:

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

www.primetimerv.com
PO Box 330 • 55470 CR 1 • Elkhart, IN 46515



FREE MEMBERSHIP
to Forest River Owners' Group

www.forestriverfrog.com



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

DEALER