

**OUALITY BUILT EVERY TIME.** 

- Dual power awnings w/ LED strip lighting (select floor plans)
- Full walk-on roof
- Aluminum framed, vacuum bonded, slide out roof
- Aluminum framed, vacuum bonded, slide out side walls
- 1" garage floor decking w/3,000 lb cargo capacity
- Tuff ply cargo flooring in garage
- 7,000 lb. Axles

- 8 Equa Flex Suspension
- 9 Radial Tires
- 10 True wide I-Beam chassis
- 11 Fluted polypropylene enclosed underbelly
- 12 Baton insulation layer
- 13 Polyethylene subfloor wrap
- 14 2x3 Wood floor joists
- **15** Baton insulation
- 16 Tongue in groove plywood floor

- 17 Aluminum framed laminated bed/bath floor
- 18 2" Welded aluminum wall studs
- 19 Block foam wall insulation
- **20** 15,000 BTU A/C
- 21 One piece PVC roof material
- 22 3/8" Roof decking
- 23 Baton insulation layer
- 24 Bedroom A/C Prep
- 25 5" Bowed wood truss rafters

- 26 Aluminum A/C Ducting
- 27 Vacuum bonded fiberglass side walls
- **28** 102" Wide body
- **29** Electric front landing gear on 2 axle models
- **30** Hydraulic front landing gear on 3 axle models (Not shown on 2 axle illustration)
- 31 Aerodynamic front cap design
- 32 Painted fiberglass front cap w/LED lighting



















# **VENGEANCE FIFTH WHEEL STANDARDS & OPTIONS**

#### **EXTERIOR FEATURES**

102" Wide Body

Wide Set I-Beams on Chassis

Aluminum Framed Vacuum Bonded Side

Aerodynamic Painted Fiberglass Front Cap

LED Accent Lighting on Cap

Laminated Bed/Bath Floor

**Enclosed Underbelly** 

**Insulated Underbelly** 

Block Foam Insulated Side Walls

Power Awnings w/LED Lighting

Exclusive Vengeance Blue Awning Arms

90 Amp Converter

50 Amp Service

Sony Marine Grade Exterior Speakers

30 Gallon Fuel Pumping Station

Generator Prep

Electric Front Landing Gear (Double Axle

Models)

Hydraulic Front Landing Gear (Triple Axle

Models)

8' Ramp Door

Ramp Patio Prep

**LED Rear Loading Lights** 

Hydraulic Slide Outs in Living Room (N/A

312A)

Extra Large Entry Grab Handle

**LED Exterior Lighting** 

PVC (poly vinyl chloride) Roof Material

**ABS Fender Skirts** 

7.000lb. Axles

Equa Flex Suspension

**Aluminum Rims** 

Triple Step Entry Steps

**LED Brake Lights** 

Two (2) 30lb. LP Bottles

Outside Shower with Hot and Cold

Black Tank Flush

Ram Air Garage Ventilation

100% Exterior LED Lighting

15.000 BTU Ducted A/C

2nd A/C Prep

6 Gallon Gas/Electric DSI Water Heater

Walk-on Crowned Roof

**Gutters with Extended Drip Spouts** 

Back Up Camera Ready

Outside Outlet and Cable Prep

Spare Tire

#### INTERIOR FEATURES

**Upgraded Seamless Counter Tops** 

**Under Mounted Stainless Steel Sink** 

Sink Cover

**Pull Down Faucet** 

Stainless Steel Residential Refrigerator

1,000 Watt Inverter

Flush Mount 3 Burner Stove with Glass Top

Ultra Durable Lino Flooring

100% LED Interior Lighting

**LED Accent Lighting** 

Booth Dinette w/ Storage

(Select Floor Plans)

Stainless Steel Convection Oven/Microwave

Combo

Fluted Glass Fronts on Kitchen Cabinets

Decorative Kitchen and Wall Sconce Lighting Reclining Theater Seats w/Heat Feature

Residential Wood Blinds

**Upgraded Window Treatments** 

Slide Out Storage Cabinets

Composite Interior Steps

Bluetooth Stereo

Large Flat Screen TV

Cable Prep in Lofts

Removable Steel Loft Ladder

Oversized Vapor Barrier Doors into Garage

(Select Floor Plans)

5.000lb. Tie Downs Secured to Chassis

Blackout Snap On Window Covers in Garage Washer/Dryer Prep (Triple Axle Models

Only)

12" Diamond Plate Base Board

Tuff Ply Cargo Flooring

Interior Speakers

**HDMI Wall Plates for Device Connection** 

Overstuffed Sofas with Free Standing Table

Beaver Tail Transition

Backlit Light Switches

35,000 BTU Furnace

Power Vent in Living Room Roll Down Screen Wall/Tent Wall

His and Hers Nightstands with Sconce

Lighting

Nightstand Outlets and USB Charging

Centers

Nightstand Storage Cabinet

Bedroom Cabinets Above Bed

Bedroom TV/Cable Prep

Large Mirrored Bedroom Wardrobe

(Select Floor Plans)

Six Sets of Dresser Drawers

(Select Floor Plans)

**Under Bed Storage** 

Dual Entry into the Bathroom Shower with Surround and Glass Enclosure

Adjustable and Removable Shower Head

Large Skylight

Power Vent in Bathroom

Mirrored Medicine Cabinet

12 Volt Master Shut Off

Foot Flush Toilet

Vengeance King Bed (Select Floor Plans)

#### **PLATINUM PACKAGE**

(not all items available on all models)

100% LED Lighting with Accents

7,000# Axles with 8 Lug Wheels

Back Up Camera Ready

Bluetooth Stereo

Dual 30# LP Tank Upgrade Equa Flex Suspension

Extra Tall Slide Rooms

Gen Prep w/Transfer Switch

**Heated Reclining Theatre Seating** Hydraulic Front Landing Gear (3 axle Models

Only)

Laminated Bed Deck

Laminated Sidewalls Laminated Slide Out End Walls and Roof

**LED Lighted Awning** 

**LED Rear Loading Lights** 

Multiple USB Charging Ports

Screen Wall / Tent Wall

Seamless Countertops

Sink Cover

Solar Prep and Wiring

**Upgraded Baggage Doors** 

Upgraded Garage Floor with 5,000# Tie

Downs

Upgraded Hinged Happijac System w/Fold

**Down Cup Holders** 

Upgraded Stainless Steel Refer w/ Inverter

Upscaling Residential DVD Player

Wide Spread Chassis

#### **OPTIONS**

2nd A/C

G Rated Tires (2 Axle)

G Rated Tires (3 Axle)

5.5 Onan Generator

8 Cubic Foot RV Refrigerator w/Raised Panel

Front IPO Residential w/ Inverter

**Alumifoil Insulation** 

Euro Recliner Black Leather

Fifth Wheel Electric Stabilizer Jacks (Rear)

Ramp Door Patio System

Ramp Patio Step w/Handrail

Roof Ladder

Ultracold Heated Holding Tank Pads

6 Point Hydraulic Leveling (2 axle) (N/A on

F312A)

6 Point Hydraulic Leveling (3 axle)




# **VENGEANCE TRAVEL TRAILERS**

INNOVATION WITHOUT LIMITATIONS

VENGEANCE TRAVEL TRAILERS FOCUS ON BEING WEIGHT CONSCIOUS WHILE OFFERING MAXIMUM UTILITY.








- Power awning w/ LED strip lighting
- Full walk-on roof
- 13.500 BTU A/C
- 1" garage floor decking w/3,000 lb cargo capacity
- Tuff ply cargo flooring in garage
- 5,200 lb. Axles
- **Equa Flex Suspension**

- 8 Radial Tires
- 9 True wide I-Beam chassis
- 10 Fluted polypropylene enclosed underbelly
- 11 Baton insulation layer
- 12 Polyethylene subfloor wrap
- 13 Floor decking
- 14 2.5" Aluminum framed laminated bed/bath floor

- 15 Block foam floor insulation
- 16 2" Welded aluminum wall studs
- 17 Block foam wall insulation
- 18 Stabilizer jacks
- 19 One piece PVC roof material
- 20 3/8" Roof decking
- 21 Baton insulation layer

- **22** 5" Bowed wood truss rafters
- 23 Aluminum A/C Ducting
- 24 Vacuum bonded fiberglass side walls
- **25** 102" Wide body
- **26** Aluminum framed front radius construction
- 27 Diamond plate rock guard
- 28 LP Bottle Cover





# **VENGEANCE TRAVEL TRAILER STANDARDS & OPTIONS**

#### **EXTERIOR FEATURES**

102" Wide Body

Aluminum Framed Vacuum Bonded Side Walls

1" Cargo and Tuff Ply Floor

Lightweight Laminated Bed/Bath Floor

**Enclosed Underbelly** 

Insulated Underbelly

Block Foam Insulated Side Walls

Power Awning w/LED Lighting

Chassis Prep for Fuel Station and Generator

Marine Grade Exterior Speakers

7' Ramp Door

Ramp Patio Prep

Extra Large Entry Grab Handle

**LED Exterior Lighting** 

PVC (poly vinyl chloride) Roof Material

**ABS Fender Skirts** 

5.200lb. Axles

**Aluminum Rims** 

Triple Step Entry Steps

**LED Brake Lights** 

Two (2) 20lb. LP Bottles

ABS Easy Access LP Bottle Cover

Outside Shower with Hot and Cold

Black Tank Flush

Aerodynamic Radius Front Design

**Aluminum Framed Front Profile** 

Construction

Diamond Plate Rock Guard on Front

13.500 BTU Ducted A/C

6 Gallon Gas/Electric DSI Water Heater

Walk-on Crowned Roof

**Gutters with Extended Drip Spouts** 

Back Up Camera Ready

**Outside Power Outlet** 

Spare Tire

#### **INTERIOR FEATURES**

**Upgraded Seamless Counter Tops** 

**Under Mounted Stainless Steel Sink** 

Pull Down Faucet

8 Cu. Ft. Gas/Electric Refrigerator

Flush Mount 3 Burner Stove with Glass Top

100% LED Interior Lighting

Ultra Durable Lino Flooring

22" Oven

Microwave

Bluetooth Stereo

Large Flat Screen TV

Cable and Satellite Prep

5.000lb. Tie Downs Secured to Chassis

Blackout Snap On Window Covers in Garage

12" Diamond Plate Base Board

Tuff Ply Cargo Flooring

Interior Speakers

**HDMI Wall Plates for Device Connection** 

Overstuffed Sofas with Free Standing Table

**Beaver Tail Transition** 

Residential Wood Blinds

12 Volt Master Shut Off

**Backlit Light Switches** 

35,000 BTU Furnace Power Vent in Living Room

Roll Down Screen Wall/Tent Wall

Bedroom TV Prep

**Bedroom Hanging Storage** 

Bedroom Drawer Storage

**Under Bed Storage** 

Shower with Surround and Curtain

Adjustable and Removable Shower Head

Large Skylight

Foot Flush Toilet

Power Vent in Bathroom

Mirrored Medicine Cabinet

**GFI Outlet** 

#### **PLATINUM PACKAGE**

(not all items available on all models) Back Up Camera Ready Generator Ready & Fuel Station

Happijac Bed Lift- Top Bed w/Bottom Bed Couch Combo IPO Steel Roll Over Sofas Only

Indoor/Outdoor Cargo Carpet

**LED Lighted Awning** Multiple USB Charging Ports

Ramp Patio Prep

Rear Roll Down Screen

Swing Arm TV Bracket

Upgraded Blue Tooth Stereo

Upgraded Recessed Stove Top w/Glass

Cover

**Wood Panel Refrigerator Insert** 

#### **OPTIONS**

4.0 Generator

15.000 BTU A/C

Ramp Door Patio System

Upgraded Pull Down Screen Wall

Power Tongue Jack w/Shroud

Electric Stabilizer Jacks

Alumifoil Insulation

Ultracold Heated Holding Tank Pads

Euro Recliner Black Leather

Swivel Rocker Chair

### **VENGEANCE FIFTH WHEEL AND TRAVEL TRAILER SPECIFICATIONS**

FIFTH WHEELS TRAVEL TRAILERS

	312A	320A	348A13	377V	388V16	394V13	420V12	422V12-6	424V12	23FB13	26FB13
Dry Hitch Weight	2001-lbs.	2398-lbs.	2718-lbs.	2646-lbs.	TBA	2994-lbs.	2888-lbs.	2972-lbs.	3174-lbs.	876-lbs	TBA-lbs
Unloaded Vehicle Weight	10666-lbs.	11939-lbs.	11995-lbs.	13275-lbs.	TBA	13195-lbs.	13362-lbs.	13409-lbs.	13155-lbs.	5526-lbs	TBA-lbs
Axle Weight	8606-lbs.	9482-lbs.	9218-lbs.	10570-lbs.	TBA	10169-lbs.	10415-lbs.	10378-lbs.	9922-lbs.	4612-lbs	TBA-lbs
GVWR w/Brakes	16000-lbs.	16000-lbs.	16398-lbs.	18000-lbs.	TBA	17100-lbs.	18000-lbs.	18000-lbs.	18000-lbs.	9525-lbs	TBA-lbs
Cargo Carrying Capacity	5334-lbs.	4061-lbs.	4403-lbs.	4725-lbs.	TBA	3905-lbs.	4638-lbs.	4591-lbs.	4845-lbs.	3999-lbs	3999-lbs
Exterior Length	38'-9"	39'-8"	40'-10"	42'-4"	TBA	41'-8"	42'-8"	43'-2"	42'-6"	28'-6"	32'-0"
Exterior Height w/ AC	13'-4"	13'-4"	13'-4"	13'-4"	TBA	13'-4"	13'-4"	13'-4"	13'-4"	11'7"	11'7"
Exterior Width	102"	102"	102"	102"	TBA	102"	102"	102"	102"	102"	102"
Grey Capacity	42-Gal.	50-Gal.	80-Gal.	80-Gal.	TBA	80-Gal.	100-Gal.	100-Gal.	100-Gal.	32-gal	64-gal
Black Capacity	42-Gal.	50-Gal.	80-Gal.	80-Gal.	TBA	50-Gal.	100-Gal.	100-Gal.	50-Gal.	32-gal	32-gal
Fresh Capacity	100-Gal.	100-Gal.	100-gal	100-gal	TBA	100-gal	100-gal	100-gal	100-gal	53-gal	53-gal
Awning Size	21'	21'	21'	21'	TBA	21'	18' & 10'	18' & 10'	18' & 10'	15'	18'
Cargo Area Size-Off DS	144"	146"	156"	144"	TBA	156"	144"	144"	144"	70"	72"
Cargo Area Size-DS	144"	146"	156"	144"	TBA	156"	144"	144"	144"	166"	162"



#### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

#### Specification Definitions

#### GVWR (Gross Vehicle Weight

Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight
Rating) - is the maximum permissible
weight, including cargo, fluids, optional
equipment and accessories that can
be safely supported by a combination
of all axles.

# UVW (Untoaded Vehicle Weight)\* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer

\*Estimated average based on standard build optional equipment.

installed accessories.

CCC (Cargo Carrying Capacity)\*\*- is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

\*\* Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.





#### Learn More Scan this barcode using

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



ADDRESS GOES HERE.

ADDRESS GUES HERE.

YOUR VENGEANCE DEALER

#### **CUSTOMER SATISFACTION**

FOREST RIVER encourages you to

BUY
LOCAL
ORDER
OF THE PROPERTY OF THE PROPERT

www.ForestRiverBuyLocal.com

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. P./W: 2016.12.16