

Free To Roam.





Free To Roam.





Each new day brings wonderment. The opportunity to discover something new. To pursue your dreams and fill your soul. This is the Soul of RVing. Dutchmen | KODIAK ULTRA LITE

MORE STANDARD FEATURES MORE VALUE

Everything we put into our innovative floorplans are designed to maximize storage and comfort. We don't stop there, to ensure peace of mind after the purchase we have the industry's best RV warranty, 100% pre-delivery inspection, and the leader in parts and service. While other manufacturers offer features as options, we prefer to make those same features standard.

We've built a reputation for bringing RV owners more standard features for less money for over 25 years, and it's a reputation we plan to keep.



100% Pre-Delivery Inspection

At Dutchmen, quality is standard. Every single RV that comes off the line receives it's own pre-delivery inspection—a thorough 253-point check to ensure accurate measurements, as well as fully-functional electronics and components.



The Industry's Best RV Warranty

Our industry-best 3 Year Warranty means you don't have to wrangle over the details. We deliver value by clearly outlining the major components we back for the first three years.



The Leader In Parts & Service

Replacement parts. Routine checkups. Expert advice. We've got it all covered. When only the best RV services will suffice, our industry-leading parts and service department is ready to help you get back on the road—and stay there longer than ever before.

Tow Vehicle Disclaimer. CAUTION: Owners of Dutchmen recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Dutchmen products. Dutchmen disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. DUTCHMEN'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. REFERENCE DUTCHMEN MANUFACTURING OWNERS MANUAL FOR LIMITED WARRANTY DETAILS. © 2021 Dutchmen 11-17-2021-Kodiak Ultra Lite Model Year 2022

MORE STANDARD FEATURES MORE VALUE

Everything we put into our innovative floorplans are designed to maximize storage and comfort. We don't stop there, to ensure peace of mind after the purchase we have the industry's best RV warranty, 100% pre-delivery inspection, and the leader in parts and service. While other manufacturers offer features as options, we prefer to make those same features standard.

We've built a reputation for bringing RV owners more standard features for less money for over 25 years, and it's a reputation we plan to keep.



100% Pre-Delivery Inspection

At Dutchmen, quality is standard. Every single RV that comes off the line receives it's own pre-delivery inspection—a thorough 253-point check to ensure accurate measurements, as well as fully-functional electronics and components.



The Industry's Best RV Warranty

Our industry-best 3 Year Warranty means you don't have to wrangle over the details. We deliver value by clearly outlining the major components we back for the first three years.



The Leader In Parts & Service

Replacement parts. Routine checkups. Expert advice. We've got it all covered. When only the best RV services will suffice, our industry-leading parts and service department is ready to help you get back on the road—and stay there longer than ever before.

Tow Vehicle Disclaimer. CAUTION: Owners of Dutchmen recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Dutchmen products. Dutchmen disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. DUTCHMEN'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. REFERENCE DUTCHMEN MANUFACTURING OWNERS MANUAL FOR LIMITED WARRANTY DETAILS. © 2021 Dutchmen 11-17-2021-Kodiak Ultra Lite Model Year 2022



Dutchmen | KODIAK ULTRA LITE









Destination: Kodiak Ultra Lite. Take the scenic route as your free to roam in the Kodiak Ultra Lite. The leader in lightweight technology with its aluminum super-structure design. The Kodiak Ultra Lite is feature rich in amenities with modern design touches, including a farm-style kitchen sink, underbelly LED lights, and a Residental Queen bed in every floorplan.

- Composite Floor Construction a wood-free flooring system to provide a lighter more durable structure.
- Fully Enclosed Underbelly all of your RVs vital functions are kept out of the elements. Plus, this extra layer of protection means you can travel further into the year.
- Aluminum Steps stability you need when coming and going from your Kodiak Ultra-Lite. Easy to expand and store away, these aluminum steps deliver a sound platform.
- Fiberglass Front Cap with LED Lights easy maintenance and enhanced safety.
- Light Weight Laminated Construction all aluminum frame construction with laminated components for the lightest weights in it's class.
- Largest Refrigerated In Its Class 10 cu. ft. 12V Refrigerator, optional 8 cu. ft. Gas/Electric Refrigerator.)
- No Carpet Easy to clean, durable and pet friendly.
- Seamless Countertops -the most durable in the industry.







Destination: Kodiak Ultra Lite. Take the scenic route as your free to roam in the Kodiak Ultra Lite. The leader in lightweight technology with its aluminum super-structure design. The Kodiak Ultra Lite is feature rich in amenities with modern design touches, including a farm-style kitchen sink, underbelly LED lights, and a Residental Queen bed in every floorplan.

- Composite Floor Construction a wood-free flooring system to provide a lighter more durable structure.
- Fully Enclosed Underbelly all of your RVs vital functions are kept out of the elements. Plus, this extra layer of protection means you can travel further into the year.
- Aluminum Steps stability you need when coming and going from your Kodiak Ultra-Lite. Easy to expand and store away, these aluminum steps deliver a sound platform.
- Fiberglass Front Cap with LED Lights easy maintenance and enhanced safety.
- Light Weight Laminated Construction all aluminum frame construction with laminated components for the lightest weights in it's class.
- Largest Refrigerated In Its Class 10 cu. ft. 12V Refrigerator, optional 8 cu. ft. Gas/Electric Refrigerator.)
- No Carpet Easy to clean, durable and pet friendly.
- Seamless Countertops -the most durable in the industry.

Standard features in every floor plan.










Standard features in every floor plan.



















Interior Features:

With spacious floor plans and all the amenities of home,

- · Large Drawers Under Dinette Booth
- Stainless Steel Apron Sink w/ High Rise Faucet
- 3 Burner Range w/Glass Cover
- 10 cu. ft. 12V Refrigerator (Optional 8 cu. ft. Gas/Eletric Refrigerator)
- Seamless Countertops
- Range Hood w/ 12V Fan & Light

- Roller Shades Throughout
- USB Port
- · LED Interior & Exterior Lighting
- LED Backlit Medicine Cabinet
- Optional Free Standing Table & Chairs



Carbon






Flooring



Woodgrain



Countertop







Interior Features:

With spacious floor plans and all the amenities of home,

- Large Drawers Under Dinette Booth
- Stainless Steel Apron Sink w/ High Rise Faucet
- 3 Burner Range w/Glass Cover
- 10 cu. ft. 12V Refrigerator (Optional 8 cu. ft. Gas/Eletric Refrigerator)
- Seamless Countertops
- Range Hood w/ 12V Fan & Light

- Roller Shades Throughout
- USB Port
- LED Interior & Exterior Lighting
- LED Backlit Medicine Cabinet
- Optional Free Standing Table & Chairs



Carbon




Savannah



Flooring



Woodgrain



Countertop



KODIAK ULTRA LITE 201QB

Length: 24' 1" Weight: 4,188 lbs. Sleeps: 3-4 Hitch: 475 lbs. Height: 10' 3"



No Division of the second of t


KODIAK ULTRA LITE 227BH

Length: 26' 11" Weight: 4,338 lbs. Sleeps: 3-4 Hitch: 487 lbs. Height: 10' 3"

KODIAK ULTRA LITE 242RBSL

Length: 28' 10" Weight: 5,167 lbs. Sleeps: 4-6 Hitch: 572 lbs. Height: 11' 0"

- *Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer.
- **Our weights represent how most units are built, inclusive of many commonly-ordered options.
- ***Fresh water capacity includes water heater capacity.







KODIAK ULTRA LITE 201QB

Length: 24' 1" Weight: 4,188 lbs. Sleeps: 3-4 Hitch: 475 lbs. Height: 10' 3"




KODIAK ULTRA LITE 227BH

Length: 26' 11" Weight: 4,338 lbs. Sleeps: 3-4 Hitch: 487 lbs. Height: 10' 3"

KODIAK ULTRA LITE 242RBSL

Length: 28' 10" Weight: 5,167 lbs. Sleeps: 4-6 Hitch: 572 lbs. Height: 11' 0"

- *Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer.
- **Our weights represent how most units are built, inclusive of many commonly-ordered options.
- ***Fresh water capacity includes water heater capacity.







KODIAK ULTRA LITE 248BHSL

Length: 29' 0" Weight: 5,340 lbs. Sleeps: 4-6 Hitch: 588 lbs. Height: 11' 0"





KODIAK ULTRA LITE 261RBSL

Length: 31' 0" Weight: 5,821 lbs. Sleeps: 8-10 Hitch: 650 lbs. Height: 10' 7"

KODIAK ULTRA LITE 283BHSL

Length: 32' 10" Weight: 5,811 lbs. Sleeps: 3-4 Hitch: 784 lbs Height: 10' 7"

- *Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer.
- **Our weights represent how most units are built, inclusive of many commonly-ordered options.
- ***Fresh water capacity includes water heater capacity.

DISCLAIMER: Product information is as accurate as possible as of the date of brochure publication. All features, floor plans and specifications in this brochure are subject to change without notice. Please consult Dutchmen's website at www.Dutchmen.com for current product information and specifications.



All info & specs are for units manufactured after 01/3/2022





KODIAK ULTRA LITE 248BHSL

Length: 29' 0" Weight: 5,340 lbs. Sleeps: 4-6 Hitch: 588 lbs. Height: 11' 0"






KODIAK ULTRA LITE 261RBSL

Length: 31' 0" Weight: 5,821 lbs. Sleeps: 8-10 Hitch: 650 lbs. Height: 10' 7"

KODIAK ULTRA LITE 283BHSL

Length: 32' 10" Weight: 5,811 lbs. Sleeps: 3-4 Hitch: 784 lbs Height: 10' 7"

- *Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer.
- **Our weights represent how most units are built, inclusive of many commonly-ordered options.
- ***Fresh water capacity includes water heater capacity.







KODIAK ULTRA LITE 289BHSL

Length: 32' 11" Weight: 5,807 lbs. Sleeps: 4-6 Hitch: 641 lbs. Height: 10' 9"






KODIAK ULTRA LITE 296BHSL

Length: 33' 11" Weight: 6,129 lbs. Sleeps: 8-10 Hitch: 639 lbs. Height: 11' 2"

KODIAK ULTRA LITE 332BHSL

Length: 37' 3" Weight: 7,103 lbs. Sleeps: 3-4 Hitch: 929 lbs Height: 11' 2"

- *Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer.
- **Our weights represent how most units are built, inclusive of many commonly-ordered options.
- ***Fresh water capacity includes water heater capacity.







KODIAK ULTRA LITE 289BHSL

Length: 32' 11" Weight: 5,807 lbs. Sleeps: 4-6 Hitch: 641 lbs. Height: 10' 9"






KODIAK ULTRA LITE 296BHSL

Length: 33' 11" Weight: 6,129 lbs. Sleeps: 8-10 Hitch: 639 lbs. Height: 11' 2"

KODIAK ULTRA LITE 332BHSL

Length: 37' 3" Weight: 7,103 lbs. Sleeps: 3-4 Hitch: 929 lbs Height: 11' 2"

- *Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer.
- **Our weights represent how most units are built, inclusive of many commonly-ordered options.
- ***Fresh water capacity includes water heater capacity.





Kodiak Ultra Lite Specifications

	Weights (lbs)			Tanks (Gallons)			Dimensions	
Floorplan	Shipping Weight	Hitch Weight	Carrying Capacity	Fresh Water Capacity	Waste Water Capacity	Gray Water Capacity	Exterior Length	Exterior Height
201QB	4,188	475	1,312	52	28	39	24' 1"	10' 3"
227BH	4,338	487	3,262	50	28	39	26' 11"	10' 3"
242RBSL	5,167	572	2,433	52	28	39	28' 10"	11' 0"
248BHSL	5,340	588	2,260	52	28	56	29' 0"	11' 0"
261RBSL	5,821	650	1,779	50	28	78	31' 0"	10' 7"
283BHSL	5,811	784	1,789	52	28	39	32' 10"	10' 7"
289BHSL	5,807	641	1,793	50	39	78	32' 11"	10' 9"
296BHSL	6,129	639	1,471	52	28	78	33' 11"	11' 2"
332BHSL	7,103	929	2,577	50	28	78	37' 3"	11" 2"

^{*}Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer.

DISCLAIMER: Product information is as accurate as possible as of the date of brochure publication. All features, floor plans and specifications in this brochure are subject to change without notice. Please consult Dutchmen's website at www.Dutchmen.com for current product information and specifications.



All info & specs are for units manufactured after 01/3/2022




^{**}Our weights represent how most units are built, inclusive of many commonly-ordered options.

^{***}Fresh water capacity includes water heater capacity.

Kodiak Ultra Lite Specifications

	Weights (lbs)			Tanks (Gallons)			Dimensions	
Floorplan	Shipping Weight	Hitch Weight	Carrying Capacity	Fresh Water Capacity	Waste Water Capacity	Gray Water Capacity	Exterior Length	Exterior Height
201QB	4,188	475	1,312	52	28	39	24' 1"	10' 3"
227BH	4,338	487	3,262	50	28	39	26' 11"	10' 3"
242RBSL	5,167	572	2,433	52	28	39	28' 10"	11' 0"
248BHSL	5,340	588	2,260	52	28	56	29' 0"	11' 0"
261RBSL	5,821	650	1,779	50	28	78	31' 0"	10' 7"
283BHSL	5,811	784	1,789	52	28	39	32' 10"	10' 7"
289BHSL	5,807	641	1,793	50	39	78	32' 11"	10' 9"
296BHSL	6,129	639	1,471	52	28	78	33' 11"	11' 2"
332BHSL	7,103	929	2,577	50	28	78	37' 3"	11" 2"

^{*}Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer.





^{**}Our weights represent how most units are built, inclusive of many commonly-ordered options.

^{***}Fresh water capacity includes water heater capacity.











Exterior Features:

- Bear Cage Construction
- Laminated Crown Roof
- Backup Camera Prep
- Solar Prep
- Spare Tire
- Outside TV Hook Up & Mount
- Outdoor Speakers

- Aluminum Framing
- Underbelly LED Lights
- Suburban Griddle
- 3,000lbs Tow Hitch
- 6 Gallon Gas/Electric
 Water Heater
- 13,500 BTU A/C (Option 15K)

 30 Amp Detachable Marine Power Cord (Option 50 Amp w/ Second A/C Prep)



Select floor plans



To see more features, visit dutchmen.com









Exterior Features:

- Bear Cage Construction
- Laminated Crown Roof
- Backup Camera Prep
- Solar Prep
- Spare Tire
- Outside TV Hook Up & Mount
- Outdoor Speakers

- Aluminum Framing
- Underbelly LED Lights
- Suburban Griddle
- 3,000lbs Tow Hitch
- 6 Gallon Gas/Electric
 Water Heater
- 13,500 BTU A/C (Option 15K)

 30 Amp Detachable Marine Power Cord (Option 50 Amp w/ Second A/C Prep)



Select floor plans



To see more features, visit dutchmen.com



See the DUTCHMEN® Construction Advantage.

We put a great amount of thought into every RV we design and build. From strong frames, to sturdy walls and insulation, we build every RV to take you on many adventures to come.

Laminated Walls

- Fiberglass Exterior Panel
- Lauan Wall Backing
- Aluminum Frame with Block
 Foam Insulation
- Lauan Interior Wall Panel



HyperDeck Flooring

- Linoleum Flooring
- Fiberglass Reinforced Polypropolene
- Higher Density Form Core
- Fiberglass Reinforced Thermoplastic Base Layer
- Steel Powder Coated Main Frame
- Fully Enclosed Underbelly



Insulated Reinforced Front Cap

- Lauan Interior Panel
- Aluminum Frame with Fiberglass Insulation
- Fiberglass Front Cap



To see more features, visit dutchmen.com



See the DUTCHMEN® Construction Advantage.

We put a great amount of thought into every RV we design and build. From strong frames, to sturdy walls and insulation, we build every RV to take you on many adventures to come.

Laminated Walls

- Fiberglass Exterior Panel
- Lauan Wall Backing
- Aluminum Frame with Block Foam Insulation
- Lauan Interior Wall Panel



HyperDeck Flooring

- Linoleum Flooring
- Fiberglass Reinforced Polypropolene
- Higher Density Form Core
- Fiberglass Reinforced Thermoplastic Base Layer
- Steel Powder Coated Main Frame
- Fully Enclosed Underbelly



Insulated Reinforced Front Cap

- Lauan Interior Panel
- Aluminum Frame with Fiberglass Insulation
- Fiberglass Front Cap



To see more features, visit dutchmen.com





Connect with other RVers in the Dutchmen community. Sharing adventures is a great way to get inspired and get on the road. Gather 'round our social media campfires with us—and be sure to follow us so we can share with you!







Visit us online to see all the Dutchmen brands, innovative models, and spacious floor plans.

CONTACT SALES: 574.537.0600

PO BOX 2000 | 2164 CARAGANA COURT | GOSHEN, IN 46527



Make the DUTCHMEN® Connection.

Connect with other RVers in the Dutchmen community. Sharing adventures is a great way to get inspired and get on the road. Gather 'round our social media campfires with us—and be sure to follow us so we can share with you! dutchmen.com







Visit us online to see all the Dutchmen brands, innovative models, and spacious floor plans.

CONTACT SALES: 574.537.0600

PO BOX 2000 | 2164 CARAGANA COURT | GOSHEN, IN 46527