

VIKING



CAMPING TRAILERS



Camping Made Easy




VIKING Easy Does It



Easy to Set Up, Use and Store

Viking's innovative, user-friendly system increases leisure time. Set up in five minutes and let the good times roll!



The easy-to-use Canimex dual drive/dual purpose winch and drill bit, combined with a cordless drill, raises and lowers the roof in under 30 seconds. A manual override is provided.



The four heavy duty scissor-style stabilizing jacks extend and retract easily using a cordless drill and the Canimex drill bit.



This exclusive "Glide-N-Lock" cable supported bed system eliminates the need for support poles under the beds. Simply pull out the beds until they lock into place and install the tension rafter.



X-Cable technology adds additional stability to the roof and prevents over cranking of the roof.



There's no need to crawl across the beds to install the tension rafters. Viking's exclusive two-piece tension rafter is another example of how Viking makes camping easier.

More Viking Exclusive Features

Four Layer Insulated Roof Braced for Air Conditioning.

- A. One Piece Seamless Fiberglass Skin
 - B. Luan Plywood Underlayment
- No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.

- C. Foam Insulated Roof Structure
- D. Vinyl Coated Ceiling

- Easy to clean and minimizes interior condensation
- Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.

Wide Trac Suspension Better safety and stability on the road.

- Widest stance of any folding camper
- Improves towing safety and stability
- Stronger axle beams than most competitors
- Steel frame with powdercoat protection



Dexter®
E-Z Lube®
Axles

Roof Side Z-Rail Channels water away.



1. Roof's Outside Skin
2. Body's Outside Skin
3. Water tight Seal
4. Z-Rail channels water away from wood

- Z-Rails on roof perimeter and sidewalls keep wood above water level collection points.
- Others use U channel where wood and water can come in contact at the bottom of the channel.
- Channels are kept open to allow water to run out like a gutter.
- Others attempt to seal channels to keep water out; when the seal is compromised, water will collect and cannot escape.



Viking's Super Sliding Storage box enables full, easy accessibility even when the camper is set up. (Standard on Legend, Optional on V1 and V2).

4" E-Z Sleep Quilted Mattress


1-1/4" Laminated
Insulated Bunkend

COLD OUTSIDE AIR

Viking standard heated mattress

1-1/4" Laminated Insulated Bunkends

- Two times thicker than others
- Solid wood, steel reinforced frame, with 1" thick high density foam, and laminated wood panels top and bottom
- More stable bed end vs. chipboard or spliced plywood
- Insulation improves comfort and warmth



COLD OUTSIDE AIR

Competition

The E-Z Swing Stepper Door with hydraulic assist, operates in seconds and provides the largest, most stable step platform in the industry.




Viking's one piece entry door has an extra large adjustable privacy panel to let in fresh air and sunlight.



Viking's exclusive J-Track door latch maximizes stability by eliminating the flimsy nylon turn buttons traditionally used in securing the door to the roof.



Check Out
Our Easy Set
Up Video Here



Viking's one-piece, 5/8" floor structure is stronger than the industry's standard 1/2". Automotive undercoating protects from the elements. Congoleum residential grade Diamondflor with 100% adhesion adds beauty and durability indoors.



E-Z Roll, lined privacy drapes

X Cable technology stabilizes the roof and prevents overcranking

2485SST

Higher density foam enhances comfort and durability



Retractable clothes bar (Standard on Legend, V-Trec and Hardside models)



Powerful Fantastic power roof vent moves air like no other.



Jensen AM/FM/Bluetooth stereo with App control includes Interior/Exterior speakers (Standard on Legend, V-Trec and Hardside models)



Exterior grill (N/A on LS series)



The Goshen Stamping double-wide lift arm system offers strength, stability and increased wind resistance. (Limited lifetime warranty)



LED bunk end fan lights (N/A Hardside models)



The E-Z one-hand swing level galley gets you cookin' in no time! (Legend and V-Trec models)



Long-lasting LED lighting brightens the interior

12RBST HW

Easy To Enjoy!



Experience a comfortable night's sleep with a Serta memory foam mattress.



The Create a Breeze fan circulates five times more air than a conventional 12 volt fan.



The Dometic Cool Cat 10, 150 BTU heat pump is standard on Viking hardside camping trailers.



Microwave with storage



VIKING 

Viking hardside camping trailers provide more exterior storage space than any other model in its class. This extra large front storage deck has a removable, fully enclosed ABS box.




Double 20# LP Tanks with cover

VIKING EXPRESS




EXPRESS 9.0




EXPRESS 180


VIKING LS



1706XLS




2107LS




2308LS


VIKING EPIC



1906




2108ST



2405ST




VIKING LEGEND




2485SST

VIKING HARDSIDE




V12RBST




V12RBST HW


VIKING V-TREC



V1



V2



V3

VIKING

Express

LS

Hardside

V-Trec

Standard Features

X = Express ■ LS = LS Series ■ E = Epic ■ L = Legend ■ H = Hardside ■ V = V-Trec

| CHASSIS | X | LS | E | L | H | V |
|-------------------------------------|---|----|---|---|---|---|
| Tubular Steel Frame | ■ | ■ | ■ | ■ | ■ | ■ |
| Dual Drive Winch by Canimex | | ■ | ■ | ■ | | ■ |
| Heavy Duty Dolly Jack with Wheel | | ■ | ■ | ■ | ■ | ■ |
| Wide Trac Ultralube Spring Axle | ■ | ■ | ■ | ■ | | |
| Wide Trac Ultralube Torsion Axle | | | | | ■ | ■ |
| Electric Brakes | | ■ | ■ | ■ | ■ | ■ |
| Radial Tires | | ■ | ■ | ■ | ■ | ■ |
| Spare Tire and Carrier | | ■ | | | | |
| Aluminum Rims | | | | ■ | ■ | ■ |
| Scissor Style Jacks with Pads (4) | ■ | ■ | ■ | ■ | ■ | ■ |
| Goshen Lift System with Double Arms | | ■ | ■ | ■ | | ■ |

| EXTERIOR | X | LS | E | L | H | V |
|--|---|----|---|---|---|---|
| "Zero Exposure" Bunk technology | | | ■ | ■ | | ■ |
| Laminated Aluminum Skin Walls | ■ | ■ | | | | |
| Laminated High Gloss Fiberglass Walls | | | ■ | ■ | ■ | ■ |
| LED Exterior Lights | ■ | ■ | ■ | ■ | ■ | ■ |
| Diamond Plate Front and Rear Wall Protection | | | ■ | ■ | ■ | ■ |
| E-Z Swing Stepper Door | | | ■ | ■ | | |
| One Piece Screen Door (N/A Express) | | ■ | ■ | ■ | | ■ |
| 4 Layer Laminated Seamless Fiberglass Roof Prebraced for A/C | | ■ | ■ | ■ | | ■ |
| Exterior Wall Mount LP Grill | | | ■ | ■ | ■ | ■ |
| VRX Sectionalized Tent with Storm Cuff | | ■ | ■ | ■ | | ■ |
| Laminated Insulated Bed Platforms (N/A LS) | | | ■ | ■ | ■ | ■ |
| Glide-n-Lock Cable Supported Bed System | | ■ | ■ | ■ | | ■ |
| Above Floor 16 gallon Fresh Water Tank (1906,1706LS and 2107LS only) | | ■ | ■ | | | |
| 23 Gallon Below Floor Fresh Water Tank | | | ■ | ■ | | ■ |
| 27 Gallon Below Floor Fresh Water Tank | | | | | ■ | |

| | X | LS | E | L | H | V |
|---|---|----|---|---|---|---|
| 25 Amp Converter with Battery Charger (12 Amp 1706LS) | | | ■ | ■ | ■ | ■ |
| 120 Volt GFI Exterior Recept (N/A 1706LS) | | ■ | ■ | ■ | ■ | ■ |
| LED Amber Patio Light (N/A 1706LS) | | ■ | ■ | ■ | ■ | ■ |
| "SST" Super Sliding Storage Compartment 2485SST (Optional on V1, V2) | | | | ■ | | |
| Removable Exterior Storage Box (12RBST, 12RBSTHW) | | | | | ■ | |
| Create-a-Breeze Power Roof Vent | | | ■ | ■ | ■ | ■ |
| Tinted Safety Glass Windows | | | | | ■ | |
| A & E Awning | | ■ | | | | |
| Interior Courtesy Lights | | | ■ | ■ | ■ | ■ |

| INTERIOR | X | LS | E | L | H | V |
|--|---|----|---|---|---|---|
| 100% Adhesion Residential Grade Linoleum | ■ | ■ | ■ | ■ | ■ | ■ |
| Walnut Cabinetry | ■ | ■ | ■ | ■ | ■ | ■ |
| Mortise and Tenon Residential Cabinet Doors | | | | ■ | ■ | ■ |
| Residential Laminated Countertops | ■ | ■ | ■ | ■ | ■ | ■ |
| Ultra Comfort 4" Heated Mattresses (N/A LS) | | | | ■ | ■ | ■ |
| High Density Serta Mattresses | | | | | ■ | |
| Ultra Comfort 4" High Density Cushions | | ■ | ■ | ■ | ■ | ■ |
| Vented Privacy Drapes (N/A LS Models) | | ■ | ■ | ■ | ■ | ■ |
| E-Z Swing Galley with Drawer | | | | ■ | ■ | ■ |
| Microwave | | | | | ■ | ■ |
| Deep Bowl Acrylic Sink | | ■ | ■ | ■ | ■ | ■ |
| 2 Burner High Output Range | | ■ | ■ | ■ | ■ | ■ |
| 12 Volt On Demand Water Pump | | ■ | ■ | ■ | ■ | ■ |
| Built-in Shower (2485SST and V3) | | | | ■ | ■ | ■ |
| Thetford Cassette Potti (2485SST and V3) | | | ■ | ■ | ■ | ■ |
| DSI 6 Gallon Water Heater (2108ST, 2405ST, 2485SST, 12RBST, 12RBSTHW, V1, V2 and V3) | | | ■ | ■ | ■ | ■ |
| 20,000 BTU Furnace | | ■ | | | | ■ |
| Three Way Dometic Refer 1.9 cu. Ft. | | ■ | | | | |

| | X | LS | E | L | H | V |
|---|---|----|---|---|---|---|
| Dometic Cool Cat Heat Pump | | | | | | ■ |
| Skylights with Night Shades | | | | | | ■ |
| 12 Volt LED Interior Lights | ■ | ■ | ■ | ■ | ■ | ■ |
| 120 Volt Interior outlets | | ■ | ■ | ■ | ■ | ■ |
| 2 LED Bunk Fan/Lights | | ■ | ■ | ■ | ■ | ■ |
| Retractable Clothes Bar | | | | | ■ | ■ |
| Powder Coated Interior Tent Support Poles | | ■ | ■ | ■ | | ■ |
| Jensen Bluetooth Stereo | | | | ■ | ■ | ■ |

| POPULAR OPTIONS | X | LS | E | L | H | V |
|---|---|----|---|---|---|---|
| Essentials Package: | | | ■ | ■ | | ■ |
| 3-Way Dometic Refer 1.9 cu.ft (2.5 cu ft. on Classic and V3) | | | | | | |
| 20,000 BTU Furnace | | | | | | |
| A & E Awning | | | | | | |
| Spare Tire, Carrier and Cover | | | | | | |
| Thetford Modular Cassette Potti with Electric Flush (2108ST, 2405ST and V1) | | | | ■ | | ■ |
| Thetford Porta Potti | ■ | ■ | ■ | ■ | ■ | ■ |
| Bed End Fan Light (1) | ■ | | | | | |
| Screen Room with Privacy Flaps | | | ■ | ■ | | ■ |
| "SST" Super Sliding Storage Trunk (V1, V2) | | | | | | ■ |
| 13.5M Air Conditioner | | ■ | ■ | ■ | ■ | ■ |
| 40 Watt Zamp Portable Solar Panel | ■ | ■ | ■ | ■ | ■ | ■ |
| 80 Watt Zamp Portable Solar Panel | ■ | ■ | ■ | ■ | ■ | ■ |
| Bathroom Package (2405ST, V2) | | | | | | ■ |
| Bolt On Swivel Tongue Jack | ■ | | | | | |
| "Jack It" Bike Rack | | ■ | ■ | ■ | ■ | ■ |
| Toylok Cargo Security System | ■ | ■ | ■ | ■ | ■ | ■ |
| Awning and Skirt Package | | | | | | ■ |
| Stor-N-More Underbunk Storage System | | ■ | ■ | ■ | | ■ |
| Sportsmen's Package (Exp. 180 only) | ■ | | | | | |

Viking Specifications

| Model: | EXPRESS | | LS MODELS | | | EPIC | | | LEGEND | CLASSIC HARDSIDES | | V-TREC | | |
|---------------------------|-------------|-------------|-----------|-----------|-------------|-----------|-------------|-------------|-------------|-------------------|-------------|-------------|-------------|-------------|
| | EXPRESS 9.0 | EXPRESS 180 | 1706XLS | 2107LS | 2308LS | 1906 | 2108ST | 2405ST | 2485SST | V12RBST | V12RBST HW | V1 | V2 | V3 |
| Interior Box Size | 9' | 7'6" | 8.5' | 10' | 12' | 8.5' | 10' | 12' | 12' | 12' | 12' | 10' | 12' | 12' |
| Travel Length | 12'11" | 12' 4" | 12'8" | 14'2" | 18'3" | 12'8" | 16'4" | 18'3" | 18'5" | 20'2" | 20.2 | 16'9" | 18'9" | 21'4" |
| Travel Width | 79" | 60" | 85" | 85" | 85" | 85" | 85" | 85" | 85" | 88" | 88" | 85" | 85" | 85" |
| Travel Height | 50 1/2" | 53" | 56" | 58" | 58" | 56" | 58" | 58" | 55" | 59" | 59" | 65" | 65" | 65" |
| Exterior Open Length | 9' | 14'5" | 17'11" | 20'5" | 23'5" | 17'11" | 20'9" | 23'5" | 23'5" | 12' | 12' | 20'5" | 22'5" | 23'5" |
| Interior Open Height | 100" | 86" | 6'10" | 6'10" | 6'10" | 6'10" | 6'10" | 6'10" | 6'10" | 95" | 95" | 6'10" | 6'10" | 6'10" |
| Sleeping Capacity | 2 | 2 | 6 | 7 | 8 | 6 | 7 | 8 | 6 | 4 | 4 | 6 | 6 | 6 |
| Front Sleeping Area | 54" x 74" | 54" x 74" | 54" x 80" | 58" x 80" | 70" x 80" | 54" x 80" | 58" x 80" | 70" x 80" | 70" x 80" | N/A | N/A | 58" x 80" | 70" x 80" | 70" x 80" |
| Rear Sleeping Area | N/A | N/A | 48" x 80" | 54" x 80" | 58" x 80" | 48" x 80" | 58" x 80" | 70" x 80" | 70" x 80" | 54" x 80" | 54" x 80" | 58" x 80" | 58" x 80" | 58" x 80" |
| Dinette Area | N/A | N/A | 38" x 64" | 38" x 70" | 38" x 64" | 38" x 64" | 38" x 70" | 38" x 70" | 41" x 74" | 45" x 80" | 45" x 80" | 38" x 70" | 36" x 70" | 41" x 74" |
| "U" Dinette | N/A | N/A | N/A | N/A | 42" x 80" | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Lounge Area | N/A | N/A | N/A | 80" | N/A | N/A | 24" x 70" | N/A | 24" x 70" | N/A | N/A | 24" x 70" | 24" x 70" | 24" x 70" |
| Sofa Bed | N/A | N/A | N/A | N/A | N/A | N/A | 34" x 76" | 40" x 72" | N/A | N/A | N/A | N/A | N/A | N/A |
| Radial Tire Size | ST145R12 | ST145R12 | ST145R12 | ST145R12 | ST185/80R13 | ST145R12 | ST185/80R13 | ST185/80R13 | ST185/80R13 | ST185/80R13 | ST185/80R13 | LT235/75R15 | LT235/75R15 | LT235/75R15 |
| Tire Load Range | D | D | 5 Bolt C | 5 Bolt C | 5 Bolt D | 5 Bolt C | 5 Bolt D | 5 Bolt D | 5 Bolt D | 5 Bolt D | 5 Bolt D | 5 Bolt C | 5 Bolt C | 5 Bolt C |
| Hitch Weight (lbs./Kg.) | 73/33 | 105/48 | 116/53 | 210/95 | 220/100 | 116/53 | 187/85 | 243/109 | 282/128 | 320/145 | 337/153 | 252/114 | 290/132 | 420/191 |
| Axle Weight (lbs./Kg.) | 590/268 | 717/325 | 1338/607 | 1576/715 | 1962/890 | 1338/607 | 1667/756 | 2083/938 | 2403/1090 | 1845/837 | 1893/859 | 1981/892 | 2253/1022 | 2700/1225 |
| Dry Weight (lbs./Kg.) | 663/301 | 822/373 | 1503/682 | 1786/810 | 2182/990 | 1503/682 | 1863/845 | 2326/1048 | 2702/1226 | 2165/982 | 2230/1011 | 2233/1013 | 2577/1169 | 3065/1390 |
| Cargo Capacity (lbs./Kg.) | 610/277 | 483/219 | 813/369 | 514/233 | 1353/614 | 813/369 | 824/374 | 1120/505 | 800/363 | 1453/659 | 1493/677 | 1519/689 | 1213/550 | 1325/601 |
| GVWR (lbs./Kg.) | 1273/577.5 | 1305/592 | 2096/951 | 2300/1043 | 3535/1603 | 2096/951 | 2702/1227 | 3463/1560 | 3502/1588 | 3635/1649 | 3757/1704 | 3994/1799 | 3790/1718 | 4380/1987 |
| Coupler Size | 1-7/8" | 1-7/8" | 2" | 2" | 2" | 2" | 2" | 2" | 2" | 2" | 2" | 2-5/16" | 2-5/16" | 2 5/16" |

*Weights shown are approximate. †Estimated Average based on standard build optional equipment. All weights shown are in Pounds/Kilograms. See back page for chart definitions.

V-TREC



V-Trec Camping Trailers

Heavy duty construction sets V-Trec by Viking apart from the competition!

5" Tube Frame ■ Reinforced Diamond Plate Front Deck ■ 4000 Lb. Heavy Duty Leaf Spring Axle for Heavy Cargo Capacity

VIKING

CAMPING TRAILERS

Viking RV

580 West Burr Oak Street ■ P.O. Box 549
Centreville, MI 49032 ■ 269-467-6321

To learn more about Viking RV and our products and see how Viking is making camping easier, visit www.vikingrv.com.



FREE MEMBERSHIP
to Forest River Owners' Group
www.forestriverfrog.com

Your Viking RV Dealer

Interactive Mobile Manuals

Download our Forest River mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Forest River product. Ranging from "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/ownersmanuals, or download our FREE app from the App Store or Google Play!



GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

**Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2017 Viking Recreational Vehicles, a Division of Forest River, Inc., a Berkshire Hathaway company. All Rights Reserved. 12/17

LIMITED WARRANTY

- Lift System - Lifetime
- Vinyl Tent - 5 Years
- Roll-out System - 5 Years
- Roof Assembly - 5 Years
- Roof Exterior - 2 Years
- Dexter® E-Z Lube® Axle - 5 Years
- Refrigerator - 3 Years
- Plumbing System - 10/25 Years
- Electronic Converter - 2 Years



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



24/7 EMERGENCY ROADSIDE ASSISTANCE

For a worry-free ownership experience Forest River includes one year of Coach-Net RV Technical & Roadside Assistance with each RV purchase. Whether new to the RV lifestyle or an experienced RV enthusiast, Forest River owners have 24/7 access to technical, operational and emergency road service coverage throughout the US & Canada. Coach-Net's fast, dependable service is just a phone call away.

Coach-Net®
RV Technical & Roadside Assistance



Learn More
Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.