

PROVIDING OUTDOOR FUN SINCE 1974.

TENT CAMPERS

0

CAMPERS

TENT

ROCKWOOD

LIMITED, ESP, FREEDOM, HIGH WALL & HARD SIDE CAMPERS


Freedom

MAKING YOUR INVESTMENT GO A LONG WAY. Rockwood takes

pride in packing the most value possible into our Freedom series. Finding the perfect fit for the specific needs of your active family is made easier by the wide variety of floor plans available. While each model comes standard with many features, you still have flexibility to incorporate as many options as you choose to fit your camping preferences.














1640LTD



| 8ED 42 X 78 | 36 X 64 DINETTE DPT REFER | BED 54 X 78 | |
|----------------|---------------------------------|----------------|--|
| CARF | CABINET CABINET | ' AWNING | |

| MODEL NUMBER | 1950 | 1980 | 2280 | 2318G | 1640LTD | 1940LTD |
|--------------------------------|--------|--------|--------|--------|---------|---------|
| Unloaded Vehicle Weight* | 1997 | 1896 | 2278 | 2439 | 1465 | 1608 |
| Base Dry Hitch Weight | 230 | 255 | 289 | 263 | 162 | 195 |
| Base Dry Axle Weight | 1748 | 1622 | 1970 | 2157 | 1284 | 1394 |
| Cargo Capacity | 1233 | 1359 | 1011 | 824 | 793 | 683 |
| Box Size | 10' | 10' | 12' | 12' | 8' | 10' |
| Trailer Size (Closed w/ Hitch) | 15' 4" | 15' 4" | 17' 3" | 17' 3" | 12'1" | 14' 5" |
| Height (Closed) | 66" | 66" | 66" | 66" | 64" | 64" |
| Trailer Length (Open) | 20'1" | 20'1" | 23'10" | 23'10" | 17'1" | 20' 1" |
| Fresh Water Capacity | 26 | 26 | 26 | 26 | 10 | 10 |

The Unloaded Vehicle Weight (UVW) listed represents the weight of one trailer with that model's standard equipment including the content of specified option packages. * See back cover for further specification definitions.

Extreme Sports Package

WELCOME TO THE ROCKWOOD EXTREME SPORTS PACKAGE (ESP), a

camper designed for active couples and families. Whatever the preference; mountain biking, canoeing, paddle boarding or surfing, the ESP camping trailers are designed to allow you to make the most of your outdoor experience.

BUILT FOR 21ST CENTURY CAMPING.


The ESP package has interior features targeted for the modern, active lifestyle including a Digital Media Receiver with Bluetooth, MP3 player, USB and auxiliary ports, WiFi Ranger WiFi Booster, recharging station with (2) additional USB ports, LED interior lighting and more.

CARGO CARRYING VERSATILITY.

The Rockwood ESP camper features ProRac Systems, Inc. permanent mount cross bars that provide a load-bearing surface for securing up to 150 lbs. of a wide variety of outdoor sports equipment.

UNBOUNDED ADVENTURE.

Distinctive fender flairs and 15" Mud Rover Radial Tires with Aluminum Wheels that provides for 12" ground clearance to go anywhere.









35 X 69 DINETTE

DROP LEAF

EO X EO BED

F7 REACH STORAGE TE

COOL CAT

GAS GRILL

N/S KING BED INSERT

GAS GRILL

TWIN BED 30 x 74

54 X 80 Flip-up bed N g o

MICRO

C



1640ESP

BED 48 X 80

ABLE EX



SHOWER DITIONAL SHOWER

HARD SIDE MODELS

45 X 80

28X 84 FRONT DECK STORAGE W/ EXPANDED METAL DECKING

EZ REACH STORAGE

SO X 80

28X 84 FRONT DECK STORAGE

A122BHESP

A213HWESP



VINC CAL

1910ESP

EZ REACH STORAGE TRUN

EZ REACH STORAGE TRUNK

BED 60 X 80



SWING GALLEY

K 89

34 X 64

BED 48 x 80 62" SOFA BED

OPT REFER

CABINET

T 9' AWNINI

1970ESP

BED 60 x 80



AI22THESP

| | | | | | | | HARD | SIDE MO | DELS | |
|--------------------------------|---------|---------|---------|------------------|---------------|---------|------------------|------------------|----------|-----------|
| MODEL NUMBER | 1640ESP | 1910ESP | 1970ESP | ZZ80BHESP | Z32ESP | 282TESP | A122BHESP | A122THESP | A122SESP | A213HWESP |
| Unloaded Vehicle Weight* | 1722 | 2180 | 2076 | 2559 | 2933 | 3377 | 2392 | 2392 | 2272 | 2604 |
| Base Dry Hitch Weight | 178 | 254 | 234 | 338 | 294 | 221 | 346 | 346 | 290 | 302 |
| Base Dry Axle Weight | 1525 | 1907 | 1823 | 2202 | 2620 | 3118 | 2008 | 2008 | 1944 | 2264 |
| Cargo Capacity | 656 | 724 | 808 | 1279 | 861 | 1844 | 1454 | 1454 | 1518 | 1198 |
| Box Size | 8' 4" | 10' | 10' | 12' | 12' | 12' | 12' | 12' | 12' | 14' |
| Trailer Size (Closed w/ Hitch) | 12'1" | 17' 1" | 15' 4" | 19' 2" | 22' 5" | 26'8" | 22'1" | 22' 1" | 19' | 20'10" |
| Height (Closed) | 71" | 71" | 71" | 74" | 74" | 74" | 71" | 71" | 71" | 71" |
| Trailer Length (Open) | 17' 1" | 20' 4" | 20'1" | 23'10" | 26' 5" | 30' 8" | | | | |
| Fresh Water Capacity | 20 | 20 | 20 | 26 | 26 | 26 | 26 | 26 | 26 | 26 |

The Unloaded Vehicle Weight (UVW) listed represents the weight of one trailer with that model's standard equipment including the content of specified option packages. * See back cover for further specification definitions.

EXTREME SPORTS PACKAGE 5

Premier

THE ROCKWOOD PREMIER IS THE TOP TENT CAMPER ON THE MARKET TODAY. The expansive

EZ Reach storage trunk for that extra cargo space, a comfortable, heated, inner-spring mattress, for a peaceful night's sleep, large slide out dinette for a more spacious interior and the convenient power lift system for easier setup are some of the basic features that really make your camper a Premier.



High Wall

KISS THE CAMPGROUND BATH HOUSE

GOODBYE. Welcome to the Rockwood High Wall Series. We have designed this series for the camping family who wants the refinement of larger vacationing units in a lightweight camper. Ample counterspace, upgraded appliances, convenient pull-up curtains providing a wide view of the surroundings and tasteful interiors make this camper a gorgeous option to experience.









HIGH WALL MODELS

EVTEDIND STODAD

90

MICRO

13' AWNING

BED 60 X 80

20

HW276

BED 70 X 80


2514G

HW277


PREMIER MODELS







HW296





HIGH WALL MODELS PREMIER MODELS HW296 HW 276 HW 277 2317G 2514G 2516G 2716G MODEL NUMBER 3721 Unloaded Vehicle Weight* 3249 3334 2795 2698 2955 2831 Base Dry Hitch Weight 296 380 371 292 297 386 370 000 547 546 1278 497 599 431 539 Box Size 14' 14' 16' 12' 12' 12' 14' Trailer Size (Closed W/ Hitch) 19' 3" 21' 3" 19' 3" 18'10" 18'10" 18'10" 19'2" Height (Closed) 79" 79" 81" 69" 69" 69" 69" Interior Height 88" 88" 89" 981/2" 981/2" 98 1/2" 981/2" 23'9" 25' 9" Trailer Length (Open) 25'9" 25'9" 27'9" 23' 9" 23' 9" Fresh Water Capacity 26 26 26 26 26 26 26 12 Gray Water Capacity 12 12 NA NA NA NA 12 12 12 Black Water Capacity NA NA NA NA

The Unloaded Vehicle Weight (UVW) listed represents the weight of one trailer with that model's standard equipment including the content of specified option packages. * See back cover for further specification definitions.





Hard Side

QUITE POSSIBLY THE BEST OF BOTH WORLDS. When you

combine the solid exterior of a travel trailer with a Premier tent camper, you get the Rockwood Hard Side Series, giving your camping experience the best of both worlds. Bringing a smooth, fiberglass vacuum bonded exterior with a quick, easy set up, while retaining the towing and storage advantages of a tent camper, the Hard Side camper is the perfect blend.

Hard Side High Wall

EVER GET MORE THAN YOU

EXPECT? That is what you get with the Rockwood Hard Side High Wall Series. What appears to be another easy to tow, convenient to store camping trailer transforms into a fully equipped camper with many of the amenities commonly found in today's travel trailers.



















HARD SIDE MODELS



A122



HARD SIDE HIGH WALL MODELS




HARD SIDE HIGH WALL MODEL FEATURES

A Hard Side & Hard Side High Wall Awning

(Std. Hard Side & Hard Side High Wall)

& Screen Room option. (Shown on A122S.)





A214HW

HARD SIDE HARD SIDE HIGH WALL A122 A1225 A212HW A213HW A214HW MODEL NUMBER Unloaded Vehicle Weight* 2014 2120 2267 2670 2700 Base Dry Hitch Weight 222 284 307 372 353 000 1208 1164 1040 702 653 Box Size 12' 12' 12' 14' 14' Trailer Size (Closed w/ Hitch) 19' 2" 20'10" 17'1" 18'10" 20'10" Height (Closed) 61" 61" 68" 61" 68" Fresh Watter Capacity 26 26 26 26 26

The Unloaded Vehicle Weight (UVW) listed represents the weight of one trailer with that model's standard equipment including the content of specified option packages. * See back cover for further specification definitions.

D Power Roof Lift Assist

Manual Lift Roof Only)

Gas Strut Lift Assist (Std. Hard Side Models w/

Molded LP Bottle Covers

B

[



Superior Construction

QUALITY BUILT PRODUCTS DON'T HAPPEN ALL BY THEMSELVES.

Here's why we're the best:

- A Three Stage Double Arm Lifter Posts (NA Hard Side)
- B Fiberglass Vacuum Bonded Radius Roof w/ No Center Seam (NA Hard Side)
- **C** Five-Piece Vinolon Supreme Tenting (NA Hard Side)
- **D** E-Z Crank Down Stabilizer Jacks w/Sand Pads
- **E** Full Perimeter Aluminum Bed Frames (NA Hard Side)
- F Plywood Bunk Ends (NA Hard Side)
- **G** Seven-Way Pigtail Wiring

E

- H Under Floor 20 Gallon Fresh Water Tank (LTDs 11 Gallon Above Floor)
- Powder Coated Tubular Steel Frame
- J Powder Coated Rafter Poles and Bed Bows (NA Hard Side)
- K Air Conditioner Reinforcing Laminated Into Roof (NA Hard Side)
- L Nitrogen Filled Steel Belted Radial Tires
- M Easy Lube System (Except LTDs)
- N Smooth Fiberglass Vacuum Bonded Exterior (NA on Freedoms)
- **O** One-Piece Door (Except LTDs & Hard Side)
- P Under Awning LED Lighting (Except LTD's & Hard Sides)




DEXTER TORFLEX

(Standard on Premier, High Wall and Hard Side Models)

- Independent wheel suspension and self-damping action
- Rubber cushioning eliminates metal-to-metal contact.
- Forged torsion arm for maximum strength

Most models are also equipped with E-Z Lube® System and Nev-R-Adjust® Brakes.



Popular Feat


JUST A FEW FEATURES THAT PROVE OUR

- A Toylok Mounted Locking System (Std. 2280BH, 2280BHESP, 232ESP, 282TESP, HW316TH, A122BH, A122TH Only)
- B Heated Mattress (Std. Opt.)
- **C** Swing Down Galley (Except LTDs, Hard Side, High Wall)
- D Metal Full Extension Drawer Guides (Std.)
- **E Solar Panel Prep** (Std. all models) The Zamp 40 amp. portable solar panel shown is sold separately.
- F Three Speed Ventilation Fan (Except LTDs.)
- G Water Pump with Filter (Std.)
- H Outside Grill with Work Table (Std. Freedom, Premier, Hard Side, High Wall)
- Add-a-Room with Privacy Panels (Opt. all Models Except Hard Side)
- J Power Lift (Std. Premier, High Wall and 232ESP, 282TESP Opt. Freedom /LTD)
- K WIFI Ranger Sky 4 WIFI Booster, with internet connectivity available. (NA on Ltd's)
- L Easy Glide Scissorpole Bed Supports (Except LTDs)
- M Bike Rack Option (Most Models)
- N Under Awning LED Light (All Models Except LTD's and Hard Sides)

tures

WORTH.

- **0 One-Piece Door** (Except LTD's, Hard Side) and Large Entry Assist Handle (Except LTD's)
- P Beautiful Hardwall Shower with a residential-style flush toilet complete with 12-gallon black and gray water holding tank and monitor panel. (Std. High Wall)
- Q Hanging Wardrobe (Opt. all Models Except Freedom, Hard Side & LTD's)
- R Outside Shower (Incl. w/ Hot Water Pkg: Std: Premier, Hard Side, High Wall and Opt: Freedom)
- S AM/FM Stereo with Bluetooth and USB ports. (N/A LTD & Freedom)
- T Easy Opening Deluxe Pull-up Curtains. (Std. Premier and High Wall)
- U Black Water Hose Storage (Std. HW models)
- V LED Bunk Light (Std. Premier & High Wall)
- W ProRac Roof Mounted Cross Bars w/ Opt. Bike and Kayak Carrier attachments. (NA on LTD & Dormer Models)
- X Molded LP Bottle Covers (Std. Hard Side, High Wall Only)
- Y EZ Reach Storage Trunk (Some Models)



Standards & Options

ROCKWOOD FREEDOM, ESP, PREMIER, HIGH WALL & HARD SIDE CAMPERS



| MODELS | LTD | F | ESP | P | HW | HS |
|----------------------------------------------------------|------|-------|-------|----|----|----|
| STANDARD & OPTIONAL FEATURES | | | | | | |
| Slatewood Interior | S | S | | S | S | S |
| Wood Look Flooring | S | S | | S | S | S* |
| Ash Ice Interior | | | S | | | |
| Brushed White Flooring | | | S | | | |
| "Leather Appearance" Seating | S | S | S | S | S | S |
| Stainless Steel Look Appliances and Sink | | | | S | S | S |
| Electric Water Pump | S | S | S | S | S | S |
| Hot Water Package (Incl. Water Filter, Outside Shower, | | | | | | |
| Six Gallon DSI Hot Water Heater, Demand Water Pump) | | | | | | |
| (Opt. F: 1980, ESP: 1910ESP, 1970ESP) (Std. F: 1950, | | | | | | |
| 2280, 2318G, ESP: 2280BHESP, 232ESP, 282TESP) | | S/0* | S/0* | S | S | S |
| Port-a-Potty (ESP: 1910ESP, A122THESP A213HWESP | | | | | | |
| P: 2514G HS: A122, A122S, A122BHESP, A212HW) | | | S* | S* | | S* |
| Residential Flush Toilet in Cabinet (HS: A213HW Only) | | | | | | S* |
| Shower and Cassette Toilet Package Incl. Cabinet w/ | | | | | | |
| Shower, Cassette Toilet and Shower Curtain. (Opt. F: 228 | 10, | | | | | |
| 2318G, ESP: 2280BHESP) (Std. ESP: 232ESP, | | | | | | |
| 282TESP, P: 2516G, 2716G) | | S*/0* | S*/O* | S* | | S* |
| Hard Wall Shower with Residential Flush Toilet and Mon | itor | | | | | |
| for Holding Tanks, Battery and Water Pump Switch | | | | | S | |
| Hard Wall Shower w/ Residential Flush Toilet | | | | | | |
| (HS: A214HW Only) | | | | | | S* |
| Spray Away Utility Hose | | | S | | | |
| Antifreeze Inlet to Bypass Fresh Water Tanks | | | | | | |
| When Winterizing | S | S | S | S | S | S |
| Two Burner Free-Standing Range | S | | | | | |
| Permanently Mounted 3-Burner Indoor Range w/Cover | | S | S | | | |
| Permanently Mounted 3-Burner Indoor Range w/ | | | | | | |
| Glass Stove Top Cover | | | | S | | S |
| Three Burner Glass Top Stove with Oven | | | | | | |
| (A212HW HW296, HW276, HW277) | | | | | S | S* |
| Microwave | | | | | S | S |
| 110V Electric Outside Accessible Refer 2716G, | | | | | | |
| 2317G Only) | | | | S* | | |
| 3 Way Refer 1.9 cu. ft. | S | S | S | | | |

| MODELS | LTD | F | ESP | P | HW | HS |
|-----------------------------------------------------------|-----|----|-----|----|----|----|
| 3 Way Refer 2.5 cu. ft. | | | | S | | S |
| Extra Large 3 Way Refer (HS: A212HW, A213HW, | | | | | | |
| A214HW Only) | | | | | S | S* |
| Residential Style Cabinet Doors | S | S | S | S | S | S |
| Wood Drawers w/ Full Extension Metal Guides | S | S | S | S | S | S |
| Swing Galley w/Storage | S | S | S | S* | | |
| Large Clothes Bar | | | | S | S | S |
| Hanging Wardrobe | | | | 0 | 0 | 0 |
| Hanging Pantry | | 0 | 0 | 0 | 0 | |
| USB Charging Ports | | S | S | S | S | S |
| Digital Media Receiver w/ AM/FM Stereo, Bluetooth, | | | | | | |
| MP3 Player, USB & Aux. Ports | | | S | S | S | S |
| TV Outlet with Cable and Satellite Hook Up | | S | S | S | S | S |
| 30 Amp Detachable Power Cord w/ Storage Bag | | S | S | S | S | S |
| 25 Amp Converter w/ Built in Battery Charger | | | | | | |
| (ESP: 1640ESP) | S | | S* | | | |
| 35 Amp Converter w/ Built in Battery Charger | | S | S | S | S | S |
| Roof Vent | S | | | | | |
| Three Speed Ventilation Fan | | S | S | S | S | S |
| Air Conditioner Wiring Kit | 0 | 0 | 0 | 0 | 0 | |
| 10k BTU Cool Cat Heat Pump | | | | | | S |
| 13.5k BTU Low Profile Air Conditioner (Factory Installed) | | | | | 0 | |
| 15k BTU Low Profile Air Conditioner (Factory Installed) | | | | | 0 | |
| 20k BTU Forced Air Furnace w/ Electric Ignition | 0 | 0 | 0 | 0 | 0 | 0 |
| Interior Floor Lights | | | | | S | S |
| Ceiling LED Lights and Jacks for Accessories | | | | | | |
| (Tent Campers) | S | S | S | S | S | |
| Ceiling LED Lights (Hard Sides) | | | | | | S |
| 1 Bunk LED Light with Fan | | S | | S | S | |
| 2 Bunk LED Light with Fan | | | | S | S | |
| LED Bunk Light In Slide Outs | | S* | S* | S* | S | |
| LP Leak/Carbon Monoxide Detector | S | S | S | S | S | S |
| Privacy Curtains | S | CP | CP | CP | CP | S |
| Deluxe Pull Up Curtains | | | | S | S | |
| Roof Valances | | CP | CP | CP | CP | |
| Storage Net Over Bunks | | S | S | S | S | |
| | | | | | | |

| MODELS | LTD | F | ESP | Р | HW | HS |
|----------------------------------------------------------|-----|----|-----|----|----|----|
| Quilted Top Bed Mattresses | S | S | S | | | |
| Deluxe Memory Foam Quilted Top Bed Mattresses | | | | | | |
| (HS: A213HW, A213HWESP Twin Beds Converts to King) | | | | | | S* |
| Quilted Top Memory Foam Mattresses (HS: A122, A122S, | | | | | | |
| ESP: A122BHESP, A122THESP Only) | | | S* | S | S | S* |
| Quilted Top 60" x 80" Memory Foam Mattresses | | | | | | |
| (HS: A212HW, A214HW Only) | | | | | | S* |
| Thermostatically Controlled Heated Mattresses | | | | | | |
| (HS: A122, A122S, A212HW, A214HW Only) | S | S | S | S | S | S* |
| Leaf-Spring Axle | S | S | S | | | |
| Independent Torsion Axles | | | | S | S | S |
| Easy Lube Axles | | S | S | S | S | S |
| Spare Tire, Cover and Mount | S | ТР | ТР | ТР | ТР | S |
| 12" Radial Tires | S | | | | | |
| 13" Radial Tires w/ Aluminum Wheels | | | | | | |
| (HS: Except A212HW, A213HW, A214HW) | | S | | S | | S* |
| 14" Radial Tires w/ Aluminum Wheels (Std. HS: A212HW, | | | | | | |
| A213HW, A214HW)(Note: Dual Axle Models HW296) | | | | | S | S* |
| 15" Mud Rover Radial Tires, Aluminum Wheels | | | | | | |
| (Std. ESP: A213HWESP, A122THESP, A122SESP, | | | | | | |
| A122BHESP, 1910ESP, 1970ESP, 1640ESP 2280BHESP) | | | | | | |
| 232ESP, 282TESP Only) (Note: Dual Axle 282TESP) | | | | | | |
| (232ESP & 282ESP Shocks) | | | S* | | | S* |
| Electric Brakes | 0 | S | S | S | S | S |
| Slam Latches on Front Trunk Side Doors (P: 2317G, | | | | | | |
| 2514G, 2516G) | | | | S | | |
| EZ Reach Storage with Sliding Tray All Front Trunk Model | S | | | | | |
| and Rear O/D Under Bed Storage (HS, A212HW, A214HW, | | | | | | |
| ESP: A213HWESP) | | S* | S* | S* | | S* |
| 28.5" Front Storage Deck w/ 200 # Weight Capacity | | | | | | |
| (Std. ESP: 2280BHESP, HS: A122BHESP Only) | | | S* | | | S* |
| 54" Frt. Storage Deck w/ 650 # Wt. Capacity | | | | | | |
| (Std. ESP: 232ESP) | | | S* | | | |
| 57" Frt. Storage Deck w/ 650 # Wt. Capacity | | | | | | |
| (Std. ESP: A122THESP) | | | S* | | | |
| | | | | | | |
| | | | | | | |





LTD F ESP P HW HS







| MODELS | |
|--------|--|
|--------|--|

| 105" Front Storage Deck w/ 1300 # Weight Capacity (Std. ESP: 282TESP) | | | S* | | | |
|--------------------------------------------------------------------------|-----|----|----|----|----|----|
| Toylok Mounted Locking System (Esp Modela Only) | | | S | S* | | |
| Pull out Camp Kitchen (2516G only) Includes Coleman | | | Ū | Ū | | |
| Stove & Cooler | | | | S* | | |
| (4) Bike Rack (N/A ESP: 232ESP. 282TESP. A122THESP. | | | | | | |
| Note: HS: A122 - 2 Bikes only) | 0 | 0* | 0* | 0 | 0* | 0* |
| ProRac Systems Permanent Mount Cross bars | | | | | | |
| (Std. on all except LTD and on Dormer Units) | | S | S | S | S | S* |
| ProRac Systems Upright Bike Carrier | | 0 | 0 | 0 | 0 | 0 |
| ProRac Systems Kayak Carrier | | 0 | 0 | 0 | 0 | 0 |
| ProRac Systems Load Stops | | 0 | 0 | 0 | 0 | 0 |
| ProRac Systems Tie Downs | | 0 | 0 | 0 | 0 | 0 |
| Power Lift System (Std. ESP: 232ESP, 282TESP) | 0 | 0* | 0* | S | S | |
| Gas Strut Lift Assist (HS: N/A HW Models & A122BHESP) | | | | | | S* |
| Power Roof Lift Assist (ESP: A213HWESP, A122BHESP | | | | | | |
| HS: A212HW, A213HW, A214HW Only) | | | | | | S* |
| Front Dormer (ESP: A122BHESP HS: A214HW, | | | | | | |
| A213HW Only) | | | | | | S* |
| Built-in A-Frame Mounting Provision for Equalizer | | | | | | |
| Hitch Bar Installation | S | S | S | S | S | S |
| Double Battery Box and Wiring Kit | | S | S | S | S | S |
| Roof Mount Solar Panel Prep W/1000 watt invertor to po | wer | | | | | |
| all 110V electrical outletsexcluding Microwave and A/C | | | S | | | |
| Solar Panel Prep on Frame | S | S | S | S | S | S |
| 40 Watt Solar Panel | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 lb. LP Bottle | S | S | S | S | | |
| Dual 20 lb. LP Bottles with Cover and Automatic LP | | | | | | |
| Regulator (Std. ESP: 232ESP, 282TESP, 2280BHESP Only) | 0 | 0 | 0* | 0 | | |
| Dual 20 lb. LP Bottles with Molded Hard Cover and | | | | | | |
| Automatic LP Regulator | | | | | S | S |
| | | | | | | |

| MODELS | LTD | F | ESP | P | HW | HS |
|-----------------------------------------------------------|-----|----|-----|----|----|----|
| Diamond Plated Lower Front Cap | | | | S | S | S |
| Black Diamond Plated Front and Side Skirt | | | S | | | |
| Awning | S | S | S | S | S | |
| LED Under Awning Light Strip | | S | S | S | S | |
| Awning/Screen Room | | | | | | 0 |
| Screen Room w/ Privacy Panels | 0 | 0 | 0 | 0 | 0 | |
| Outdoor Gas Grill w/ Worktable | 0 | S | S | S | S | S |
| Outside Speaker | | | S | S | S | S |
| Patio Light (LTD: 1940LTD Only) | S* | CP | CP | CP | S | S |
| Courtesy Light on Front (ESP: 2280BHESP, 232ESP, | | | | | | |
| 282TESP HS: All Models) | | | S* | | | S |
| 110V Exterior Outlet (1940LTD only) | S* | CP | CP | CP | S | S |
| Black Water Hose Storage | | | | | S | |
| Solid Door / Step Combo | | | | S | S | |
| Single Entry Step | S | TP | | | | S* |
| Double Door Step (ESP: All Models, | | | | | | |
| HS: A212HW, A213HW, A214HW) | | | TP | | TP | S* |
| One Piece Screen Door | | S | S | S | S | |
| Vented Entrance Door Window w/ Screen | | | | | | S |
| Folding Grab Handle (N/A 1640ESP) | | S | S* | S | S | S |
| Exterior Graphic Design | S | S | | S | S | S |
| Travel Pack (Incl. Spare Tire, Tire Bracket, | | | | | | |
| Tire Cover) | | 0 | 0 | 0 | 0 | |
| Convenience Pack (Incl. Privacy Curtains, Roof | | | | | | |
| Valances, A/C Bracing, Patio Light, 110V Exterior Outlet) | | 0 | 0 | 0 | 0 | |
| | | | | | | |

| STANDARD CONSTRUCTION FEATURES | | | | | | |
|----------------------------------------------|---|---|---|---|---|---|
| Completely Enclosed Living Area | | | | | | S |
| One Piece Vacuum Bonded Fiberglass Roof with | | | | | | |
| Metal Interior Ceiling | S | S | S | S | S | S |
| - | | | | | | |

| MODELS | LTD | F | ESP | Р | HW | HS |
|-------------------------------------------------------|-----|----|-----|----|----|----|
| Large Rear Roof Tinted Sky Light with Shade | | | | | | S |
| Two Front Roof Tinted Windows with Shades | | | | | | |
| (N/A Dormer units) | | | | | | S |
| Steel Air Conditioner Reinforcing Laminated Into Roof | S | CP | CP | CP | S | |
| CP 3-Stage Double Arm Lifter Posts | S | S | S | S | S | |
| Smooth White two Tone Fiberglass Vacuum Bonded | | | | | | |
| Exterior w/ Black Accents | | | | S | S | S |
| Lower Door Operational in Closed Position | S | S | S | S | S | |
| Five Piece Sectionalized Vinolon Supreme Tenting | S | S | S | S | S | |
| Tent Permanently Attached on Bunk Ends and Slide Out | S | S | S | S | S | |
| Plywood Bunk Ends | S | S | S | S | S | |
| Full Perimeter Aluminum Bed Frames | S | S | S | S | S | |
| Easy Glide Scissor Pole Bed Supports | | S | S | S | S | |
| Powder Coated Rafter Poles and Bed Bows | S | S | S | S | S | |
| Tinted Vinyl Windows | S | S | S | S | S | |
| Large, Opening Picture Window | | | | | | S |
| One Piece Undercoated Structure Wood Floor | S | S | S | S | S | S |
| E- Coated Tubular Steel Frame | S | S | S | S | S | S |
| Rear Crank Down Stabilizer Jacks w/ Sand Pads | S | | | | | |
| (4) E-Z Crank-Down Stabilizer Jacks w/ Sand Pads | | S | S | S | S | S |
| 11 Gallon Fresh Water Tank | S | | | | | |
| Under Floor 20 Gallon Fresh Water Tank | | S | S | S | S | S |
| 12 Gallon Gray Water Holding Tanks | | | | | S | |
| 12 Gallon Black Water Holding Tank | | | | | S | |
| 2000 lb. Tongue Jack w/ Swivel Wheel | S | S | S | S | S | S |
| Power Front Jack | | | | | 0 | 0 |
| 7-Way Pigtail Plug | S | S | S | S | S | S |
| WiFi Ranger WiFi Booster SKY 4 | | S | S | S | S | S |

LTD = LIMITED, F = FREEDOM, ESP = EXTREME SPORTS PACKAGE, P = PREMIER, HW = HIGH WALL, HS = HARD SIDE / HARD SIDE HW & HARD SIDE ESP, S = STANDARD, O = OPTIONAL, -- NOT AVAILABLE,

TP OR **CP** = OPTION PACKS, ***** = SELECTED MODELS, STANDARDS & OPTIONS ARE SUBJECT TO CHANGE.

Look for our other popular lines of Rockwood camping trailers.



Rockwood Geo Pro





PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

24/7 EMERGENCY ROADSIDE ASSISTANCE

For a worry-free ownership experience Forest River includes one year of Coach-Net RV Technical & Roadside Assistance with each RV purchase. Whether new to the RV lifestyle or an experienced RV enthusiast, Forest River owners have 24/7 access to technical, operational and emergency road service coverage throughout the US & Canada. Coach-Net's fast, dependable service is just a phone call away.

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

ECCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. ECCI is equal to GVWR minus UVW. Available (CC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gava tank to powide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.



FIFTH WHEELS

Rockwood Fifth Wheels

Rockwood Warranty. Our Promise.

FOR DETAILS ON ROCKWOOD'S COMPLETE WARRANTY PROGRAM, SEE YOUR ROCKWOOD DEALER. When it comes to backing products with the same quality and commitment it does when it begins the manufacturing process, the only name you have to remember when you're looking for a recreational vehicle is Rockwood. Rockwood offers the following additional limited warranties to the original purchasers. Consult written warranty for details

1. Five-year roof warranty (Excludes Hardsides), 2. Twenty-five-year floor warranty, 3. Five-year frame warranty, 4. Five-year tent warranty, 5. Ten-year warranty on torsion axle suspension, 6. Limited lifetime warranty of lifter system (Excludes Hardsides)



Rockwood Travel Trailers





Rockwood

A Berkshire Hathaway company.

201 WEST ELM MILLERSBURG, IN 46543 WWW.FORESTRIVERINC.COM/ROCKWOOD 574.642.2640

CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1582 P&W: 2018.10.16

