

TOY HAULER TRAVEL TRAILERS & FIFTH WHEELS

(TRAVEL TRAILER NOT SHOWN)



Own the Outdoors

FLOORPLANS

TRAVEL TRAILERS



FIFTH WHEELS



FEATURES

STANDARDS

- » 100" Wide Body Frame
- » Wardrobe & Linen Closet (FW)
- » Entrance to Main Bathroom from Bedroom (FW)
- » Secondary Bathroom (1/2 Bath) (FW)
- » 6'4" X 26" Entrance & Screen Door
- » 84" Slide-Out Ceiling Height (FW)
- » 12' 6" Garage (FW), 10' Garage (TT)
- » Insulated Garage Floor
- » Correct Track™ Suspension Alignment System
- » Stainless Steel Appliances (TT)
- » Dometic© Blizzard 15K A/C Quiet Residential Return
- » 8 Cu. Ft. Refrigerator (TT)
- » Washer/Dryer Prep
- » Generator Prep
- » Large Walk In Pantry (FW)


- » King Bed (FW), Queen Bed (TT)
- » Loft with 38" x 74" Mattress (FW)
- » 21" Oven with Flush Glass Stove Top (FW)
- » 17" Oven with Flush Glass Stove Top (TT)
- » Power Awning with LED Light & FLX Guard
- » 6 Point Auto Leveling with JT Strong Arm Stabilizers (FW)
- » Power Stabilizers (TT)
- » Heat & Massage In End Recliner Sectional
- » 30 Gallon Fuel Tank with Fuel Dispenser
- » Patent Flush Floor Slides with Vinyl Flooring (No Carpet)
- » PVC Roof Material (12 year Warranty / 10 Year Non-Prorated)
- » Aluminum Entry Steps
- » 50 Amp Service (TT)
- » Night Roller Shades (FW)

OPTIONS

- » A/C 2nd A/C, 13.5k BTU Ducted (Master Bedroom)
- » A/C Garage A/C, 13.5k BTU Non-Ducted
- » Dual Pane Windows
- » Generator Gas Onan 5.5 KW
- » Happi-Jack Bed Lift with Pass-Through Dinette
- » Patio Ramp with Railings and Manual Awning

SPECIFICATIONS	HT31RGR	HF350H
Square Feet	324	385
UVW	10095	12500
Hitch Weight	1334	2905
GVWR	13330	16905
Cargo (Gross)	3205	4405
Length (Pin to Rear)	37′	39′ 4″
Ext. Height	154"	157"
Ext. Width	100"	100"
Ext. Width (Slides Out)	162"	165"
nterior Height (Upper Deck)	-	98"
Interior Height (Overall)	83"-103"	76"
Fresh Water (Gal.)	106	110
Gray Water (Gal.)	62	98
Waste Water (Gal.)	31	82
LP Capacity (lbs.)	60	60
Fire Size	16"	16"
Awning Size	19'	12', 14'

CONSTRUCTION



1 | ROOF

- » Double batten insulation layered with radiant foil
- » Screw-mounted plywood decking topped with premium quality PVC
- » No treatment required! Will not chalk or spot
- » Heat reflecting properties keep coach cooler in the summer

2 | SLIDE OUTS

- » Best in class slide height and depth
- » Flush floor and above floor slides
- » Accu-Slide cable system with four points of compression
- » Laminate components plus 3M flashing tape along corners to prevent leaks

3 | SIDEWALLS

- » Lightweight, double-welded aluminum walls
- » Slide roof frames laminated with rigid foam insulation

4 I MAIN BODY

- » Built with 12" steel I-beams
- » 7,000 lb. axles with self-adjusting brakes
- » Aluminum wheels with nitrogen-filled tires
- » Industry-leading unique heating system

5 | DOORS & LOCKS

- » Oversize entrance door with large window, built-in screen doors, and integrated window shades
- » Double-insulated passage and storage doors with slam latches on secure and convenient key-alike system

6 | FLOORS

- » Double-welded framed floors
- » Insulated with rigid foam wrapped in radiant foil, anti-puncture Darco material, and strengthened with an overlapping double layer of laminate
- » Insulated garage door

INDUSTRY-LEADING HEATING SYSTEM

Oversize 4-inch heat ducts run from the furnace down to the fully enclosed underbelly and wrap around the tanks suspended between the chassis I-beams. Holding tanks are warmed by the forced air heat which prevents freeze-ups.

A return at the end of the tank connecting back into the coach provides the necessary air flow, eliminating the need for a pressurized system.



Your Highlander Dealer:




Own the Outdoors

For more information visit us at:

www.HighlandRidgeRV.com



CONSTRUCTION & FEATURE HIGHLIGHTS



Double batten insulation with a layer of radiant foil extends from the bottom of the rear wall to the bottom of the front and is capped at both ends. The plywood decking is secured with screws and topped with a PVC roof that does not chalk, streak or need yearly conditioning and features heat reflecting properties that help keep your coach cooler in the summer.

2 SLIDE OUTS

Slide outs are constructed with laminated components that include 3M flashing tape along the corners to help prevent leaks. Superior wall, roof and floor construction feature added insulation and allow for taller and deeper slides creating a comfortable, open and spacious environment. Flush floor and above floor slides feature the Accu-Slide cable system providing four points of compression when placed in the "In and Out" positions.



Highland Ridge RVs withstand the harshest of vironments. We put our products into a zero degree chamber for five hours.



The results speak for themselves.

3 LAMINATED SIDEWALLS

Each wall and slide roof is constructed using doublewelded aluminum frames and is laminated with rigid foam insulation. For a superior wall construction.

4 MAIN BODY

The main body is built with 12" steel I-beams and features 7,000 lb. axles, self-adjusting breaks, and aluminum rim wheels with nitrogen-filled tires. The underbelly is fully enclosed and designed to prevent freeze-ups by containing the heat that is circulated around the suspended holding tanks by our industry-leading heating system.

5 DOORS & LOCKS An oversize entrance door features a large

6 FLOORS

Double-welded framed floors are insulated with rigid foam, wrapped in radiant foil and anti-puncture Darco material and strengthened with an overlapping double layer of laminate. With insulated garage floor.

4

window with an integrated shade, and a builtin screen door. The double-insulated passage and storage doors include slam latches (most doors)and are also equipped with a key-alike system for added convenience and security.

TOP FEATURES



PVC ROOFING MEMBRANE



SPACIOUS INTERIOR

100" Wide body, 42" deep main slides, 84" tall slide-out ceilings.



FUEL TANK & DISPENSER

30 gallon fuel tank for toys & generator.



POWER AWNING

Protected with FLXguard® and LED



LINO FLUSH FLOOR SLIDE SYSTEM

Seamless transition between floors (no carpet).



3,000LB RATED GARAGE CAPACITY

Based on overall GVWR.



15K A/C RESIDENTIAL RETURN AIR

Superior cooling with quiet operation.



4 OR 6-POINT AUTO ELECTRIC LEVELING WITH JT STRONG ARMS

Quickly & safely stabilize your RV.



5,000LB RATED TIE DOWNS.

Safely secure your cargo with tie downs secured to the frame.



It starts with a 4-inch heat duct from the furnace down the underbelly-double the size of some of our competitors. Our tanks are suspended between the underbelly I-beams and surrounded by the 4-inch heat duct. This allows us to warm the tanks by blowing forced air heat on them.

A return at the end of the tank connecting back into the coach provides the necessary air flow, eliminating the need for a pressurized system.

THE HIGHLAND ASSURANCE



We stand behind our products. At Highland Ridge RV, we are one of the few manufacturers that have a 3-Year Limited Structural Warranty.

MORE ROOM LESS WEIGHT

This is our mission at Highland Ridge RV. It drives us to innovate and revolutionize the RV industry and it's why our products are 10 - 15% lighter than the competition



We pursue perfection through innovation and quality. Your RV experiences drive the evolution of our products in a constant state of improvement.



Our products undergo a grueling 500 mile durability test. A battery of figure eights, inverted chatters, undulations, and staggered bumps will test and prove our workmanship.





2018 HIGHLANDER HF350H



TOP FEATURES

- » 100" Wide Body Frame
- » Wardrobe & Linen Closet
- » Entrance to Main Bathroom from Bedroom
- » Secondary Bathroom (1/2 Bath)
- » 6'4" X 26" Entrance & Screen Door
- » 84" Slide-Out Ceiling Height
- » 12' 6" Garage
- » Insulated Garage Floor
- » Correct Track™ Suspension Alignment System
- » Dometic© Blizzard 15K A/C Quiet Residential Return
- » Washer/Dryer Prep
- » Generator Prep

- » Large Walk In Pantry
- » King Bed
- » Loft with 38"x74" Mattess
- » 21" Oven with Flush Glass Stove Top
- » Power Awning w/LED Light & FLX Guard
- » 6 Point Auto Leveling with JT Strong Arm Stabilizers
- » Heat & Massage In End Recliner Sectional
- » 30 Gallon Fuel Tank with Fuel Dispenser
- » Patent Flush Floor Slides w/ Vinyl Flooring (No Carpet)
- » PVC Roof Material (12 year Warranty / 10 Year Non-Prorated)
- » Aluminum Entry Steps
- » Night Roller Shades

SPECIFICATIONS

Square Feet	385
UVW	12500
Hitch Weight	2905
GVWR	16905
Cargo (Gross)	4405
Exterior Length (Pin to Rear)	39′ 4″
Exterior Height	157"
Exterior Width	100"
Exterior Width (Slides Out)	165"
Interior Height (Overall)	98"
Interior Height (Upper Deck)	76"
Fresh Water (Gal.)	110
Gray Water (Gal.)	98
Waste Water (Gal.)	82
LP Capacity (LBS)	60
Tire Size	16"
Awning Size	12′ & 14



For up to date information visit us at: www.HighlandRidgeRV.com

Note: Features subject to change without notice. Rev. 11/07/17



We stand behind our products. At Highland Ridge RV, we are one of the few manufacturers that have a 3-Year Limited Structural Warranty.

MORE ROOM LESS WEIGHT

This is our mission at Highland Ridge RV. It drives us to innovate and revolutionize

the RV industry and it's why our products are 10 - 15% lighter than the competition.



2018 HIGHLANDER HT31RGR



TOP FEATURES

- » 100" Wide Body Frame
- » 6'4" X 26" Entrance & Screen Door
- » Stainless Steel Appliances
- » 10' Garage
- » Insulated Garage Floor
- » Correct Track™ Suspension Alignment System
- » Dometic© Blizzard 15K A/C Quiet Residential Return
- » Washer/Dryer Prep
- » Generator Prep
- » Queen Bed
- » 17" Oven with Flush Glass Stove Top
- » Power Awning w/LED Light & FLX Guard

- » Power Stablizers
- » Heat & Massage In End Recliner Sectional
- » 30 Gallon Fuel Tank with Fuel Dispenser
- » Patent Flush Floor Slides w/ Vinyl Flooring (No Carpet)
- » PVC Roof Material (12 year Warranty / 10 Year Non-Prorated)
- » Aluminum Entry Steps
- » Power Awning w/LED Light & FLX Guard
- » 50 Amp Service
- » Happi-Jack Bed Lift Optional (SHOWN)
- » Patio Railing and Manual Awning Optional (SHOWN)
- » U-Lounge Optional
- » 8 Cuft Refrigertaor

SPECIFICATIONS

Square Feet	324
UVW	10095
Hitch Weight	1334
GVWR	13330
Cargo (Gross)	3205
Exterior Length (Pin to Rear)	37
Exterior Height	154"
Exterior Width	100"
Exterior Width (Slides Out)	162"
Interior Height (Overall)	83" to 103"
Fresh Water (Gal.)	106
Gray Water (Gal.)	62
Waste Water (Gal.)	31
LP Capacity (LBS)	60
Tire Size	16"
Awning Size	19



For up to date information visit us at: www.HighlandRidgeRV.com

Note: Features subject to change without notice.

Rev. 11/07/17



We stand behind our products. At Highland Ridge RV, we are one of the few manufacturers that have a 3-Year Limited Structural Warranty.

MORE ROOM LESS WEIGHT

This is our mission at Highland Ridge RV. It drives us to innovate and revolutionize

the RV industry and it's why our products are 10 - 15% lighter than the competition.

MSRP



2018 Highlander Fifth Wheel

*Effective Date: 7/31/17

* Units built prior to this date do not have the same features/specifications

Dealer:				Available Options
VIN #:		X	\$5,800	Executive Package (Mandatory)
		X	\$725	Four Seasons Protection Package (Mandatory)
		X	\$131	RVIA
			\$798	A/C - 2nd A/C, 13.5k BTU Ducted (Master Bedroom)
			\$798	A/C - Garage A/C, 13.5k BTU Non-Ducted
			\$1,443	Dual Pane Windows
			\$4,350	Generator Gas - Onan 5.5 KW
Décor Options			\$3,335	Happi-Jac Bed Lift w/ Pass Thru Dinette
Pebble			\$1,813	Patio Ramp w/ Railings and Manual Awning
Sienna			\$283	Q.A.I. Construction (Canadian Dealers ONLY)
				State Seal (NE, OR, WA)
Model Selection				
HF350H	\$62,060			
				- '

Highland
RIDGE RV
Own the Outdoors

Base Price:	\$0
Options:	\$6,656
Destination Chg:	
TOTAL:	\$6,656

Prices, features and options are subject to change without notice.

HIGHLAND RIDGE RV - 3195 N. S.R. 5, SHIPSHEWANA, INDIANA 46565 PHONE: (260) 768-7771 FAX (260) 768-7410