
SUNSET TRAIL



CROSS ROADS

Recreational Vehicles











I	MODEL	212RB	215BH	222RB	242BH	250RK	251RK	253RB	259RL
	DRY WEIGHT	4762	4522	4861	5124	5920	5282	5404	5178
	нітсн	514	470	524	626	660	600	554	622
L	LENGTH	25' 11"	25' 11"	26' 11"	28' 11"	29' 11"	29' 11"	29' 11"	29' 11"
ľ	EXT. HEIGHT W/ A/C	11' 1"	11' 1"	11' 1"	11' 1"	11' 2"	11' 1"	11' 1"	11' 1"
П	FRESH WATER	45 Gal							
	BLACK WATER	30 Gal							
	GRAY WATER	30 Gal	30 Gal	30 Gal	30 Gal	60 Gal	60 Gal	30 Gal	30 Gal



20031	202DN	200CN	2000П	209QD	Zatkv	33031	ээтри	330БП
6012	5423	6426	5766	5661	5854	7668	7388	6892
656	568	738	630	768	680	914	936	850
30' 4"	30' 10"	32' 5"	32' 9"	32' 9"	33' 4"	37' 0"	37' 6"	37' 6"
11' 1"	11' 1"	11' 2"	11' 1"	11' 1"	11' 1"	11' 3"	11' 2"	11' 2"
45 Gal	45 Gal	45 Gal	45 Gal	45 Gal	45 Gal	45 Gal	45 Gal	45 Gal
30 Gal	30 Gal	30 Gal	30 Gal	30 Gal	30 Gal	30 Gal	60 Gal	30 Gal
60 Gal	30 Gal	60 Gal	60 Gal	30 Gal	60 Gal	60 Gal	60 Gal	30 Gal
 * CEE WERGITE FOR ARRITIONAL CRESC								

SUNSET

STANDARD EXTERIOR

- 6 Sided Aluminum Structure
- Secure Stance Step
- Aluminum Wheels
- Black Tank Flush
- Quick Recovery 6 Gal G/E DSI Water Heater (17.8 gal/hr)
- Tinted Windows
- Outside Speakers
- 13,500 BTU Ducted Air Conditioner
- Electric Awning w/ LED Strip
- 4 Stabilizing Jacks
- Swing-out Grab Handle
- Dexter EZ Lube Axles 5 Year Warranty
- Nitrogen Filled Radial Tires
- HD Digital TV Antenna Wi-Fi Prep
- Satellite Prep
- 30" Friction Hinge Entry Door w/ Motion Sensor Light
- Front Diamond Plate Rock Guard
- 20# LP Bottles
- Backup Camera Prep
- Spare Tire
- Detachable Power Cord
- Pass-through Storage Area w/ Motion LED & Slam Latch Doors
- Fiberglass Front Cap
- Solar Prep
- Power Tongue Jack
- Outside Kitchen w/ Built in Cook Center (VBM)
- Outside Water Port
- Fireplace (330SI, 285CK)
- Walkable Roof w/ Ladder

STANDARD INTERIOR

- Stainless Steel Microwave
- Gas Oven w/ Glass Top Range Cover
- Stainless Steel Sink w/ Cover Single Bowl
- Solid Surface Countertops in Kitchen
- Upgraded Insulation Reflective Foil Roof, Cap, & Floor
- 7 ft³ Double Door Refrigerator
- AM/FM/CD/DVD/Stereo w/ Bluetooth & HDMI
- Pocket Doors Separating Bedroom (VBM)
- Skylight In Shower
- Detector for Smoke, Carbon Monoxide, and LP Gas
- Fire Extinguisher
- LED Interior Lights
- USB Ports: Bedroom, Main Area, and Bunks
- Decorative Bedspread
- Tri-Fold Sleeper Sofa
- King Bed (N/A on 215BH, 330SI, & 250RK)
- Windshield in Front Cap (222RB, 260SI, 285CK)
- Extreme Weather Package
 - Maximum Insulation Package
 - 30,000 BTU Furnace
 - 2" Heat Duct in Enclosed Underbelly

OPTIONS

- Free Standing Table w/4 Chairs (Replaces Dinette Booth)
- Theater Seats IPO Tri-Fold Sofa
- 15,000 BTU Main A/C
- 50 Amp Service w/ 2nd A/C Prep
- 40" LED TV w/ Articulating Bracket
- Electric Power Stabilizer Jacks (4)
- 2nd A/C

• SP - Sunset Package

*VBM - Varies by Model







DIVERSITY MEETS ELEGANCE

www.crossroadsrv.com • 1140 W. Lake St Topeka, IN 46571 • (260) 593 - 3850

DISCLAIMER: Product information is as accurate as possible as of the date of publication of this brochure. All features, floor plans, and specifications in this brochure are subject to change without notice. Please also consult CrossRoads' web site at www.crossroadsv.com for more current product information and specifications. Tow Vehicle Disclaimer. CAUTION: Owners of CrossRoads recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for CrossRoads products. CrossRoads disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. CROSSROADS' LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OF THE TOW VEHICLE, REFERENCE CROSSROADS RV COMPANY OWNERS MANUAL FOR LIMITED WARRANTY DETAILS. *Length is defined as the distance from the centerline of titch pin/couplet to rear humper of trailer.

