

LIVE. LANCE. LIFE.



QUALITY...

Found at the intersection of
experience and innovation.

Because our journey, like yours,
started long before you leave the
driveway.

A 53-year pedigree in
RV manufacturing.

Let's hit the road together.

LIVE. LANCE. LIFE.





Sewn with attention to detail in house



Enduring form meets functional style



Residential dovetail drawer construction





AERODYNAMIC AESTHETIC

Streamlined styling and fresh design bring you a trailer that compliments the open road.

Gone are the days of the tired white box on wheels.



An aggressively designed aerodynamic front profile and low overall ride height deliver you the most fuel efficient & confidence inspiring towing experience on the road.



Grey toned fiberglass & propane cover, TPO rock guard and signature Sky View window tread a different path than the traditional travel trailer front profile.



Integrated eye brow and rear profile molding featuring a crowned roof to aid in water runoff.



2465 Shown in Mystic Shores Décor



A true master suite experience; the Lance 2465 features a king size bed, carpeted floor and available powered stowable 40" LED TV.



The mid bath 2465 features a deluxe vanity with clothes hamper and highlights an all-new residential style shower faucet available on select models.

ULTRA TOWABLE ULTRA-LIGHTS

The 1475 & 1575

The truest no compromises ultra-light weight travel trailers on the market now feature both our optional 4 SEASON PACKAGE including all enclosed and heated holding tanks as well as an optional LIFT KIT for off the grid & boondock camping.



1475

Gross Dry Weight	2600 Lbs.
Hitch Dry Weight	250 LBs.
Floor Length	14' 10"
GVWR	3700 Lbs.

1575

Gross Dry Weight	2775 Lbs.
Hitch Dry Weight	245 LBs.
Floor Length	15' 9"
GVWR	3700 Lbs.



Standard aluminum wheels with color keyed accents and nitrogen filled USA manufactured Goodyear radial tires.



1575 shown in Roadster décor



1475 shown in Passage décor



1475 featuring sofa slide option shown in Mystic Shores décor

DON'T SETTLE

All the amenities.
Less of the weight –
Because we're not all big truck people.

SPECIFICATIONS, STANDARDS & OPTIONS

	1475	1575	1685	1985	1995	2185	2285	2295	2375	2465
Floor Length	14' 10"	15' 9"	16' 6"	18' 9"	19' 2"	21' 2"	22' 6"	22' 6"	23' 6"	24' 11"
Overall Length	19' 8"	20' 5"	21' 0"	23' 3"	23' 8"	25' 8"	27' 0"	27' 0"	28' 0"	29' 5"
Overall Length w/Optional Ladder	N/A	N/A	21' 5"	23' 8"	24' 1"	26' 1"	27' 5"	27' 5"	28' 5"	29' 10"
Width (Exterior)	84 3/8"	84 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"
Height (Exterior) w/Optional A/C	9' 10"	9' 10"	10' 1"	10' 2"	10' 2"	10' 2"	10' 2"	10' 2"	10' 2"	10' 3"
Height (Interior)	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"
Dry Weight* – Overall Weight	2600	2775	3980	4245	4265	4565	4930	4840	5030	TBD
Axle Weight* – Towed Weight	2350	2530	3555	3695	3875	3810	4295	4160	4430	TBD
Hitch Weight* – Hauled Weight	250	245	425	550	390	755	635	680	600	TBD
Cargo Capacity* – Gear	1100	925	1520	1455	1435	1435	1470	1560	1970	TBD
Available Axle Capacity**	1150	970	2245	2105	1925	2390	1905	2040	2570	TBD
GAWR (Per Axle)	3500	3500	2900	2900	2900	3100	3100	3100	3500	3500
GVWR	3700	3700	5500	5700	5700	6000	6400	6400	7000	7000
Fresh Tank (Gal)	26	26	45	45	45	45	45	45	45	45
Gray Tank (Gal)	26	26	45	45	45	45	2/45	45	45	45
Black Tank (Gal)	26	26	45	45	45	45	45	45	45	45
Propane Tank (#/Gal)	1/5	1/5	2/5	2/5	2/5	2/5	2/5	2/5	2/5	2/5
Sleeping Capacity (Min./Opt. Max.)	2/3	4	4/5	4	4	7	6	4	4/5	5
Convertible Dinette Bed	Opt. 36" x 59"	46" x 78"	54" x 78"	54" x 78"	54" x 78"	54" x 78"	54" x 78"	54" x 78"	42" x 78"	42" x 70"

* Estimates

** When looking at cargo capacity you must consider the hitch weight of the trailer and axle capacity. Hitch weight is actually being hauled while the remaining Trailer weight on the axle(s) is being towed. Example if a trailer has a total weight of 4000 pounds with a 400 pound hitch weight that would mean 3600 pounds is on the axle(s). If the axle weight rating is 5200 for this unit you will have 1600 of axle capacity for cargo



MODEL 1475



MODEL 1575



MODEL 1685

OPTIONAL SLIDE-OUT w/COUCH Bed Size 36" x 59"

EXTERIOR	1475	1575	1685	1985	1995	2185	2285	2295	2375	2465
Laminated Fiberglass Bonded Exterior w/Azdel Substrate	•	•	•	•	•	•	•	•	•	•
Manual Tongue Jack	•	•	•	•	•	•	•	•	•	•
Manual Stabilizer Jacks w/Foot Pad	•	•	•	•	•	•	•	•	•	•
Electric Stabilizer Jacks w/Foot Pad			0	0	0	0	0	0	0	0
Electric Tongue Jack (Smart Jack)	0	0	0	0	0	0	0	0	0	0
Aluminum Wheels w/USA Mfd. Goodyear Radial Tires	•	•	•	•	•	•	•	•	•	•
Spare Tire Carrier w/Wheel Lug Wrench	•	•	•	•	•	•	•	•	•	•
Spare Tire	0	0	0	0	0	0	0	0	0	0
Double Step - 24" (*2 ea.)	•	•	•	•	•	•	•	•	•	•
ultraSTEPglow - 25"			0	0	0	0	0	0	0	0
Courtesy Entry Step Well Lighting - LED	•	•	•	•	•	•	•	•	•	•
Aerodynamic Front Section Profile	•	•	•	•	•	•	•	•	•	•
Fiberglass Front Wrap w/Formed TPO Lower Gravel Guard & LP Tank Cover	•	•	•	•	•	•	•	•	•	•
Formed Jewel LED Docking Lights	•	•	•	•	•	•	•	•	•	•
Rear TPO Eyebrow w/Formed Vertical Side Pillars & Integrated LED Lighting	•	•	•	•	•	•	•	•	•	•
Radius Frameless Tinted Dualpane Windows (Tempered)	•	•	•	•	•	•	•	•	•	•
Radius Acrylic Tinted Thermopane Euro Windows	•	•								
Large Curved Tinted Front Picture Window (Laminated)			•	•	•	•	•	•	•	•
Large Curved Acrylic Tinted Thermopane Front Euro Window	•	•								
Slide-Out End Wall Windows			•	•	•	•	•	•	•	•
Ladder			0	0	0	0	0	0	0	0
Exclusive Lance Load Roof Rack System			0	0	0	0	0	0	0	0
LED Tail Lights	•	•	•	•	•	•	•	•	•	•
LED License Plate Light w/Holder	•	•	•	•	•	•	•	•	•	•
Radius Cornered Storage Compartment Doors w/Magnetic Latches	•	•	•	•	•	•	•	•	•	•
Slam Latch on Storage Compartment Door(s)			•	•	•	•	•	•	•	•

	1475	1575	1685	1985	1995	2185	2285	2295	2375	2465
Radius Entry Door w/Tinted Insulated Dualpane Window and Strut Hinge										
Keyed-Alive Entry & Storage Compartment Doors	•	•	•	•	•	•	•	•	•	•
Keyless Entry w/Key Fob	0	0	0	0	0	0	0	0	0	0
Exterior LCD Mounting Puck w/Removable LCD Bracket	•	•	•	•	•	•	•	•	•	•
Roof Vent in Living Area & Bed Area	•	•	•	•	•	•	•	•	•	•
Skylight in Galley/Dinette Area	•	•	•	•	•	•	•	•	•	•
Exterior Wash Station	•	•	•	•	•	•	•	•	•	•
Exterior Kitchen										
Exterior Propane Connection	•	•	•	•	•	•	•	•	•	•
Exclusive Lance 4' Folding Table w/Dedicated Storage Area			•	•	•	•	•	•	•	•
Utility Receiver			0	0	0	0	0	0	0	0
Swing-Out Entry Assist Handle	0	0	•	•	•/2	•/2	•	•/2	•	•
Pull-Out Storage Tray	0	0	0	0	0	0	0	0	0	0
Awning Slide-Out Cover	0	0	0	0	0	0	0	0	0	0
Opt. Electric Awning w/LED Lighting (Bluetooth)	10'4"	12'	13'	16'	16'	18'	19'	19'	20'	
Electric Awning 16'0"/6'2" Over the Door w/LED Lighting (Bluetooth)										0
Lift Kit (2 5/8")	0	0	0	0	0	0	0	0	0	0
Backup Camera w/Wireless Monitor	0	0	0	0	0	0	0	0	0	0
Exterior Utility Storage Compartment			•	•	•	•	•	•	•	•
CONSTRUCTION/INSULATION										
One-Piece PVC Roof	•	•	•	•	•	•	•	•	•	•
Crowned Exterior Roof Design	•	•	•	•	•	•	•	•	•	•
Laminated, Insulated Floor & Ceiling	•	•	•	•	•	•	•	•	•	•
Block Foam Insulation Throughout	•	•	•	•	•	•	•	•	•	•
Aluminum Framed Sidewalls	•	•	•	•	•	•	•	•	•	•
Aluminum Framed Floor and Ceiling	•	•	•	•	•	•	•	•	•	•
Azdel Interior Panel Walls	•	•	•	•	•	•	•	•	•	•
All Weather Package	0	0	0	0	0	0	0	0	0	0
Enclosed, Insulated and Heated Holding Tanks, Insulated Hatch Covers, Water Heater Bypass and Winterizing Valve (WH Bypass Standard on 1475/1575 Models)										

INTERIOR/DECOR	1475	1575	1685	1985	1995	2185	2285	2295	2375	2465
Interior – Passage	0	0	0	0	0	0	0	0	0	0
Interior – Roadster	0	0	0	0	0	0	0	0	0	0
Interior – Mystic Shores	0	0	0	0	0	0	0	0	0	0
Sofa Bed w/Kick Out Foot Rests										•
Sofa Bed Slide-Out w/Kick Out Foot Rests & Dual Swivel Tables	0									
J-Lounge										0
Swivel Rockers (1 Swivel Rocker / 1 Swivel Only – 1475 Model)		•/2						0/2		•/2
Surf-X Pseudo Solid Surface Lightweight Countertops & Tables	•	•	•	•	•	•	•	•	•	•
Hardwood Framed Flat Panel Cabinet Doors	•	•	•	•	•	•	•	•	•	•
Decorative Pull Cabinet Hardware	•	•	•	•	•	•	•	•	•	•
Lite-Ply Cabinet Construction	•	•	•	•	•	•	•	•	•	•
Valance Boxes w/Lambrequins				•	•	•	•	•	•	•
Valances Attached to Interior Window Treatment	•	•								
Mini-Blind(s) in Galley				•	•	•	•	•	•	•
Day/Night Shades in Dinette & Bedroom w/Slow-Rise Feature				•	•	•	•	•	•	•
Combo Screen/Shade on Windows		•	•							
Entry Door Pull Shade				•	•	•	•	•	•	•
Hidden Trash Can Compartment										•
Wall Clock & Key Hanger	•	•	•	•	•	•	•	•	•	•
Clothes Hamper										•
GALLEY/APPLIANCES & EQUIPMENT										
Flush Mount Stainless Steel 3-Burner Range w/Black Glass Cover	•	•	•	•	•	•	•	•	•	•
Flush Mount Stainless Steel 3-Burner Range w/Oven - 21" Oven	0	0	0	0	0	0	0	0	0	0
Stainless Steel "Flat Bottom" Microwave Oven	0	0	0	0	0	0	0	0	0	0
Refrigerator (Cu Ft) 2-Way Double Door	6	6	6	6	6	6	6	6	6	6
Refrigerator (Cu Ft) 3-Way Double Door	5	5								
Upgrade Stainless Steel Refrigerator Door Panels				•	•	•	•	•	•	•



	1475	1575	1685	1985	1995	2185	2285	2295	2375	2465
Furnace BTU	20M	20M	25M	25M	25M	25M	25M	25M	25M	25M
Tri-Five Propane Tanks (Third 5 Gal. Tank w/Secure Straps)			0	0	0	0	0	0	0	0
Stainless Steel Range Hood w/Light & Fan	•	•	•	•	•	•	•	•	•	•
Euro Overhead Cabinetry Design w/Accent Puck LED Lighting	•	•	•	•	•	•	•	•	•	•
Backsplash	•	•	•	•	•	•	•	•	•	•
Folding Galley Extension				•			•			
Single Undermount Sink (Round)	•	•								
Residential Undermount Large Single Sink			•	•	•	•	•	•	•	•
Residential Single Lever Galley Faucet w/Pull-Out Sprayer	•	•	•	•	•	•	•	•	•	•
Sink Cover(s)	•	•	•	•	•	•	•	•	•	•
Magazine & Spice Racks			•	•	•	•	•	•	•	•

FRESH & WASTE WATER SYSTEMS

Water Pump w/In-Line Filter	•	•	•	•	•	•	•	•	•	•
Water Heater Gas/Electric/DSI			•	•	•	•	•	•	•	•
Water Heater Gas/Electric w/Boost Mode Feature (Truma Combi Comfort Plus)	•	•								
Tankless Water Heater			0	0	0	0	0	0	0	0
Enclosed, Insulated & Heated Fresh Water Tank	•	•	•	•	•	•	•	•	•	•

BATHROOM

Porcelain Toilet – Foot Pedal				•	•	•	•	•	•	•
Plastic Toilet	•	•								
Black Tank Flush	•	•	•	•	•	•	•	•	•	•
Residential "Undermount" Oval Lavy Sink	•	•	•	•	•	•	•	•	•	•
High Rise Single Lever Faucet			•	•	•	•	•	•	•	•
Tub		•								
Shower Pan	•	•	•	•	•	•	•	•	•	•
Adjustable Slide Bar Shower Head				•	•	•	•	•	•	•
Medicine Cabinet w/Mirror Door	•	•	•	•	•	•	•	•	•	•
Mirror on Bath Door	•	•	•	•	•	•	•	•	•	•
Folding Lavy Extension				•	•					

	1475	1575	1685	1985	1995	2185	2285	2295	2375	2465
Towel Rod on Wall	•	•	•	•	•	•	•	•	•	•
Towel Ring			•	•	•	•	•	•	•	•
Residential Radius Glass Shower Door Enclosure									•	
Residential Radius "Soft" Shower Door Enclosure				•	•	•	•	•	•	•
Soft Radius Panel Shower Enclosure			•	•	•					
Shower Curtain w/Tieback			•							
Skylight - Dual Pane									•	•
Ducted Heat	•	•	•	•	•	•	•	•	•	•

DINETTE

DINETTE w/Locking Pull-Out Storage Drawers			•	•	•	•	•	•	•	•
--	--	--	---	---	---	---	---	---	---	---

BEDROOM

Deluxe Queen Innerspring Mattress w/Pillow Top	•	•	•	•	•	•	•	•	•	•
Deluxe King Innerspring Mattress w/Pillow Top										•
Bedspring w/Throw Pillows	•	•	•	•	•	•	•	•	•	•
Convertible Sofa/Queen Bed				0	0	0				
Exclusive Lance Bed-Maid Sleeping System	0	0	0	0	0	0	0	0	0	0
Overhead Cabinet Bunk 28" x 75"			•							
Three Bunk Beds 29" x 75" (Middle Bed Folds Up)						•				
LED Reading Lights	•	•	•	•	•	•	•	•	•	•
LED Mood Lighting				•	•	•	•	•	•	•
Privacy Curtain			•	•	•	•	•	•	•	•
Privacy Divider Door(s)						•	•	•	•	•
TV LED 28" (12 Volt)							0	0		
TV 40" (12 Volt) – Bedroom										0

ELECTRICAL

Systems Monitor Panel	•	•	•	•	•	•	•	•	•	•
12V/USB Charging Port	•	•	•	•	•	•	•	•	•	•
Battery Condition Indicator – LED	•	•	•	•	•	•	•	•	•	•
55 Amp Converter/Loadcenter	•	•	•	•	•	•	•	•	•	•
45 Amp Converter/Loadcenter	•	•								
LED Interior Lighting – Ceiling	•	•	•	•	•	•	•	•	•	•

	1475	1575	1685	1985	1995	2185	2285	2295	2375	2465
LED Interior Lighting – Under Overheads	•	•	•	•	•	•	•	•	•	•
Decorative LED Lighting – S/O Ceiling		•	•	•	•	•	•	•	•	•
Storage Compartment Lighting				•	•	•	•	•	•	•
Single Battery Compartment		•	•							
Dual Locking Battery Compartment			•							•
Dual Locking Battery Compartment w/Sliding Tray				•	•	•	•	•	•	•
Battery Disconnect – Manual	•	•	•	•	•	•	•	•	•	•
Wall Switched Lighting	•	•	•	•	•	•	•	•	•	•
LED Vanity Lighting Over Medicine Cabinet	•	•	•	•	•	•	•	•	•	•
Pre-Wired for Roof A/C										
A/C – Dometic 10M Low Profile w/Wall Control	0	0	0	0	0	0	0	0	0	0
A/C – Coleman 13.5M w/Wall Control	0	0	0	0	0	0	0	0	0	0/2
A/C – Coleman 15M w/Wall Control	0	0	0	0	0	0	0	0	0	0
Wall Thermostat	•	•	•	•	•	•	•	•	•	•
Pre-Wired for Fantastic Vent	•	•	•	•	•	•	•	•	•	•
Fantastic Roof Vent	0	0	0	0	0	0	0	0	0	0
Power Roof Vent in Bath	•	•	•	•	•	•	•	•	•	•
Pre-Wired for TV Ant/Park/Sat Cable	•	•	•	•	•	•	•	•	•	•
TV Antenna HD	•	•	•	•	•	•	•	•	•	•
AM/FM/DVD/CD/USB Bluetooth Audio System w/Int & Ext Speakers & App Control	•	•	•	•	•	•	•	•	•	•
TV 28" (12 Volt) w/Bracket	0	0	0		0					
TV 32" (12 Volt) w/Bracket				0		0	0	0	0	0
LED TV 40" (12 Volt) w/Bracket										0
Fireplace									0	0
LED Patio Light – Switched	•	•	•	•	•	•	•	•	•	•
LED Hitch Light – Switched	•	•	•	•	•	•	•	•	•	•
Solar on the Side Pre-Wire (Receptacle)	•	•	•	•	•	•	•	•	•	•
Solar Panel Pre-Wire -Roof	0	0	0	0	0	0	0	0	0	0
Solar Panel – 170 Watt (1 or 2 panels)	0	0	0	0	0	0	0	0	0	0
Exterior 12V/120V Patio Outlet & Entertainment Coax Cable Receptacle	•	•	•	•	•	•	•	•	•	•
Electrical Service (Amp)	30	30	30	30	30	30	30	30	30	50

• = Standard Option 0 = Optional Feature

STANDARD FEATURES

We draw from over five decades of research and development as well as owner feedback and supplier relationships to bring you these well-appointed features. Check out a few of the features and innovations we know are so important to you that we made them standard.



Triple bunks accommodate the whole family & fold away, providing storage for large items. – 2185 only



Exterior kitchen w/dual burners & sink take cooking duties outside. – 2295 only



Lockable weather resistant battery compartments also prevent theft. N/A 1475 & 1575



Lance Life 4' exterior table. We all need one & this one doesn't waste space. – N/A 1475, 1575 & 2465



Walk on roof allows for worry free maintenance. N/A 1475 & 1575



100% LED lighting brightens your trailer and is easy on your power supply.



Keyed alike system simplifies your key ring and keeps your belongings safe.



Large lockable dinette storage drawers utilize residential dovetail construction for strength. – N/A 1475 & 1575



Magnetic exterior latches stay in place for hands free access.



Aluminum wheels & nitrogen filled USA manufactured Goodyear radial tires keep the good times rolling.



Exclusive Lance Load roof rack system safely stores your canoe, kayak, paddle boards...etc. – NA 1475 & 1575



Electric fireplace provides ambiance & radiant heat. – 2295 & 2465 only



Smart Jack featuring LED lighting, battery indicator & hitch recognition control remembers your coupler height making hitching a breeze.



Convertible sofa bed turns your 60"x80" queen size bed into a comfortable couch. – Available 1985, 1995, 2185

OPTIONAL FEATURES

We know that every Lance owner is unique. You have different hobbies and interests and we want your Lance travel trailer to reflect that. Check out some of the available options you can select to make your trailer perfect for your adventures.



Latitude power awning provides unobstructed shade with hassle free Bluetooth app control, direct response wind sensor & LED light bar.



Pull out front storage tray organizes & provides easy access to your gear. - N/A 2465




Dometic Penguin II 10m low profile a/c runs on 2,200w generator allowing for off the grid cooling.



Electric stabilizer jacks with foot pads make set up & teardown sweat free, keeping your trailer rock solid while parked. - N/A 1475 & 1575



Backup camera w/color display and sound makes backing up a safer, one-person job.



ultraSTEPglow provides sturdy self-illuminating steps for safe and secure entrance and exit. - N/A 1475 & 1575



1 1/4" receiver gives you another area to haul your gear including bikes, skis, snowboards, etc. - Limit 130 lbs. - N/A 1475 & 1575



Tri-Five LP tanks allows extended off the grid use while an aerodynamic cover protects & conceals. - N/A 1475 & 1575



Keyless entry with fob provides secure one button operation of your entry door, just like you have on your tow vehicle.



Lance exclusive Bed-Maid System with removable sheets & summer/winter sides provide a warm laundry friendly bedding alternative.

THE LANCE LOOK

Interior Décor Packages

RVing is about the outdoors but that doesn't mean you shouldn't enjoy your time inside. With the assistance of an interior design firm we blend art and durability to enhance your experience with an aesthetically pleasing interior environment.



1685 shown in Mystic Shores décor



2375 shown in Roadster décor



1985 shown in Passage décor



BOON DOCKING



Run your a/c on a 2.2k generator when your trailer is optioned with our all-new available Dometic Penguin II 10M Low Profile unit.

Off Pavement Capabilities



Optional 2 5/8" lift kit offers additional ground clearance for your off the pavement adventures.



Standard torsion axle provides independent articulation of each tire allowing for a smoother ride.



Standard HSLA e-coated frame protected against the mud, dirt and elements.

Electrical Independence



Optional 170w roof mounted solar panel (up to 2) keeps you and your accessories charged.



Standard Solar on the Side SAE port accepts external aftermarket solar panels to keep your 12v system charged.




Solar panel charge monitor and automatic controller keep you informed. – Standard w/solar package.

Get off the road and off the grid while maintaining electrical independence.

DESIGN & CONSTRUCTION

- A.** The roof is made of energy-star rated Polyvinyl Chloride (PVC) material with vents that clamp in place, eliminating screws and potential leaks. Integrated rain gutters and drip spouts prevent the sides of your trailer from streaking.
- B.** Rigid block foam insulation yields maximum "R" value and promotes structural strength.
- C.** Interiors are constructed of Lite-Ply™ which Lance imports from Europe. This superior product is lighter, formaldehyde free and stronger. Providing both beauty and durability.
- D.** Keeping it all together are stainless steel fasteners. Unlike our competitors, this expensive hardware resists corrosion making for a lasting investment.
- E.** High gloss TPO lower front gravel guard with jewel LED lighting is both beautiful and resilient to the abuses of the road while protecting this section of the chassis.
- F.** All seals use an anti-wicking material to prevent moisture from transferring to the laminate walls.
- G.** Lance uses more expensive Azdel™ in place of Luan wood, virtually eliminating mold and mildew. It's also lighter, carcinogen and formaldehyde free and has better "R" value for superior insulation.
- H.** Lance's aluminum framed superstructure provides for an extremely solid trailer that is also lightweight.
- I.** Heavy duty rubber torsion-bar suspension axles allow for independent articulation, providing a better towing experience off-road in addition to featuring EX-lube bearing and self-adjusting brakes for easy maintenance.



- J.** Engineered super lightweight, powder coated, tempered steel custom chassis Huck bolt construction eliminates weak and rust-prone welds.
- K.** Slideout rooms feature smooth, dependable operation. Lighter in weight than other mechanisms, they're also smaller, allowing for more living space.
- L.** The slick, high gloss fiberglass exterior walls are laminated under intense pressure with heat-setting adhesives for years of trouble-free service.

INDUSTRY LEADING SYSTEMS

PEX Water

Cross linked polyurethane water piping resists breakage due to freezing and reduces heat transfer. PEX piping also bends at a 90-degree angle reducing many elbow fittings and associated leaks. The Lance PEX water piping system also allows for easy draining of lines for winterization.



Plug & Play Electrical

A Lance is wired with a "Plug & Play" harness system providing solid connections utilizing primarily 12v. This system provides neat and organized wiring for ease of access and serviceability while allowing use of the majority of your lights and appliances (excluding a/c & microwave oven) without the need for external shore or generator power.



Ducted Heating

Keeping you and your holding tanks (with optional Four Seasons Package) warm is a system of forced air ducting; spreading comfortable heat evenly throughout your travel trailer and reducing cold spots. In the wall ducts reduce dust collection and damage from foot traffic.




LPG

Lance propane systems are custom designed for each model utilizing UL approved propane lines to reduce excessive weight and are pre-checked during assembly ensuring safety.




KEY SUPPLIER PARTNERS



All-new Automated Manufacturing Facility

OUR MANUFACTURING PHILOSOPHY

A Lance RV is born through a marriage of computer design + cutting and composite construction materials. We begin with Solidworks 3D modeling, implemented by the CNC laser guided cutting of industry leading synthetic materials such as Azdel composite paneling and LitePly wood to bring you some of the most durable and high-quality RVs on the road.



SEE FOR YOURSELF

Our doors are open. Visit our website online for complete product details, to sign up for an in-person plant tour, build your own Lance, watch a video, view a 360 tour, take a virtual plant tour and much more.

Online: lancecamper.com

App Store: lancecamper.com/LanceApp



4 SEASONS CERTIFIED ALL WEATHER PACKAGE

(OPTIONAL)

In addition to standard dual-pane windows, block foam insulation and advanced ducted heating; when your Lance is specially equipped with the 4 Seasons Certified All Weather Package you'll be enjoying your RV all year long with heated and insulated holding tanks, a water heater bypass/ winterizing valve and insulated hatch covers.



CALCULATING TOWED WEIGHT AND CARRYING CAPACITY

These are general guidelines to use when matching a trailer to your tow vehicle, assuming standard equipment on your trailer. Whether any travel trailer can be used with your vehicle and its capacities for carrying and/or towing is affected by how much optional equipment is added to the trailer, and the weight of passengers and all other items you carry in your tow vehicle and trailer.

To get an approximate weight of the model of your choice equipped with the optional features you are considering, the "Build Yours" feature at lancecamper.com is a great resource. Because we're unfamiliar with your tow vehicle, Lance makes no warranties or representation – expressed or implied – as to performance or reliability of your tow vehicle with a Lance trailer. For professional guidance, always consult with your Factory Authorized Lance Dealer. They're trained in calculating proper matches between tow vehicles and trailers.

3,500 POUND TOW RATING



Models: 1475, 1575

6,000 POUND TOW RATING



Models: 1475, 1575, 1685, 1985, 1995, 2185, 2285, 2295

5,000 POUND TOW RATING




Models: 1475, 1575, 1685, 1985, 1995

7,000 POUND TOW RATING



Models: 1475, 1575, 1685, 1985, 1995, 2185, 2285, 2295, 2375, 2465



Hitch weight is actually being **hauling** while the remaining trailer weight is being **towed**.

Cargo capacity must also consider hitch weight as well as axle weight rating.

$$A - B = D$$

Ex: If a trailer has an overall weight of 4k lbs. with 400 lbs. of hitch weight that would mean 3600 lbs. is on the axles and being towed. (4,000 – 400 = 3,600 or **D. Towed Weight**)

$$C - D = \text{Cargo Capacity}$$

Ex. If the axle weight rating is 5200 (2600 each x 2) for this unit you will have 1600 lbs. of axle capacity for cargo. (5,200 – 3,600 = 1,600 or **Cargo Capacity**)



LANCECAMPER.COM

2 YEAR
STRUCTURAL LIMITED
WARRANTY

12 YEAR
ROOF LIMITED
WARRANTY

Please see lancecamper.com/warranty for details.

2019 LANCE TRAVEL TRAILER BROCHURE ©2019 Lance Camper Mfg. Corp. (LCMC). All rights reserved. Lance, the Lance logomark, the Lance logomark with chevron, The Lance Look, Lance Custom Design, Bed-Maid, LanceLock, ultraDECKplus, ultraSTEPplus, ultraSTEPglow, Discover The Lance Difference, Skyview, Lance Load, Lance Life, LIVE. LANCE. LIFE., REV Group® and other exclusive Lance product names, marks or designations are trademarks, service marks or registered trademarks of LCMC. All other marks are property of their respective owners. **All product data, graphics and photography, illustrations and/or renderings in this book were as accurate as possible at press time. Subsequent refinements during the model year may be evident in the actual product. LCMC reserves the right to change prices, colors, materials, equipment and specifications without notice — as well as to add, modify or discontinue models shown in promotion materials and/or on its websites.** All weights, fuel and liquid capacities are approximate and dimensions are nominal. It is the owner's sole responsibility to select the proper Lance model, tow vehicle and tow equipment for safe operation. Your Factory Authorized Lance Dealer can advise you of the operating parameters for your particular configuration, and can confirm prices and product specifications material prior to making your purchase decision. See website for full warranty information. GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of this fully loaded RV. Axle Rating is the maximum permissible loaded weight a specific axle is designed to carry. Overall length is measured from tip of the hitch to rear bumper (excludes accessories). Excludes safety equipment and awnings. Actual propane capacity is 80% of water listing as required by the safety code. Brochure printed in the USA on FSM paper. 40M. 08/18. Rev1.

The information provided in this brochure applies to all product manufactured after October 2018.



VISIT OUR NATIONAL PARK SYSTEM