

LANCE





QUALITY TAKES TIME

The word *quality* is thrown around a lot these days. We know because we have been in business since 1965. Many things have changed over the years and while we certainly have evolved, we have always focused on maintaining our values.

The culmination of our journey is reflected in our current ultra-light Truck Camper line featuring our computer designed and cut automated manufacturing process with composite construction materials and an emphasis on green manufacturing.

We've put in the time... so you can spend quality time.





960 shown in Platinum w/optional theatre seating - **ALL NEW!**

Not actual photo. Visit our website for most accurate product information and imagery.



Not actual photo. Visit our website for most accurate product information and imagery.

1172 shown in Java



1172 shown with standard graphics



1172 Shown W/ Standard Graphics



650 shown in Platinum



Not actual photo. Visit our website for most accurate product information and imagery.

DRIFTWOOD



Flooring



Countertops



Cabinetry



650 shown in Platinum



825 shown in Royal



850 shown in Java



865 shown in Java




975 shown in Royal

DESIGN & CONSTRUCTION


- A.** The slick, high gloss fiberglass exterior walls are laminated under intense pressure with heat-setting adhesives for years of trouble-free use.
- B.** The roof is covered in energy-star rated Polyvinyl Chloride (PVC) material. Integrated rain gutters and drip spouts prevent the sides of your trailer from streaking.
- C.** Interiors are constructed of Euro-Ply which Lance imports. This superior product is lighter, formaldehyde free and stronger providing both beauty and durability.
- D.** With an aluminum-framed superstructure, the entire camper fits together like a perfect puzzle. "LanceLock™" features interlocking aluminum extrusions to connect all exterior panels.
- E.** All seals use an anti-wicking material to prevent moisture from transferring into the laminate walls.
- F.** Lance utilizes an arrangement of composite materials in a laminated and pressure bonded sandwich construction for structural integrity, superior insulation and sound absorption.
- G.** Rigid block foam insulation fits tight to resist sagging and promotes structural strength. Four Season package also features insulated bed pad.
- H.** Beautiful and aerodynamic, the nose cap is made of TPO, the same material used for bumpers on automobiles. Its high gloss finish is resilient and resistant to the abuses of the road. Its slick surface makes it easier to clean.

3D advanced CAD engineering create precise plans that run CNC machinery. The result is that every part is the same and perfect every time.


Keeping it all together are stainless steel fasteners. Unlike our competitors, this expensive hardware resists corrosion making for a lasting investment.




SHORT BED



650



825



865



855S

SHORT BED/LONG BED

SPECIFICATIONS, STANDARDS & OPTIONS



850

	SHORT BED				SB/LB	LONG BED				
	650	825	865	855S		850	960	975	995	1062
Floor Length	6' 10"	8' 6"	8' 7"	8' 11"	8' 11"	9' 11"	10' 4"	9' 11"	10' 11"	11' 11"
Overall Length	15' 6"	16' 3"	16' 5"	18'	17' 7"	19' 0"	19' 5"	19'	20'	20' 4"
Overall Length w/Opt. ultraDECK+ Bumper	N/A	N/A	N/A	N/A	N/A	19' 5"	19' 10"	19' 5"	20' 5"	N/A
Exterior Height (w/Opt. 10K A/C)	8' 1"	8' 0"	8' 0"	8' 9"	8' 6"	9' 0"	9' 0"	9' 0"	9' 0"	9' 0"
Width (Exterior)	86"	86"	86"	96"	96"	96"	96"	96"	96"	96"
Height (Interior)	81"	77"	77"	81"	76"	79"	79"	79"	79"	80"
Cabover Height	3' 2"	2' 9"	2' 9"	3' 5"	3' 2"	3' 5"	3' 5"	3' 5"	3' 5"	3' 8"
Dry Weight	1700	1837	2012	2997	2501	2970	3499	3354	3613	4174
Wet Weight	1903	2155	2330	3331	2835	3433	3962	3817	4073	4628
CG Front	21"	32"	34"	38"	34"	47"	49"	45"	48"	60"
CG Rear	57"	46"	44"	40"	62"	45"	47"	51"	48"	36"
Fresh Water, Gallons	22	30	30	30	30	45	45	45	45	42
Gray Water, Gallons	15	13	14	20	20	30	30	30	27	35
Black Water, Gallons	16	14	13	25	18	28	26	28	22	35
Propane Tank (#/Gal) (1 Gauge Only)	1/5	1/5	1/5	2/5	2/5	2/5	2/5	2/5	2/5	2/7
Sleeping Capacity, Min/Opt Max.	3/3	4/5	5/5	4/5	5/5	3	4/4	4/4	4/4	5/6
Convertible Dinette Bed	32" x 76"	36" x 70"	32" x 72"	44" x 72"	36" x 72"	N/A	44" x 78"	44" x 78"	44" x 78"	44" x 72"
Jack-Knife Sofa/Bed										36" x 59"



1172

LONG BED



960 - ALL NEW!



Optional Theater Seating w/Tables & Armrest



975



995



1062

AWARDS



Superior Quality



Top Floor Plan



Industry Leading Innovation



Cutting Edge Design



Reader's Favorite



Overland Approved

SPECIFICATIONS, STANDARDS & OPTIONS

	SHORT BED				SB/LB	LONG BED				Weight (lbs.)	
	650	825	865	855S		850	960	975	995		1062
EXTERIOR											
Laminated Fiberglass Bonded Exterior w/AZDEL Substrate	•	•	•	•	•	•	•	•	•	•	
Lamilux 1000 Fiberglass (Dull Gloss)	•	•	•								
Lamilux 4000 Fiberglass (High Gloss)				•	•	•	•	•	•	•	
One-Piece Formed TPO Cab-Over Front Cap	W	W	W	G	G	G	G	G	G	G	
Lance-Lok Trusses, Wings and Siderails										•	
Lance-Lok Lite-Ply Wings and Siderails	•	•	•	•	•						
Lance-Lok II Basement Truss, Wing and Siderails						•	•	•	•		
Acme Camper Jacks	•	•	•	•	•						
Electric Remote Camper Jacks	0	0	0	•	0	•	•	•	•	•	53
Swing-Out Jack Brackets				0	0	0	0	0	0	•	14
Aluminum Rear Bumper					•	•	•	•	•		
ultraDECKplus Bumper						0	0	0	0		140
ultraSTEPplus (Backlit)	0	0			0						
Deluxe Bumper Trim				•		•	•	•	•		
Fold-Over Step				•		•	•	•	•		
Double Step		0									
ultraSTEPglow										•	
Radius "Full Torque" Frameless Tinted Insulated Dualpane Windows (Tempered)	•	•	•	•	•	•	•	•	•	•	
Radius Acrylic Tinted Plastoform Euro Windows	•					•					
Ladder and Maggie Rack - Anodized	0	0	•	•	•	•	•	•	•	•	25
Exclusive Lance Load Roof Rack System	0	0	0	0	0	0	0	0	0	0	35
LED Tail, Back-Up and Running Lights	•	•	•	•	•	•	•	•	•	•	
LED License Plate Light w/Holder	•	•	•	•	•	•	•	•	•	•	
Radius Cornered Storage Compartment Doors	•	•	•	•	•	•	•	•	•	•	
Keyed-Alike Entry and Storage Compartment Doors	•	•	•	•	•	•	•	•	•	•	
Radius Entry Door w/Window	•	•	•	•	•	•	•	•	•	•	
Keyless Entry	0	0	0	0	0	0	0	0	0	0	
Egress Window in Cab-Over	•	•	•	•	•	•	•	•	•	•	
Roof Vent in Cab-Over	•	•	•								
Exit Vent in Cab-Over					•						
Heki Skylight Vent in Cab-Over				•	0	•	•	•	•	•	9
Skylight - Dual Pane Over Galley				•	•	•	•	•	•	•	
Exterior Wash Station	•	•	•	•	•	•	•	•	•	•	
Exterior Propane Connection	0	0	0	0	0	0	0	0	0	0	1
Awning Rear Roll-Out	0	0	0	0	0						46
Electric Rear Awning 7'3" w/LED Lighting						0	0	0	0		60
Electric CS Awning 10'-4" w/LED Lighting	0	0	0		0						46
Electric CS Awning 12'-0" w/LED Lighting (RS 995)						0	0	0			48
Electric CS Awning 14'-0" w/LED Lighting									0		52
Awning Slide-Out Cover				0		0	0	0/2	0/2		15-35 ea.
Swing-Out Entry Assist Handle	0	0	0	0	0	0	0	0	0	0	1
Mountain Scene Graphics	0	0	0	0	0	0	0	0	0	0	
CONSTRUCTION/INSULATION											
One-Piece PVC Roof	•	•	•	•	•	•	•	•	•	•	
Laminated, Insulated Floor, Cab-Over Bed and Roof	•	•	•	•	•	•	•	•	•	•	
Block Foam Insulation Throughout	•	•	•	•	•	•	•	•	•	•	
Aluminum Framed Walls, Floor, Cab-Over Bed & Roof	•	•	•	•	•	•	•	•	•	•	

	SHORT BED				SB/LB	LONG BED				Weight (lbs.)	
	650	825	865	855S		850	960	975	995		1062
Azdel Interior Walls	•	•	•	•	•	•	•	•	•	•	
All Weather Package	0	0	0	0	0	0	0	0	0	0	6
-Insulated Battery and LP Compartments											
-Insulated Hatch Covers											
-Water Heater Bypass and Winterizing Valve											
-Insulated Bed Pad											
INTERIOR/DECOR											
Interior - Platinum	0	0	0	0	0	0	0	0	0	0	
Interior - Java	0	0	0	0	0	0	0	0	0	0	
Interior - Royal	0	0	0	0	0	0	0	0	0	0	
Surf-X Pseudo Solid Surface Lightweight Countertops and Tables	•	•	•	•	•	•	•	•	•	•	
Hardwood Framed Flat Panel Cabinet Doors (Shaker Styling)	•	•	•	•	•	•	•	•	•	•	
Fingertip Positive Catch Cabinet Hardware	•	•	•	•	•	•	•	•	•	•	
Euro-Ply Cabinet Construction	•	•	•	•	•	•	•	•	•	•	
Valances w/Lambrequins				•	•	•	•	•	•	•	
Mini-Blinds in Galley				•	•	•	•	•	•	•	
Mini-Blinds in Cab-Over				•	•	•	•	•	•	•	
Day/Night Shades in Cab-Over w/Slow-Rise Feature										•	
Mini-Blinds in Dinette				•	•	•	•	•	•	•	
Day/Night Shades in Dinette w/Slow-Rise Feature										•	
Combo Screen/Shade on Windows	•									•	
Day/Nite Shades in Cab-Over and Dinette w/Slow-Rise Feature				0	0				0	0	0
Entry Door Pull Shade	0	0	0	0	0	0	0	0	0	0	5
Pull-Out Basement Storage Tray									•	•	•
Hidden Trash Can Compartment									•	•	•
Wall Clock	•	•	•	•	•	•	•	•	•	•	
Key Hanger	•	•	•	•	•	•	•	•	•	•	
Sofa Sleeper w/Kick Out Leg Rests & Pedestal Table										•	
GALLEY/APPLIANCES & EQUIPMENT											
Stainless Steel 2-Burner Range	•	•	•								
Stainless Steel 3-Burner High Output Range w/Oven - 17" Oven	0	•	•						•	•	44
Stainless Steel Microwave Convection Oven										0	10
Stainless Steel "Flat Bed" Microwave Oven	0	0	0	0	0	0	0	0	0	0	40
Refrigerator (Cu Ft) 3-Way	3	3	3	5	5	5	6	6	6	6	
Upgraded Stainless Steel Refrigerator Door Panels									•	•	•
Matte Black Refrigerator Door Panels	•	•	•								
Furnace BTU	18K	18K	18K	20K	20K	14K	20K	20K	20K	20K	
Stainless Steel Range Hood w/Light and Fan	•	•	•	•					•	•	•
Single Sink (Rectangular)	•	•									
Single Sink (Round)				•							
Double Sink (Rectangle)				•	•						
Residential "Undermount" Large Single Sink									•	•	•
Pantry w/Adjustable Shelves				•	•				•	•	•
High Spout Galley Faucet	•	•	•								

	SHORT BED				Sb/Lb	LONG BED					Weight (lbs.)	
	650	825	865	855S		850	960	975	995	1062		1172
Pull-Out Sprayer Galley Faucet					•	•	•	•	•	•		
Silverware Organizer	•	•	•	•	•	•	•	•	•	•		
Sink Cover	0	0	0			•	•	•	•	•	1	
Magazine and Spice Racks - Wood	0	0	0	0	0			0	0	0	3	
Truma Combi Eco Plus						•						

FRESH & WASTE WATER SYSTEMS

Water Pump w/In-Line Filter	•	•	•	•	•	•	•	•	•	•		
Water Heater - Tankless	•											
Water Heater Gas/Electric/DSI (6 gal.)		•	•	•	•		•	•	•	•		
Enclosed, Insulated and Heated Holding Tanks		•	•	•	•	•	•	•	•	•		
Water Heater - Truma						•						

BATHROOM

Marine Toilet - Foot Pedal - Plastic	•	•	•	•	•	•	•	•	•	•		
Black Tank Flush	•	•	•	•	•	•	•	•	•	•		
Medicine Cabinet w/Mirror Door			•	•	•	•	•	•	•	•		
Storage Cabinet										•		
Mirror on Bath Door	•	•	•	•	•	•	•	•	•	•		
Sliding Bath Door		•	•	•	•							
Hinged Bath Door	•					•	•	•	•	•		
Towel Rod	•	•	•	•	•	•	•	•	•	•		
Skylight - Dual Pane	•	•	•	•	•	•	•	•	•	•		
Ducted Heat	•	•	•	•	•	•	•	•	•	•		
Removable Clothes Rod	0	0	0	0	0	0	0	0	0	0	1	
Adjustable Slide Bar Shower Head							•			•		

DINETTE

Convertible Dinette Bed	•	•	•	•	•		•	•	•	•		
Facing Dinette Slide-Out					•							
Theater Seating W/Tables & Armrest						•					TBD	
Dinette W/2 Swivel Chairs and Table(s)						•						
Roll-Out Storage Drawers in Dinette (2) w/Hardware Latches					•		•	•	•	•		
Locking Pull-Out Storage Drawers					•		•	•	•	•		
Overhead Cabinet Bunk - 26" x 69"	0	•			•	•					30	
Bunk Bed w/Child Restraint* - 30" x 71" (200 lbs. limit)					0					0	20	
Child Restraint w/Bunk Pad	0	0			0	0					8	

CABOVER

60" x 80" Deluxe Queen Innerspring Mattress w/Pillow Top					•	•	•	•	•	•		
60" x 80" Deluxe Queen Memory Foam Mattress	•	•	•									
Bedsprad	•	•	•	•	•	•	•	•	•	•		
Headboard					•	•	•	•	•	•		
LED Reading Lights	•	•	•	•	•	•	•	•	•	•		
Open Wire Side Overhead Shelves	•	•										
Privacy Curtain	•	•	•	•	•	•	•	•	•	•		
Ducted Heat					•	•	•	•	•	•		
Carpeted Bed Base	•	•	•	•	•	•	•	•	•	•		

	SHORT BED				Sb/Lb	LONG BED					Weight (lbs.)	
	650	825	865	855S		850	960	975	995	1062		1172
Front Corner Cabinets, Hamper, Storage Cabinets and O' Heads					•							
C/S Wardrobe Cabinet w/Window, Hamper and Ent. Cabinet					•					•	•	
C/S Wardrobe Cabinet w/Window, Hamper and Storage Cabinet										a	•	
C/S Mirrored Wardrobe Cabinet w/Window												•
Emergency Exit Window in Cab-Over	•	•	•	•	•					•	•	•

ELECTRICAL

Systems Monitor Panel	•	•	•	•	•	•	•	•	•	•	•	
Battery Condition Indicator - LED	•	•	•	•	•	•	•	•	•	•	•	
45 Amp Converter/Loadcenter	•	•	•	•	•	•	•	•	•	•	•	
Single Battery Compartment	•	•	•	•	•							
Dual Battery Compartment					0	0	•	•	•	•	•	5
Battery Disconnect	•	•	•	•	•	•	•	•	•	•	•	
Battery Separator	0	0	0	0	0	0	0	0	0	0	0	1
Lithium Battery (up to 2)	0	0	0	0	0	0	0	0	0	0	0	
EZ Charge Battery Charging Port	•	•	•	•	•							
LED Interior Lighting	•	•	•	•	•	•	•	•	•	•	•	
Wall Switched Lighting					•	•	•	•	•	•	•	
LED Wardrobe Light					•	•	•	•	•	•	•	
12V/USB Charging Port in Cab-Over	•	•	•	•	•	•	•	•	•	•	•	
12V/USB Charging Port in Dinette	0	0	0	0	0	0	•	0	0	0	0	1
Pre-Wired for Roof A/C	•	•	•	•	•	•	•	•	•	•	•	
A/C - Dometic 10K Low Profile w/Wall Control	0	0	0	0	0	0	0	0	0	0	0	98
Pre-Wired for Wall Thermostat	•	•	•	•	•	•	•	•	•	•	•	
Pre-Wired for Fantastic Vent	•	•	•	•	•	•	•	•	•	•	•	
Fantastic Roof Vent	0	0	0	0	0	0	0	0	0	0	0	5
Power Roof Vent in Bath	•	•	•	•	•	•	•	•	•	•	•	
Pre-Wired for TV Ant/Sat Dish/Park Cable	•	•	•	•	•	•	•	•	•	•	•	
TV Antenna HD	•	•	•	•	•	•	•	•	•	•	•	
Satellite Dish Self Locating		0	0	0	0	0	0	0	0	0	0	9
HDMI LCD/Satellite Receiver Receptacle Wall Plate	•	•	•	•	•	•	•	•	•	•	•	
AM/FM/DVD/CD/USB Bluetooth Audio System w/App Control and Exterior Speakers	•	•	•	•	•	•	•	•	•	•	•	
TV 19" (12 Volt)	0	0	0		0							12
TV 28" (12 Volt)					0		0	0	0	0	0	16
Pre-Wired for Roof Mount Solar Panel	•	•	•	•	•	•	•	•	•	•	•	
Roof Mounted 100W Solar Panel(s)	0	0	0	0	0	0	0	0	0	0	0	20
LED Patio Light - Switched	•	•	•	•	•	•	•	•	•	•	•	
LED Side Patio Lights	0	0	0	0	0	0	0	0	0	0	0	1
LED Docking Lights	0	0	0	0	0	0	0	0	0	0	0	1
Wireless Remote Slide-Out Control						•				•	•	
Exterior 110V Patio Outlet	•	•	•	•	•	•	•	•	•	•	•	
Generator Ready						•				•	•	
Automatic Transfer Switch (Generator)						•				•	•	
Generator 2500 Watt LPG (Onan)						0				0	0	120
Backup Camera w/Truck Cab Wireless Monitor	0	0	0	0	0	0	0	0	0	0	0	2

Option Weights – All weights are estimates and may vary. • = Standard Option 0 = Optional Feature
 *Not intended for children younger than 6 years old.

THE ADVANTAGES OF TRUCK CAMPER OWNERSHIP

UNMATCHED VERSATILITY

Often referred to as the most versatile RV on the market, the ability to go anywhere a pick-up truck can go and to tow just about anything are key reasons people love Lance truck campers. Additionally, the ability to unload your Lance camper and use your pick-up truck independently while camping and even as your daily commuter are fantastic benefits.

SUPERIOR MANEUVERABILITY

Maneuverability is best in class due to the more manageable size and smaller turning radius of the pick-up truck vs. larger RVs. A Lance truck camper will greatly increase your ability to explore on or off the road. Allowing more possible camping locations and traditional parking spots in town.

EASY TO DRIVE

Due to the ease and familiarity of driving a pick-up truck, many people who do not enjoy driving larger RVs, find Lance truck campers less stressful and a pleasure to operate.

OUTSTANDING OFF-ROAD CAPABILITY

When combining the off-road capability of a pick-up truck, especially a 4x4, with a Lance Campers compact size and options such as solar power and onboard generator, "boon-docking" and "Overlanding" may become common phrases for you!

EXCELLENT RESALE VALUE

The versatile Lance truck camper has a history of holding a greater portion of its retail value than both its competitors and other types of RVs. Due to superior quality, properly cared for Lance truck campers are highly sought after, giving you more options when its time to look for your next new model.

STANDARD FEATURES



Aerodynamic TPO front nose cap protects your camper from debris and leaks while reducing drag and increasing fuel economy.



Keyed alike system simplifies your key ring and keeps your belongings safe.



ultraSTEPglow provides sturdy self-illuminating steps for safe and secure entrance and exit. - 1172 only



Mountain scene graphics provide a fresh and unique aesthetic evoking the bold spirit of truck camping.



Residential queen 60"x80" innerspring mattress allows for quality rest leading to more adventure. - 650, 825, 865 memory foam



Full view dual-pane tinted windows properly insulate your camper while looking good and crank out to let the breeze in. - N/A 650, 960



Exclusive Lance Load Roof Rack system safely stores your canoe, kayak, paddle boards, storage box..etc. - N/A 650



Large lockable dinette storage drawers utilize residential dovetail construction for strength. - 855s, 975, 995, 1062 & 1172



100% LED lighting brightens your camp and is easy on your power supply.



Magnetic exterior latches stay in place for hands free access.



All new Onan 2500W Generator that features an ultra-quiet design. - 855s, 960, 975, 995, 1062, 1172

OPTIONAL FEATURES



Latitude power awning provides unobstructed shade with direct response wind sensor & LED light bar.



Dometic Penguin II 10K low profile a/c runs on 2,200w generator allowing for off the grid cooling.



Wireless Bluetooth backup camera w/color display and sound.



Stainless steel flat bed microwave oven.



Automatic roof-mounted satellite TV antenna quickly finds the signal for you. - N/A 650



Remote control operated electric jacks take the haste out of loading and unloading your camper.



Keyless entry with fob provides secure one button operation of your entry door, just like you have on your truck.



Exclusive Lance ultraSTEPplus gives you safe and secure steps while not impeding your ability to tow. - 650, 865 & 850 (Hitch Extension Not Included)



Heki dual-pane vent increases ventilation in the cabover and lets you look out at the stars. - N/A 650, 825 & 865



Lance exclusive ultraDECKplus offers extra storage and a spacious entry/exit platform. - 960, 975, 995 & 1062

OFF-GRID ADVENTURES & AVAILABLE BOONDOCKING FEATURES

MORTONS ON THE MOVE

"Years ago, we gave up the stationary life for one where we are constantly on the move. This year, we have been taking a Lance 1172 Truck Camper up through Canada and Alaska to the Arctic Ocean. The wilderness continues to call to us, and the Lance truck camper takes us confidently. Lance Truck Campers are known as "Alaska Tested Tough." After testing it ourselves on some of the longest and notorious dirt roadways in North America, we can say with great certainty that this rig was built for this job!"

- Tom & Cait Morton



Solar Panel Charge Monitor



100w Solar Panels (up to 2)



Lithium Battery (1 or 2)



NEW Ultra-Quiet 2500w Generator - 855s, 960, 975, 995, 1062, 1172

4 SEASONS COMFORT TECHNOLOGY

(OPTIONAL)




KEY FEATURES



Ducted heat is routed into individually insulated holding tanks to keep them, the valves and PEX lines warm.



Water heater bypass & winterizing valves make draining the system for winter storage a breeze.



Insulated bed mat provides warmth, sound deadening and prevents moisture build-up underneath mattresses.



Insulated hatch covers add an additional layer of insulation to vents and sky lights.



Insulated battery & LP compartments keep your batteries protected and your tanks from freezing.



TRUCK/CAMPER COMPATIBILITY GUIDE

These are general guidelines to use when matching a Lance camper to your truck and assumes standard equipment on both the truck and camper. Whether any camper can be used with your truck is dependent on your truck configuration (2WD vs. 4WD, standard cab vs. extended cab, etc.) and its capacities for carrying and /or towing - how much optional equipment is added to the camper - what you tow - and the weight of passengers and all other items you carry in your truck and camper. Because we're unfamiliar with your specific truck and how you intend to use it, Lance makes no warranties or representation - express or implied - as to performance or reliability of your truck with a Lance camper. For professional guidance, always consult with your Factory Authorized Lance Dealer. They're trained in properly matching truck/camper rigs.

TOWING

When towing behind a larger camper, extending the hitch rearward is necessary. Lance recommends the Torklift SuperHitch receiver hitch and hitch box extension. It replaces standard truck factory receivers to allow for greater towing capacities.*



SuperTruss Part No.	Wire Harness Part No.	Overhang
E1521	W6021	21" rear camper overhang or less
E1524	W6024	21" - 24" rear camper overhang
E1528	W6028	24" - 28" rear camper overhang
E1536	W6036	28" - 36" rear camper overhang
E1542	W6042	36" - 42" rear camper overhang
E1548	W6048	42" - 48" rear camper overhang
E1560	W6060	48" - 60" rear camper overhang

The face of the SuperTruss extension needs to be as close to the face of the most outward point on the rear of the camper as possible (usually the camper bumper). A few inches recessed is acceptable, however, flush with the face of the camper bumper or slightly extending past is preferred for turning radius. SuperTruss only works with SuperHitch.

RECEIVER	TONGUE WEIGHT	PULL WEIGHT
TOW CAPACITIES (IN POUNDS) FOR THE LANCE MODEL REQUIRING ONLY A TORKLIFT SUPERHITCH MAGNUM RECEIVER HITCH		
15K	1,500	15,000
20K	2,000	20,000
30K	3,000	30,000
TOW CAPACITIES (IN POUNDS) FOR LANCE MODELS REQUIRING BOTH A TORKLIFT SUPERHITCH MAGNUM RECEIVER HITCH & HITCH BOX EXTENSION <i>Dealer modifications required. Consult your Factory Authorized Lance Dealer for professional technical advice and proper equipment installation.</i>		
EXTENSION LENGTH	WEIGHT CARRYING TONGUE WEIGHT	WEIGHT DISTRIBUTION TONGUE WEIGHT
32"	6,500/650	12,000/1200
42" or 48"	6,000/600	12,000/1200
60" extension	5,000/500	10,000/1000

*Always observe your trucks' tow ratings. Follow the advice of your Factory Authorized Lance Dealer.

IMPORT FULL-SIZED SHORT BEDS

Nissan® Titan™/Toyota® Tundra™

5' short beds

Lance **650**

6' short beds

Lance **825**

Lance **865**



HEAVY-DUTY F-250/2500 SERIES

6'+ short beds

Lance **825**

Lance **865**

Lance **855S**

Lance **850**



LIGHT-DUTY F-150/1500 SERIES

*When Properly Equipped

5' short beds

Lance **650**

6' short beds

Lance **825**

Lance **865**



HEAVY-DUTY F-350/3500 SERIES

(or larger) Dual-rear-wheel 8' long beds

Lance **850**

Lance **960**

Lance **975**

Lance **995**

Lance **1062**

Lance **1172**



HEAVY-DUTY F-350/3500 SERIES

(or larger) Single-rear-wheel 8' long beds

Lance **850**

Lance **960**

Lance **975**

Lance **995**

Lance **1062**



HEAVY-DUTY F-250/2500 SERIES

(or larger) Single-rear-wheel 8' long beds

Lance **850**

Lance **960**



DEALER INSTALLED SUPPORT EQUIPMENT

1. Receiver hitch extension increases your trucks towing capacities and extends your receiver past the camper.

2. Wireless Bluetooth Rear-View Camera/ Microphone and In-Cab LCD Monitor lets you see – and hear – what's behind you.

3. Front & Rear Turnbuckles are mounted to the frame to safely and securely attach and anchor the camper to your truck.

4. Air Bags / Air springs provide better handling and control under heavily loaded conditions.

5. Upgraded Shocks can greatly improve ride in all weather and road conditions.

6. Rear-Mounted Centering Guides assist in positioning your camper within the truck bed, and are available for most truck models.

7. Sway bars reduce body roll providing better vehicle control.



KEY SUPPLIER PARTNERS



LIVE. LANCE. LIFE.



2021 LANCE TRUCK CAMPER BROCHURE ©2021 Lance Camper Mfg. Corp. (LCMC). All rights reserved. Lance, the Lance logomark, the Lance logomark with chevron, The Lance Look, Lance Custom Design, Bed-Maid, LanceLock, ultraDECKplus, ultraSTEPplus, ultraSTEPglow, Discover The Lance Difference, Skyview, Lance Load, Lance Life, LIVE, LANCE. LIFE., REV Group® and other exclusive Lance product names, marks or designations are trademarks, service marks or registered trademarks of LCMC. All other marks are property of their respective owners. **All product data, graphics and photography, illustrations and/or renderings in this book were as accurate as possible at press time. Subsequent refinements during the model year may be evident in the actual product. LCMC reserves the right to change prices, colors, materials, equipment and specifications without notice — as well as to add, modify or discontinue models shown in promotion materials and/or on its websites.** All weights, fuel and liquid capacities are approximate and dimensions are nominal. It is the owner's sole responsibility to select the proper Lance camper model and support equipment appropriate to their truck without exceeding safe weight operating capacities. Your Factory Authorized Lance Dealer can advise you of the operating parameters for your particular configuration, and can confirm prices and product specifications material prior to making your purchase decision. See website for full warranty information. Overall length is measured from tip of the front cap to the rear bumper (excludes accessories). Excludes safety equipment and awnings. Actual propane capacity is 80% of water listing as required by the safety code. Brochure printed in the USA on FSM paper. 20K, 02/21, Rev. 1.5.

2YEAR
STRUCTURAL LIMITED
WARRANTY

12YEAR
ROOF LIMITED
WARRANTY

Please see lancecamper.com/warranty for details.

The information provided in this brochure applies to all product manufactured after February 2021.