

BY FOREST RIVER

YOUR JOURNEY STARTS HERE..

EVO 2700 WITH ELECTRIC LIFT BEDS

INTERIOR COLORS AND EQUIPMENT MAY VARY











RV MEMORY FOAM QUEEN BED LIFT UP FULL STORAGE







FLOORPLAN KEY		1850	2160	2250	2360	2460	2490	2550	2600	2700
FLUURPLAN KET	HITCH WEIGHT (LBS.)	633	585	608	681	729	820	757	853	826
	GROSS VEHICLE WEIGHT RATING (LBS.)	7633	7585	7600	7600	7729	7820	7757	7853	9999
OHC	UNLOADED VEHICLE WEIGHT (LBS.)	4935	5245	5088	6003	6347	5970	6515	6485	7108
OVERHEAD CABINET	CARGO CARRYING CAPACITY (LBS.)	2698	2340	2512	1597	1382	1850	1242	1368	2891
WARD	EXTERIOR LENGTH (FT.)	22' 5"	25'1"	27' 0"	28' 5"	30' 0"	29' 4"	29' 10"	30' 11"	32' 4"
WARDROBE	EXTERIOR HEIGHT (FT.)	10' 11"	10'11"	10' 11"	10' 11"	10' 11"	10'11"	10'11"	11'	11'
MICRO	FRESH WATER (GAL.)	56	56	56	56	56	56	56	56	56
MICROWAVE	GREY WATER (GAL.)	35	28	35	75	40	35	75	40	75
REFER	BLACK WATER (GAL.)	35	32	35	40	35	30	40	40	40
REFRIGERATOR	TIRE SIZE (IN.)	15	15	15	15	15	15	15	15	15


















PANTRY

REFER

880

FLOORPLAN KEY	(2791	2850	2990	3250
FLUURPLAN NE I	HITCH WEIGHT (LBS.)	860	841	923	931
OHC Overhead cabinet	GROSS VEHICLE WEIGHT RATING (LBS.)	9999	9999	9999	9999
	UNLOADED VEHICLE WEIGHT (LBS.)	7062	6917	7295	8403
	CARGO CARRYING CAPACITY (LBS.)	2937	3082	2704	1596
WARD	EXTERIOR LENGTH (FT.)	33' 6"	32' 2"	34' 9"	36' 4"
WARDROBE	EXTERIOR HEIGHT (FT.)	11'2"	11'	11'3"	11'2"
MICRO	FRESH WATER (GAL.)	56	56	56	56
MICROWAVE	GREY WATER (GAL.)	65	75	80	58
REFER	BLACK WATER (GAL.)	30	40	35	30
REFRIGERATOR	TIRE SIZE (IN.)	15	15	15	15





STANDARDS AND OPTIONS

PRODUCT FEATURES

2000-LB. TONGUE JACK EZ LUBE AXLES RUST RESISTANT POWDER COATED 8 INCH I-BEAM CHASSIS 4-WHEEL ELECTRIC SELF ADJUSTING BRAKES **15" RADIAL TRAILER SPECIAL TIRES** 4" STEEL BUMPER/SEWER HOSE STORAGE FRAME MOUNTED DUAL BATTERY RACK SCHWINTEC ELECTRIC SLIDE-OUT OPERATING SYSTEM, FLUSH FLOOR PER FLOOR PLAN FULL THROUGH CHASSIS ELECTRIC SLIDE ROOM. SUPPORT SYSTEM (SUPER SLIDES) ONE-PIECE SLIDE-OUT FLOOR DECKING FIBERGLASS SLIDE-OUT EXTERIOR END WALLS R-7 FIBERGLASS INSULATION ROOF/FLOOR/WALLS/END CAPS FULL 80 INCH CEILING HEIGHT WALK-ON ROOF DECKING W/ONE-PIECE PVC MEMBRANE **56 GAL. FRESH WATER CAPACITY** UP TO 115 GAL. HOLDING TANK CAPACITY (PER FP) ENCLOSED TANKS W/HEAT DUCT SAFERIDE RV ROADSIDE ASSISTANCE PROGRAM

EXTERIOR

FOUR STABILIZER JACKS FRONT PASS-THROUGH STORAGE WITH LED LIGHT EXTRA THICK RADIUS COMPARTMENT STORAGE DOORS MAGNETIC COMPARTMENT DOOR HOLDING LATCHES CROWNED ROOF FOR WATER DRAINAGE TRUSS RAFTERS ON SLIDE MODELS **BLACK FRAME SAFETY GLASS WINDOWS 30-AMP. 110V POWER CORD** CITY WATER CONNECTION CABLE TV HOOK-UP EXTERIOR LED UTILITY PORCH LIGHT 110V EXTERIOR PLUGS FRICTION ENTRY DOOR HINGE ENTRY ASSIST HANDLE MAIN ENTRY DOMETIC AWNING W/RETRACTOR ASSIST SPRINGS AERODYNAMIC ALUMINUM FRONT CAP OMNI DIGITAL TV ANTENNA W/BOOSTER DUAL 30# LPG TANKS W/COVER & EASY ACCESS EXTERIOR SPEAKERS EXTENDED RAIN GUTTER SPOUTS WATER HEATER BY-PASS FOR COLD STORAGE HOT & COLD LOW DRAIN POINTS FRONT LOWER GRAVEL GUARD

INTERIOR

FLOOR TO CEILING ENTERTAINMENT CENTER (PER FP) WEXLER CRAFTSMEN CABINETS W/HIDDEN HINGES DELUXE BALL BEARING DRAWER GUIDES CONVENIENT STORAGE AREAS GALLEY LIGHTING SYSTEM CAPACITY MONITOR PANEL SYSTEMS CONTROL PANEL 12V/USB CHARGING STATIONS SINGLE BOWL KITCHEN SINK W/COVERS HOME STYLE HI-RISE SINK FAUCET FULL WALL KITCHEN BACKSPLASH U-SHAPED DINETTE (PER FP) DRAWERS UNDER U-SHAPE DINETTE DOMETIC FOOT FLUSH TOILET FULL WALL TUB/SHOWER SURROUND GLASS ENCLOSURE (SHOWERS) POWER VENT IN BATHROOM MEDICINE CABINET WITH MIRROR FULL LENGTH BEDROOM WARDROBES PILLOW TOP MATTRESS MAIN BED LIFT UP BED FOR STORAGE (PER FP) 110V OUTLETS ON BOTH SIDES OF MAIN BED 48" STORAGE DRAWER UNDER SLIDE SOFA SHOE STORAGE UNDER ENTERTAINMENT CENTER DELIIXE WINDOW VALANCES **ESCAPE WINDOWS IN SLEEPING AREAS** SOLID DOORS AT BEDROOM ENTRY (PER FP) LAUNDRY CHUTES (PER FP)

APPLIANCES

STAINLESS STEEL APPLIANCE UPGRADE SUBURBAN 3-BURNER GLASS TOP RANGE AND 17" OVEN RANGE HOOD WITH LIGHT AND EXHAUST FAN DOMETIC 8-CL.FT. DOUBLE DOOR REFRIGERATOR MICROWAVE W/CAROUSEL 6-GAL SUBURBAN DUAL GAS/ELECTRIC DSI WATER HEATER W/16-GAL/HR. RECOVERY DOMETIC 13,500 BTU AIR CONDITIONING FLOOR DUCTED HEAT PER FLOOR PLAN SUBURBAN 20K OR 30K BTU FURNACE PER FLOOR PLAN FLUSH MOUNTED SPEAKERS IN CEILING AM/FM/DVD/ BLUETOOTH STERED SYSTEM INTERUR/EXTERNIS PEAKERS

OPTIONAL FEATURES

COMFORT & CONVENIENCE PACKAGE (MANDATORY) Includes 30# L.P.G Tanks, BBQ L.P.G QUICK DISCONNECT, Black Tank Flush, Power Tongue Jack, Outside Shower, Roof Ladder, Spare Tire and Carrier, Bunk Accessible USB Charging Ports, Skylight over Tub, Battery Disconnect, Outside TV Outlet, Main Entry Swing Away Handle, Teddy Bear Bunk Mattress (FP)

INCORPORATED INTO ALL EVO MODELS

NEW ENTRY DOORS WITH FRICTION HINGE New 30" Built in Electric Fireplace (PER F/P) New Magnetic compartment door latches L 6 Solid Surface counter top Under Mount Sink Chefs Hi Rise Spring Faucet Power Awning with Shock Absorbers Adjustable Legs Led Awning Light Strip Led Power Saving Interior Lighting Blue tooth Stereo with DVD player Am/FM Night Shades In All Areas Solar Prep For Portable Unit/Back-UP CAMERA PREP. Capital Bedding Pillow Top Memory Foam Mattress

ADDITIONAL OPTIONS AVAILABLE

15,000 BTU AIR CONDITIONER UP GRADE DUCTED AIR CONDITIONING ROOF VENTS ELECTRIC STABILIZER JACKS HD LED TELEVISION WITH MOUNT ALUMINUM WHEELS PER MODEL 170W OR 220W GO POWER SOLAR CHARGING PACKAGE JIFFY SOFA IPO LOWER BUNK (3250) OUTSIDE KITCHEN (2990) LARGE BUNK ACCESS STORAGE DOOR (2550/2700) TWO DELUXE RECLINERS (2460) 10.7 CU FT 12 V HOME STYLE REFER W/220W SOLAR PANEL TORKLIFT ENTRY STEPS (MAIN ENTRY)

ARCTIC PACKAGE

RADIANT FOIL INSULATION IN ROOF AND FLOOR FOR R-38 EQUIVALENT.

EVO SELECT SERIES

INTERIOR COLORS AND EQUIPMENT MAY VARY

IIIII · P PIIII

(Int



























STANDARDS AND OPTIONS

PRODUCT FEATURES

LIGHT WEIGHT DESIGN FOR THE SMALLER TOW VEHICLES ROOF MOUNTED 13,500 BTU AIR CONDITIONER DOUBLE DOOR 6 CU. FT. REFRIGERATOR MICROWAVE OVEN W/CAROUSEL NEW THREE BURNER COOK TOP RESIDENTIAL SINGLE BOWL SINK GOOSENECK KITCHEN FAUCET HIDDEN HINGE CABINETS DOORS BALL BEARING DRAWER GUIDES RETRACTABLE AWNING 6 GALLON LPG WATER HEATER WITH DSI WATER HEATER BY-PASS AUTO IGNITION 20K BTU FURNACE MINI BLINDS THROUGHOUT LPG CONNECT FOR BBQ 20# LPG BOTTLE FULL WALK-ON ROOF W/PVC COVERING RADIAL TIRES TEDDY BEAR BUNK MATTRESS (PER FP) LARGE FRESH WATER CAPACITY EZ LUBE AXLES W/SELF ADJUSTING BRAKES RADIUS ENTRY DOOR EXTRA THICK COMPARTMENT DOORS MAGNETIC COMPARTMENT DOOR LATCHES SAFERIDE RV ROADSIDE ASSISTANCE PROGRAM

ALL EVO FACTORY SELECTS INCLUDE THE FOLLOWING

POWER AWNING W/ADJUSTABLE LEGS LED AWNING LIGHT STRIP LED "POWER SAVER INTERIOR LIGHT PACKAGE Bluetooth Stereo with Remote Back up camera prep Solar prep for Portable Panel Stainless Steel Appearance Package USB Charging Ports Friction Entry Door Hinge

OPTIONAL EQUIPMENT AVAILABLE

DUCTED AIR VENTS (228,267,268) STABILIZER JACKS 2 OR 4 POWER TONGUE JACK RADIANT FOIL BARRIER INSULATION ROOF/FLOOR SPARE TIRE AND CARRIER SKYLIGHT OVER TUB CABLE SATELLITE READY TV ANTENNA W/POWER BOOSTER ROOF LADDER (PER FP) POWER AWNING WITH SHOCK ABSORBERS LED AWNING LIGHT STRIP LED POWER SAVING INTERIOR LIGHTING BLUE TOOTH STEREO WITH DVD PLAYER AM/FM NIGHT SHADES IN ALL AREAS SOLAR PREP FOR PORTABLE UNIT BACK-UP CAMERA PREP. CAPITAL BEDDING PILLOW TOP MEMORY FOAM MATTRESS

SPECIFICATIONS

	177BQ	177FQ	197SS	208RD	267 SS	268BH
HITCH WEIGHT (LBS.)	445	430	495	565	655	545
GROSS VEHICLE WEIGHT RATING (LBS.)	4845	4830	55 9 5	7565	8455	7545
UNLOADED VEHICLE WEIGHT (LBS.)	3355	3315	4075	4235	5280	4559
CARGO CARRYING CAPACITY (LBS.)	1471	1496	1482	3292	3175	2986
EXTERIOR LENGTH (FT.)	22' 8"	22' 8"	24' 2'"	25' 10"	31'	28' 8"
EXTERIOR HEIGHT (FT.)	10' 3"	10' 3"	10' 5"	10' 5"	10' 9"	10' 5"
FRESH WATER (GAL.)	48	48	48	48	48	48
GREY WATER (GAL.)	22	22	22	30	28	28
BLACK WATER (GAL.)	22	22	22	30	22	30
TIRE SIZE (IN.)	15	15	15	15	15	15
				1000		

FFECTIVE UNITS BUILT AFTER 9/1/19









Specification Definitions

GVWR (Gross Vehicle Weight Rating) iS the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. *Estimated average based on standard build optional equipment. CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity. ** Estimated average based on standard buildoptional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1420 P/W: 2019.3.1



Learn More Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.

FOREST RIVER INC., 255 S PEPPER AVE RIALTO, CA 92376 I (909) 873-3777 WWW.FORESTRIVERINC.COM/EVO I WWW.FORESTRIVERACCESSORIES.COM EFFECTIVE UNITS BUILT AFTER 9/1/2019

CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com

YOUR EVO DEALER