Travel through the good times in a Terry



R

2

ш


FLEETWOOD. RV


Travel Trailers and Fifth Wheels



Travel Trailers and Fifth Wheels

The Ultralite Terry Dakota has an aerodynamic profile, which enhances towability and styling. Its aluminum framing is integrated with a laminated fiberglass sidewall resulting in durable, yet lightweight, quality construction.





QUEEN BED









827 5S Fifth Wheel



723 C





826 M



Some models are not available in all areas of the country. Please see your local dealer for model availability.



features or equipment.

TERRY DAKOTA MODELS	719 B	723 C	722 F	725 H	826 M	829 S	829 T	830 Y	827 5P	827 5S
GVWR (Gross Vehicle Weight Rating) (Ibs.)1	3,700	4,600	5,000	4,900	6,200	6,500	6,800	7,200	7,200	7,800
Gross Dry Weight (Ibs.) ^{2,6}	2,530	3,150	3,364	3,625	4,090	4,085	4,460	5,241	4,857	5,470
Maximum Carrying Capacity (lbs.) ^{3,6}	1,170	1,450	1,636	1,275	2,110	2,415	2,340	1,959	2,343	2,330
Hitch Dry Weight (Ibs.) ^{2,6}	240	340	437	355	450	410	440	627	1,072	1,060
Length (' and '') ^{4,6,8}	19' 1''	23' 4''	22' 11''	25' 11''	26' 2''	29' 11"	29' 11"	30' 11"	27' 11"	27' 11"
Height (' and '') ^{5,6}	8' 11''	8' 10''	8' 11''	8' 11''	9' 1''	9' 1"	9' 1"	9' 11"	10' 7"	10' 9"
Tire Size	14"(C)	13"(B)	13"(B)	13"(C)	14"(C)	14"(C)	14"(C)	14"(C)	14"(C)	14"(C)
Fresh Water Holding Tank (gal.) ^{6,7}	25	25	30	30	40	40	40	40	40	40
Gray Water Holding Tank (gal.) ^{6,7}	30	30	30	30	40	40	40	40	40	40
Black Water Holding Tank (gal.)6.7	30	30	30	30	40	40	40	40	40	40
LPG Capacity (lbs.) ^{6,7}	40	40	40	40	60	60	60	60	60	60

 (Gross Vehicle Weight Rating) is the maximum permissible weight of this trailer when fully loaded. It includes all weight at the trailer axle(s) and tongue or pin.
 All dry weights are based on the standard model and do not include optional **3** Maximum Carrying Capacity is determined by subtracting Gross Dry Weight from GVWR. Maximum Carrying Capacity includes all fluids, optional features, equipment, and personal cargo.

4 Trailer length includes 3' 6" for hitch; fifth wheel includes standard pin box.

 ${\bf 5}$ Add 9" if equipped with optional roof air conditioner.

6 Approximate.

7 Water weight equals 8.3 lbs per gallon. LPG weight equals 4.5 lbs per gallon.8 Add 10" if equipped with optional spare tire and carrier.

IMPORTANT—**PLEASE READ**: Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood has designed its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e. occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

LIVABILITY 8' Wide Units - 92 %" Interior Width 7's' Wide Units - 87" Interior Width Double Light Fixtures Throughout Large Cabinet Doors Wardrobes Accommodate Residential Size Clothes Hangers Lift-Up Bed Platform w/Below Bed Storage (Most Models)	INTERIOR Overhead Storage Cabinets Innerspring Mattress (Most Models) Decor Wall Border Decor-Coordinated Bedspread (Most Models) Miniblinds Throughout (Except Bunk Windows) Bedroom Headboards (Most Models) Raised Panel Overhead Cabinet Doors	hydroflame [®] Forced Air, D.S.I. Furnace w/Thermostat Range Hood w/12V Light and Exhaust Fan Microwave Oven (Optional on Tent Models) Wall-Mounted Systems Monitor Panel (Optional on Tent Models) In-Ceiling Rigid Air Conditioner Ducting (Most Models) 6-Gallon LP Gas Water Heater Water Heater Bypass	Break-Away Emergency Disconnect Brake Radiused, Retractable Entry Step w/Non-Skid Strip OPTIONAL FEATURES Exterior Shower AM/FM Stereo w/CD LPG DSI 6-Gallon Water Heater 13.5M Air Conditioner
EXTERIOR Smooth Fiberglass Siding Aluminum Framed Sidewalls Rear Bumper w/Sewer Hose Carrier Locking, Insulated Luggage Doors One-Piece Seamless Rubber Roof Roto-Molded Wheel Well Skirts (Not on Tent Models) 26" Wide Main Entry Door w/Window (Most Models) Radius Truss Roof Rafters	GALLEY Full-Shelf Storage, Below Sink Double Bowl Stainless Steel Galley Sink Residential Height Galley Countertops BATH Tub/Shower Surround (8' Wides Only) Wall-Mounted Bathroom Vanity Mirror 12V Power Exhaust Roof Vent Wall-Switched Ceiling Light Two Towel Bars	ELECTRICAL 40 Amp Solid State Converter w/Built-in Battery Charger 120V Patio Receptacle Cable TV Hook-Up Prewired for Roof Air Conditioner Prewired for Stereo and Speakers Prewired for TV Antenna SAFETY Fire Extinguisher	Heated Holding Tanks Spare Tire Safety Glass Windows Bedroom Carpet (Most Models) Living Room Carpet (Most Models) Water Purifier Range Cover Fifth Wheel Hitch Fifth Wheel Front Cap
Hitch Light Patio Light–Interior Switch Sub-Floor Fresh Water Holding Tank (Not on Tent Models) Welded, Dual Battery Rack (Travel Trailer Models Only)	Thetford* Fresh Water Flush Toilet APPLIANCES/EQUIPMENT Dometic* LPG/Electric Refrigerator 3-Burner (1 High-Output), Range w/Oven (Optional on 7 ½' Wides) Atwood* 3-Burner Cooktop (7 ½' Wides Only)	Smoke Detector/Alarm LP Gas Leak Detector/Alarm 120-Volt GFI Circuit Protection (Galley/Bath/Patio) 4-Wheel Electric Brakes (2 Wheel Electric Brakes on 719B)	Freedom Edition Package INTERIOR DECOR OPTIONS Blue Green Neutral



Travel Trailers

Terry Lite, Terry and Terry EX (designated by 業) include a long list of standard features and a choice of 28 different floor plans. Choose the plan that's best for you.

LITE MODELS



QUEEN BED

QUEEN BED

QUEEN BED

8....

25 J

25

25 Z

BUNK BEDS



















 \Box

FLEETWOOD, RV

Travel Trailers

╬ 29 J















Option: D1 (Please see pg. 7)







Fifth Wheels


LITE MODEL

24 5C Fifth Wheel





Option: D1 (Please see pg. 7)






27 5A Fifth Wheel








Also available as a EX model ▲ = Exterior Storage

Some models are not available in all areas of the country. Please see your local dealer for model availability.

6




Only Available as an EX Model









Option: B10, D1 (Please see chart on this page)

Additional Features on EX only:

◆ = TV Cabinet/Hutch ● = Entertainment Center



Floor Plan Options

DOUBLE BED

BUNK BED





Option: B3 Rear Bedroom Slide

BUNK BED VARE BUNK BED






Option: B4 Rear Bunk Beds

Option: B7 Front Bunk/Dining Combo



Option: B8 Front Bunk Beds





Option: B10 Front Bedroom Slide

Option: G1 Residential Refrigerator

REFER











TERRY LITE & TERRY MODELS	20 N	23 W	25 J	25Y	25 Z	26 K	26 W	27 H	28T
GVWR (Gross Vehicle Weight Rating) (lbs.) ¹	5,700	6,100	6,800	7,000	5,900	7,400	7,300	7,500	7,500
Gross Dry Weight (lbs.) ^{2,6}	3,510	4,006	4,091	4,397	3,920	5,053	4,924	5,088	4,962
Maximum Carrying Capacity (Ibs.) ^{3,6}	2,190	2,094	2,709	2,603	1,980	2,347	2,376	2,412	2,538
Hitch Dry Weight (Ibs.) ^{2,6}	430	420	562	596	472	678	636	625	740
Length (' and '') ^{4,6,8}	20' 11''	23' 11"	25' 11''	25' 11''	25' 11''	26' 11''	26' 11''	27' 11''	28' 11''
Height (' and '') ^{5,6}	9' 2''	8' 9"	9' 2''	9' 2''	9' 2''	10' 1''	10' 1''	10' 1'''	9' 11''
Tire Size	14"(B)	14"(B)	14"(C)	14"(C)	14"(B)	15"(C)	15"(C)	15"(C)	15"(C)
Fresh Water Holding Tank (gal.) ^{6,7}	40	40	40	40	40	40	40	40	40
Gray Water Holding Tank (gal.) ^{6,7}	40	40	40	20/40	40	40	40	40	20/40
Black Water Holding Tank (gal.) ^{6,7}	40	40	40	40	40	40	40	40	40
LPG Capacity (lbs.) ^{6,7}	60	60	60	60	60	60	60	60	60
TERRY MODELS	28 X	29 F	29 J	30 E	30 N	31 G	33A	39 D	
GVWR (Gross Vehicle Weight Rating) (lbs.) ¹	7,300	8,700	8,600	7,500	8,700	8,800	9,400	11,000	
Gross Dry Weight (lbs.) ^{2,6}	4,433	5,830	5,645	4,866	6,095	5,994	6,362	7,228	
Maximum Carrying Capacity (lbs.) ^{3,6}	2,867	2,870	2,955	2,634	2,605	2,806	3,038	3,772	
Hitch Dry Weight (Ibs.) ^{2,6}	550	903	759	615	891	665	973	920	
Length (' and '') ^{4,6,8}	28' 11''	29' 11"	29' 11''	30' 11''	30' 11''	31' 11"	33' 11''	39' 8''	
Height (' and '') ^{5,6}	9' 11''	10' 1''	10' 1''	9' 11''	10' 1''	9' 11''	9' 11''	9' 11''	
Tire Size	15"(C)	15"(D)							
Fresh Water Holding Tank (gal.) ^{6,7}	40	40	40	40	40	40	40	40	
Gray Water Holding Tank (gal.) ^{6,7}	40	40	40	40	20/40	40	40	40	
Black Water Holding Tank (gal.)6.7	40	40	40	40	40	40	40	40	
LPG Capacity (lbs.) ^{6,7}	60	60	60	60	60	60	60	60	
TERRY LITE & TERRY MODELS	39 L	24 5C	24 5M	26 5H	27 5A	28 5J	30 5S	31 5G	
GVWR (Gross Vehicle Weight Rating) (lbs.) ¹	11,000	7,500	7,600	8,250	8,000	9,700	10,200	11,000	
Gross Dry Weight (lbs.) ^{2,6}	7,628	5,033	5,255	5,702	5,381	6,435	6,765	7,479	
Maximum Carrying Capacity (lbs.) ^{3,6}	3,372	2,467	2,345	2,548	2,619	3,265	3,435	3,521	
Hitch Dry Weight (lbs.) ^{2,6}	757	885	870	1,162	1,132	1,079	1,317	1,890	
Length (' and '') ^{4,6,8}	39' 8''	26' 11''	24' 11''	26' 11''	27' 11''	28' 11''	30' 11''	31' 11''	
Height (' and '') ^{5,6}	9' 11''	11' 6''	11' 7"	11' 7''	11' 6''	11' 5''	11' 5''	12' 1''	
Tire Size	15"(D)	15"(C)	15"(C)	15"(C)	15"(C)	15"(C)	15"(D)	15"(D)	
Fresh Water Holding Tank (gal.) ^{6,7}	40	40	40	40	40	40	40	40	
Gray Water Holding Tank (gal.) ^{6,7}	40	20/40	40	40	20/40	20/40	40	40	
DI 1 144 - 11 11 T 1 1 1 107									
Black Water Holding Tank (gal.) ^{6,7}	40	40	40	40	40	40	40	40	

1 (Gross Vehicle Weight Rating) is the maximum permissible weight of this trailer when fully loaded. It includes all weight at the trailer axle(s) and tongue or pin.

2 All dry weights are based on the standard model and do not include optional features or equipment.

3 Maximum Carrying Capacity is determined by subtracting Gross Dry Weight from GWWR. Maximum Carrying Capacity includes all fluids, optional features, equipment, and personal cargo.

4 Trailer length includes 3' 6" for hitch; fifth wheel includes standard pin box.

5 Add 9" if equipped with optional roof air conditioner.

6 Approximate.

7 Water weight equals 8.3 lbs per gallon. LPG weight equals 4.5 lbs per gallon.
8 Add 10" if equipped with optional spare tire and carrier.
N/A - Not available at time of printing.

IMPORTANT—**PLEASE READ**: Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood has designed its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e. occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.



TERRY EX MODELS	27 H	29 F	29 J	30 N	31 G	
GVWR (Gross Vehicle Weight Rating) (Ibs.) ¹	7,600	8,800	8,600	8,800	8,900	
Gross Dry Weight (lbs.) ^{2,6}	5,395	6,167	5,950	6,449	6,348	
Maximum Carrying Capacity (Ibs.) ^{3,6}	2,205	2,633	2,650	2,351	2,552	
Hitch Dry Weight (Ibs.) ^{2,6}	676	943	800	936	716	
Length (' and '')46.8	27' 11''	29' 11''	29' 11''	30' 11''	31' 11''	
Height (' and '') ^{5,6}	10' 1''	10' 1''	10' 1''	10' 1''	9' 11''	
Tire Size	15"(C)	15"(C)	15"(C)	15"(C)	15"(C)	
Fresh Water Holding Tank (gal.) ^{6,7}	40	40	40	40	40	
Gray Water Holding Tank (gal.) ^{6,7}	40	40	40	20/40	40	
Black Water Holding Tank (gal.) ^{6,7}	40	40	40	40	40	
LPG Capacity (lbs.) ^{6,7}	60	60	60	60	60	
TERRY EX MODELS	33A	34 P	39 D	39L	26 5H	
GVWR (Gross Vehicle Weight Rating) (lbs.) ¹	9,400	10,800	11,000	11,000	8,300	
Gross Dry Weight (Ibs.) ^{2,6}	6,723	7,129	7,616	7,969	6,030	
Maximum Carrying Capacity (lbs.) ^{3,6}	2,677	3,671	3,384	3,031	2,270	
Hitch Dry Weight (Ibs.) ^{2,6}	1,015	1,060	928	799	1,243	
Length (' and '') ^{4,6,8}	33' 11''	34' 11''	39' 8''	39' 8''	26' 11''	
Height (' and '') ^{5,6}	9' 11''	9' 11''	9' 11''	9' 11''	11' 7"	
Tire Size	15"(C)	15"(D)	15"(D)	15"(D)	15"(C)	
Fresh Water Holding Tank (gal.)6.7	40	40	40	40	40	
Gray Water Holding Tank (gal.) ^{6,7}	40	20/40	40	40	40	
Black Water Holding Tank (gal.)6.7	40	40	40	40	40	
LPG Capacity (Ibs.) ^{6,7}	60	60	60	60	60	
TERRY EX MODELS	28 5J	30 5S	31 5G	32 5D	33 5F	
GVWR (Gross Vehicle Weight Rating) (lbs.) ¹	9,700	10,200	11,200	12,500	12,400	
Gross Dry Weight (lbs.) ^{2,6}	6,797	7,160	7,860	9,302	8,616	
Maximum Carrying Capacity (lbs.) ^{3,6}	2,903	3,040	3,340	3,198	3,784	
Hitch Dry Weight (Ibs.) ^{2,6}	1,163	1,407	1,974	2,196	1,653	
Length (' and '') ^{46.8}	28' 11''	30' 11''	31' 11''	32' 11''	33' 11''	
Height (' and '') ^{5,6}	11' 5''	11' 5''	12' 1''	12' 2''	12' 2''	
Tire Size	15"(C)	15"(D)	15"(D)	16"(E)	16"(E)	
Fresh Water Holding Tank (gal.) ^{6,7}	40	40	40	40	40	
Gray Water Holding Tank (gal.) ^{6,7}	20/40	40	40	40	40	
Black Water Holding Tank (gal.)6,7	40	40	40	40	40	
LPG Capacity (Ibs.) ^{6,7}	60	60	60	60	60	

1 (Gross Vehicle Weight Rating) is the maximum permissible weight of this trailer when fully loaded. It includes all weight at the trailer axle(s) and tongue or pin.

2 All dry weights are based on the standard model and do not include optional features or equipment.

3 Maximum Carrying Capacity is determined by subtracting Gross Dry Weight from GWWR. Maximum Carrying Capacity includes all fluids, optional features, equipment, and personal cargo.

4 Trailer length includes 3' 6" for hitch; fifth wheel includes standard pin box.

5 Add 9" if equipped with optional roof air conditioner.

6 Approximate.

7 Water weight equals 8.3 lbs per gallon. LPG weight equals 4.5 lbs per gallon.
8 Add 10" if equipped with optional spare tire and carrier.
N/A - Not available at time of printing.

IMPORTANT— **PLEASE READ**: Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood has designed its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e. occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.



LIVABILITY

92 5/8" Interior Width
Double-Light Fixtures Throughout
Contoured Cabinet Treatments-Radius Styling
Light Colored Interior Wall Coverings
Large TV Location (Most Models)
Large Cabinet Doors
Lift-Up Bed Platform w/Below Bed Storage (Most Models)
Bedside Nightstand (Most Models)
Wardrobes Accommodate Residential Size Clothes Hangers
EXTERIOR

Structural I-beam Cambered Chassis Rear Bumper w/Sewer Hose Carrier Locking, Insulated Luggage Doors **One-Piece Seamless Rubber Roof** Radius Aluminum Sidewall Skirting (Most Models) Roto-Molded Wheel Well Skirts (Most Models) Baked Enamel Color Band **R-7** Insulation 30" Wide Main Entry Door w/Window (Most Models) Flush Mount Entry Door Latch w/Dead Bolt Lock Reinforced Screen Door w/Kick Panel Radius Truss Roof Rafters Radius Corner Windows Hitch Light Patio Light–Interior Switch Welded, Dual Battery Rack (Travel Trailer Models Only) Waste Tank Single-Point Termination Valve

Arctic White Gloss Exterior Metal Finish

Sub-Floor Fresh Water Holding Tank

INTERIOR

Overhead Dinette Storage Cabinet

Innerspring Mattress

Decor Wall Border

Decor-Coordinated Bedspread

Miniblinds Throughout (Except Bunk Windows)

Bedroom Headboards (Most Models)

Raised Panel Overhead Cabinet Doors

GALLEY

Residential Height Galley Countertops

Half-Shelf Storage, Below Sink

Trash Can Inside Cabinet (Most Models)

Double Bowl Stainless Steel Galley Sink

Built-in Knife Rack

Overhead Storage Cabinet Above Sink

Pantry w/Adjustable Shelves (Most Models)

BATH

One-Piece Tub/Shower Walls w/Molded Soap Dish (Except Garden Tub)

Medicine Cabinet w/Mirrored Door

Wall-Mounted Bathroom Vanity Mirror (Most Models)

Thetford[®] Fresh Water Flush Toilet

12V Power Exhaust Roof Vent

Wall-Switched Ceiling Light

Towel Bar

APPLIANCES/EQUIPMENT

Dometic[®] Double Door LPG/Electric Refrigerator

Magic Chef[®] 3-Burner (1 High-Output), Range w/Oven

hydroflame® Forced Air, D.S.I. Furnace w/Thermostat

Standard Features

APPLIANCES/EQUIPMENT (CONT.)

Range Hood w/12V Light and Exhaust Fan

Wall-Mounted Systems Monitor Panel

In-Floor Rigid Furnace Ducting (Most Models)

In-Ceiling Rigid Air Conditioner Ducting (Most Models)

6-Gallon LP Gas Water Heater

Dual 7-Gallon LPG Cylinders w/Regulator & Auto-Changeover

ELECTRICAL

Solid State Converter w/Built-in Battery Charger

120V Central Electrical Panel

120V Patio Receptacle

Cable TV Hook-Up

Prewired for Roof Air Conditioner

Prewired for Microwave Oven

Prewired for Stereo and Speakers

Prewired for TV Antenna

Wall-Switched Interior Lights

SAFETY

Fire Extinguisher

Smoke Detector/Alarm

LP Gas Leak Detector/Alarm

120-Volt GFI Circuit Protection (Galley/Bath/Patio)

4-Wheel Electric Brakes

Radiused Retractable Entry Step w/Non-Skid Strip

Break-Away Emergency Disconnect Brake

FLEETWOOD. RV

Standard and Optional Features

TERRY LITE & TERRY OPTIONAL FEATURES
Bath Skylight
Exterior Shower
Stereo AM/FM Cassette
Stereo AM/FM CD Player
TV Antenna
Microwave Oven
LPG DSI 6-Gallon Water Heater
Water Purifier
Folding Tub/Shower Enclosure
13.5M Air Conditioner
Ladder
Awning
Upgraded Mattress
Tinted Safety Glass Windows
Spare Tire
Free Standing Chair (Some Models)
Bedroom Carpet (Most Models)
Living Room Carpet (Most Models)
Fiberglass Exterior
Freedom Edition Package
TERRY LITE & TERRY INTERIORS

Blue

Green

Neutral

DDITIONAL TERRY EX STANDARI
X Exterior
iberglass Exterior
eluxe Graphics
luminum Bumper Cover
adius Corner Entry and Luggage Doors
hrome Wheel Trim Ring
adder
hock Absorbers (Units with 13' Slide-Outs)
xterior Shower
arge Exterior Grab Bar (Most Models)
X Interior
aised Panel Cabinet Doors–Mortise and Teno ionstruction
olid Wood Drawer Fronts
PG DSI 6-Gallon Water Heater
orcelain Galley Sink
arpet with Upgraded Carpet Pad
eluxe Furniture Styling
lpgraded Window Treatments
ath Skylight
lip-Up Galley Extension (Most Models)
V Cabinet Overhead Hutch (Most Models)
lpgraded Mattress
2" Range with Oven
Ipgraded Stereo Speakers
hone Jack

Range Cover

New! Two Sink Lids

New!

Flip-Up TV Shelf

ADDITIONAL TERRY EX STANDARD FEATURES (CONT.)

Single Lever Galley Faucet

Foot Pedal Toilet

Folding Tub Enclosure or Glass Shower Enclosure

Living Room Throw Pillows

Bedroom Carpet

New!

Living Room Carpet

Bedroom Pillow Sham

Decorative Mirror (Most Models)

New! TERRY EX OPTIONAL FEATURES Stereo AM/FM Cassette Stereo AM/FM CD Player TV Antenna Microwave Oven Water Purifier 13.5M Air Conditioner Fiberglass Front Cap Rear Perimeter Cap Awning Spare Tire Free Standing Chair (Most Models) Sleeper Sofa (Most Models) 6 Panel Refrigerator Door Freedom Edition Package

TERRY EX INTERIORS

Blue			
Green			
Neutral			

See dealer for complete information on all available options.



DARE TO COMPARE!!

Fleetwood RV Others

Over 50 Years of RV Building Experience

2-Year Full Warranty (Not Limited)



Brand Name Appliances

Toll Free 800 Number for Customer Service



Visit our website at fleetwoodrv.com and join the fun! (877) 577-2560



Featuring Fleetwood RV branded clothing and products. **Click and Shop!**

RV OWNERCARE The Fleetwood RV Two-Year Hitch to Bumper Warranty Coverage*

This comprehensive program includes systems, appliances, components and construction with no additional costs to you.



TWO-YEAR FULL WARRANTY

Leaving the Fleetwood RV dealership after you've purchased your RV doesn't mean leaving Fleetwood's commitment to your satisfaction behind. This complete warranty is unique because it's just that—complete. Some competitive brands only support a one-year warranty and most are limited. Be sure to check.

FULLY TRANSFERABLE*

Because we don't hesitate to stand behind our products, the complete **warranty is fully transferable** during the 24-months of warranty coverage, which is a plus for resale value.

NATIONAL COVERAGE

Traveling to Spokane? Buffalo? We've got you covered with one of the nation's largest trained service networks. In fact, **1,100 Fleetwood dealers** are just a phone call away.

24-HOUR ROADSIDE ASSISTANCE PROGRAM

Flat tire? Locked out? First-year roadside service in the U.S. or Canada is **free**. Just sign up with your dealer. After a year, you can continue this service for a reasonable cost.

Require these features when you purchase your new RV... Fleetwood does!



The World's #1 RV Manufacturer

Fleetwood Enterprises, Inc. • RV Marketing • P.O. Box 7638 • Riverside, CA 92513-7638

Your local Terry dealer is:



www.fleetwoodrv.com

Visit our website to find a dealer near you or learn more about other Fleetwood products. Or call us toll-free at 1-800-444-4905.

IMPORTANT—**PLEASE READ:** Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood has designed its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e. occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

*For complete details, see your Fleetwood RV dealer.

© 2002 Fleetwood Enterprises, Inc. Inventory Control No. TE02F3 Litho in USA 4/02