

CHAPARRAL

COACHMEN CHAPARRAL 5TH WHEELS



STANDARD WITH
WEATHER SHIELD
PLUS



SCAN HERE FOR ADDITIONAL PHOTOS, 360
VIRTUAL TOURS, VIDEOS, & A COMPLETE
LIST OF STANDARDS, OPTIONS & MORE

WWW.COACHMENRV.COM/FIFTHWHEELS



CHAPARRAL LITE



CHAPARRAL X-EDITION



LIONSHEAD
5,2,1 GUARANTEE

USA-MADE
DEXTER AXLES



CHAPARRAL MID-PROFILE





ROOM TO ENTERTAIN



KING MASTER SUITES



DINE WITH THE BEST VIEWS



COMFORT

COACHMEN RV - FOR OVER 50 YEARS...

YOUR LEADER TO THE GREAT OUTDOORS

C H A P A R R A L



BATH SUITES



DREAM KITCHENS



UNIQUE LAYOUTS




FAMILY-FRIENDLY DESIGNS

LITE

Model	25RE	274BH	284RL	30RLS	30BHS
Shipping Weight (lbs.)	7,213	8,632	8,848	8,921	9,475
Carrying Capacity (lbs.)	2,527	2,308	2,592	2,019	1,965
UVW (lbs.)	7,273	8,692	8,908	8,981	9,535
GVWR (lbs.)	9,800	11,000	11,500	11,000	11,500
Hitch Weight (lbs.)	1,115	1,420	1,434	1,445	1,553
Exterior Height (Factoring STD. A/C Only)	12'	12'	12'	12'	12'
Fresh Water Capacity (gal.)	40	40	40	40	40
Grey Water Capacity (gal.)	33	66	66	66	66
Waste Water Capacity (gal.)	33	33	33	33	33
Awning Length	13'	16'	11'	11'	15'
Wheel Size	16"	16"	16"	16"	16"
Exterior Length (Includes Bumper to Cap)	29' 10"	35' 11"	34' 2"	34' 2"	37'
Interior Height (Coach)	81"	81"	81"	81"	81"
Axles (lbs. Capacity)	5,100	5,100	5,100	5,100	5,100
Tire Size	ST235/80R16E	ST235/80R16E	ST235/80R16E	ST235/80R16E	ST235/80R16E

X-EDITION

Model	355FBX	393MBX
Shipping Weight (lbs.)	11,482	13,020
Carrying Capacity (lbs.)	2,958	2,420
UVW (lbs.)	11,542	13,080
GVWR (lbs.)	14,500	15,500
Hitch Weight (lbs.)	2,008	2,498
Exterior Height (Factoring STD. A/C Only)	12' 5"	12' 5"
Fresh Water Capacity (gal.)	48	48
Grey Water Capacity (gal.)	135	85
Waste Water Capacity (gal.)	90	45
Awning Length	20'	20'
Wheel Size	16"	16"
Exterior Length (Includes Bumper to Cap)	42' 6"	42' 6"
Interior Height (Coach)	85"	85"
Axles (lbs. Capacity)	7,000	7,000
Tire Size	ST235/80R16G	ST235/80R16G



**24/7 EMERGENCY
ROADSIDE ASSISTANCE
WITH VEHICLE PURCHASE***

TOWING JUMP-STARTS
TIRE CHANGES
FLUID DELIVERY
LOCKOUT SERVICE

WINCH-OUT
MOBILE MECHANIC
TECHNICAL SUPPORT
DEALER LOCATOR SERVICES

SAFERIDERV
MOTOR CLUB

*VALID FOR 1 YEAR FROM DATE OF PURCHASE

MID-PROFILE

Model	298RLS	334FL	336TSIK	360IBL	367BH	373MBRB	381RD
Shipping Weight (lbs.)	9,515	12,340	10,460	11,390	12,268	12,971	12,186
Carrying Capacity (lbs.)	2,425	2,600	2,980	2,550	3,172	1,969	2,254
UVW (lbs.)	9,575	12,400	10,520	11,450	12,328	13,031	12,246
GVWR (lbs.)	12,000	15,000	13,500	14,000	15,500	15,000	14,500
Hitch Weight (lbs.)	1,935	2,708	1,880	2,100	2,194	2,219	2,310
Exterior Height (Factoring STD. A/C Only)	12' 4"	12' 5"	12' 4"	12' 4"	12' 5"	12' 6"	12' 6"
Fresh Water Capacity (gal.)	48	48	48	48	48	48	48
Grey Water Capacity (gal.)	90	85	90	90	112	120	90
Waste Water Capacity (gal.)	45	45	45	45	72	75	45
Awning Length	15'	20'	16'	18'	15'	17'	20'
Wheel Size	16"	16"	16"	16"	16"	16"	16"
Exterior Length (Includes Bumper to Cap)	34' 8"	42' 6"	37'	39' 9"	42' 6"	42' 6"	42' 6"
Interior Height (Coach)	85"	85"	85"	85"	85"	85"	85"
Axles (lbs. Capacity)	5,100	7,000	7,000	7,000	7,000	7,000	7,000
Tire Size	ST235/80R16E	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G

COA
COACHMEN OWNERS ASSOCIATION
FREE MEMBERSHIP
www.coachmenowners.com

CUSTOMER SATISFACTION
encourages you to
BUY LOCAL
PREFERENTIAL SERVICE PRODUCT INFORMATION
www.ForestRiverBuyLocal.com

PRE-DELIVERY INSPECTION FACILITY
20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

Coachmen
Leader to the Great Outdoors.

GVWR (GROSS VEHICLE WEIGHT RATING) - IS THE MAXIMUM PERMISSIBLE WEIGHT OF THE UNIT WHEN FULLY LOADED. IT INCLUDES ALL WEIGHTS, INCLUSIVE OF ALL FLUIDS, CARGO, OPTIONAL EQUIPMENT AND ACCESSORIES. FOR SAFETY AND PRODUCT PERFORMANCE DO NOT EXCEED THE GVWR.

GAWR (GROSS AXLE WEIGHT RATING) - IS THE MAXIMUM PERMISSIBLE WEIGHT, INCLUDING CARGO, FLUIDS, OPTIONAL EQUIPMENT, AND ACCESSORIES THAT CAN BE SAFELY SUPPORTED BY A COMBINATION OF ALL AXLES.

UVW (UNLOADED VEHICLE WEIGHT) - IS THE TYPICAL WEIGHT OF THE UNIT AS MANUFACTURED AT THE FACTORY. IT INCLUDES ALL WEIGHT AT THE UNIT'S AXLES AND TONGUE OR PIN AND LP GAS. THE UVW DOES NOT INCLUDE CARGO, FRESH POTABLE WATER, ADDITIONAL OPTIONAL EQUIPMENT OR DEALER INSTALLED ACCESSORIES. *ESTIMATED AVERAGE BASED ON STANDARD BUILD OPTIONAL EQUIPMENT.

CCC (CARGO CARRYING CAPACITY) - IS THE AMOUNT OF WEIGHT AVAILABLE FOR FRESH POTABLE WATER, CARGO, ADDITIONAL OPTIONAL EQUIPMENT AND ACCESSORIES. CCC IS EQUAL TO GVWR MINUS UVW. AVAILABLE CCC SHOULD ACCOMMODATE FRESH POTABLE WATER (8.3 LBS PER GALLON). BEFORE FILLING THE FRESH WATER TANK, EMPTY THE BLACK AND GRAY TANKS TO PROVIDE FOR MORE CARGO CAPACITY.

*ESTIMATED AVERAGE BASED ON STANDARD BUILD OPTIONAL EQUIPMENT. EACH FOREST RIVER RV IS WEIGHED AT THE MANUFACTURING FACILITY PRIOR TO SHIPPING. A LABEL IDENTIFYING THE UNLOADED VEHICLE WEIGHT OF THE ACTUAL UNIT AND THE CARGO CARRYING CAPACITY IS APPLIED TO EVERY FOREST RIVER RV PRIOR TO LEAVING OUR FACILITIES.

THE LOAD CAPACITY OF YOUR UNIT IS DESIGNATED BY WEIGHT, NOT BY VOLUME, SO YOU CANNOT NECESSARILY USE ALL AVAILABLE SPACE WHEN LOADING YOUR UNIT.

ALL INFORMATION CONTAINED IN THIS BROCHURE IS BELIEVED TO BE ACCURATE AT THE TIME OF PUBLICATION. HOWEVER, DURING THE MODEL YEAR IT MAY BE NECESSARY TO MAKE REVISIONS. FOREST RIVER, INC. RESERVES THE RIGHT TO MAKE ALL SUCH CHANGES WITHOUT NOTICE, INCLUDING PRICES, COLORS, MATERIALS, EQUIPMENT, AND SPECIFICATIONS, AS WELL AS THE ADDITION OF NEW MODELS AND THE DISCONTINUANCE OF MODELS SHOWN IN THIS BROCHURE. THEREFORE, PLEASE CONSULT WITH YOUR FOREST RIVER DEALER AND CONFIRM THE EXISTENCE OF ANY MATERIALS, DESIGN, OR SPECIFICATIONS THAT ARE MATERIAL TO YOUR PURCHASE DECISION. OPTIONAL EQUIPMENT SUCH AS 2ND A/C UNITS ARE NOT FACTORED IN UNIT SPECS. * = WHERE APPLICABLE. (REV. 3-1-22)

Learn More
Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.

A Berkshire Hathaway company.