

# CHAPARRAL



COACHMEN CHAPARRAL

STANDARD WITH WEATHER SHIELD PLUS



SCAN HERE FOR ADDITIONAL PHOTOS, 360 VIRTUAL TOURS, VIDEOS, & A COMPLETE LIST OF STANDARDS, OPTIONS & MORE

[WWW.COACHMENRV.COM/FIFTHWHEELS](http://WWW.COACHMENRV.COM/FIFTHWHEELS)

# CHAPARRAL



COACHMEN CHAPARRAL

STANDARD WITH  
WEATHER SHIELD  
PLUS



SCAN HERE FOR ADDITIONAL PHOTOS, 360  
VIRTUAL TOURS, VIDEOS, & A COMPLETE  
LIST OF STANDARDS, OPTIONS & MORE

[WWW.COACHMENRV.COM/FIFTHWHEELS](http://WWW.COACHMENRV.COM/FIFTHWHEELS)



## CHAPARRAL LITE



LIONSHEAD  
5,2,1 GUARANTEE

## CHAPARRAL X-EDITION



USA-MADE  
DEXTER AXLES



## CHAPARRAL MID-PROFILE



Silver Beach Decor



Mahogany Bay Decor



## CHAPARRAL LITE



## CHAPARRAL X-EDITION



LIONSHEAD  
5,2,1 GUARANTEE

USA-MADE  
DEXTER AXLES



## CHAPARRAL MID-PROFILE



Silver Beach Decor



Mahogany Bay Decor



ROOM TO ENTERTAIN



KING MASTER SUITES



DINE WITH THE BEST VIEWS



COMFORT

COACHMEN RV - FOR OVER 50 YEARS...

YOUR LEADER TO THE GREAT OUTDOORS

C H A P A R R A L



BATH SUITES



DREAM KITCHENS



UNIQUE LAYOUTS



FAMILY-FRIENDLY DESIGNS



ROOM TO ENTERTAIN



KING MASTER SUITES



DINE WITH THE BEST VIEWS



COMFORT

COACHMEN RV - FOR OVER 50 YEARS...

YOUR LEADER TO THE GREAT OUTDOORS

C H A P A R R A L



BATH SUITES



DREAM KITCHENS



UNIQUE LAYOUTS




FAMILY-FRIENDLY DESIGNS

# LITE

Model	25RE	274BH	284RL	30RLS	30BHS
Shipping Weight (lbs.)	7,213	8,632	8,848	8,921	9,475
Carrying Capacity (lbs.)	2,527	2,308	2,592	2,019	1,965
UVW (lbs.)	7,273	8,692	8,908	8,981	9,535
GVWR (lbs.)	9,800	11,000	11,500	11,000	11,500
Hitch Weight (lbs.)	1,115	1,420	1,434	1,445	1,553
Exterior Height (Includes A/C)	12'	12'	12'	12'	12'
Fresh Water Capacity (gal.)	40	40	40	40	40
Grey Water Capacity (gal.)	33	66	66	66	66
Waste Water Capacity (gal.)	33	33	33	33	33
Awning Length	13'	16'	11'	11'	15'
Wheel Size	16"	16"	16"	16"	16"
Exterior Length (Includes Bumper to Cap)	29' 10"	35' 11"	34' 2"	34' 2"	37'
Interior Height (Coach)	81"	81"	81"	81"	81"
Axles (lbs. Capacity)	5,100	5,100	5,100	5,100	5,100
Tire Size	ST235/80R16E	ST235/80R16E	ST235/80R16E	ST235/80R16E	ST235/80R16E

# X-EDITION

Model	355FBX	393MBX
Shipping Weight (lbs.)	11,482	13,020
Carrying Capacity (lbs.)	2,958	2,420
UVW (lbs.)	11,542	13,080
GVWR (lbs.)	14,500	15,500
Hitch Weight (lbs.)	2,008	2,498
Exterior Height (Includes A/C)	12' 5"	12' 5"
Fresh Water Capacity (gal.)	48	48
Grey Water Capacity (gal.)	135	85
Waste Water Capacity (gal.)	90	45
Awning Length	20'	20'
Wheel Size	16"	16"
Exterior Length (Includes Bumper to Cap)	42' 6"	42' 6"
Interior Height (Coach)	85"	85"
Axles (lbs. Capacity)	7,000	7,000
Tire Size	ST235/80R16G	ST235/80R16G



**24/7 EMERGENCY  
ROADSIDE ASSISTANCE  
WITH VEHICLE PURCHASE\***

TOWING	WINCH-OUT
JUMP-STARTS	MOBILE MECHANIC
TIRE CHANGES	TECHNICAL SUPPORT
FLUID DELIVERY	DEALER LOCATOR
LOCKOUT SERVICE	SERVICES

**SAFERIDERV**  
MOTOR CLUB

\*VALID FOR 1 YEAR FROM DATE OF PURCHASE

# MID-PROFILE

Model	298RLS	334FL	336TSIK	360IBL	367BH	373MBRB	381RD
Shipping Weight (lbs.)	9,515	12,340	10,460	11,390	12,268	12,971	12,186
Carrying Capacity (lbs.)	2,425	2,600	2,980	2,550	3,172	1,969	2,254
UVW (lbs.)	9,575	12,400	10,520	11,450	12,328	13,031	12,246
GVWR (lbs.)	12,000	15,000	13,500	14,000	15,500	15,000	14,500
Hitch Weight (lbs.)	1,935	2,708	1,880	2,100	2,194	2,219	2,310
Exterior Height (Includes A/C)	12' 4"	12' 5"	12' 4"	12' 4"	12' 5"	12' 6"	12' 6"
Fresh Water Capacity (gal.)	48	48	48	48	48	48	48
Grey Water Capacity (gal.)	90	85	90	90	112	120	90
Waste Water Capacity (gal.)	45	45	45	45	72	75	45
Awning Length	15'	20'	16'	18'	15'	17'	20'
Wheel Size	16"	16"	16"	16"	16"	16"	16"
Exterior Length (Includes Bumper to Cap)	34' 8"	42' 6"	37'	39' 9"	42' 6"	42' 6"	42' 6"
Interior Height (Coach)	85"	85"	85"	85"	85"	85"	85"
Axles (lbs. Capacity)	5,100	7,000	7,000	7,000	7,000	7,000	7,000
Tire Size	ST235/80R16E	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G

**COA**  
COACHMEN OWNERS ASSOCIATION  
**FREE MEMBERSHIP**  
[www.coachmenowners.com](http://www.coachmenowners.com)

**CUSTOMER SATISFACTION**  
**FOREST RIVER**  
encourages you to  
**BUY LOCAL**  
PREFERENTIAL SERVICE  
PRODUCT INFORMATION  
[www.ForestRiverBuyLocal.com](http://www.ForestRiverBuyLocal.com)

2021/2022 COACHMEN RV  
A DIVISION OF FOREST RIVER, INC.  
A BERKSHIRE HATHAWAY COMPANY ALL RIGHTS RESERVED

Learn More  
Scan this barcode using  
a QR Reader on your  
smart phone to learn  
more about Forest River

**PRE-DELIVERY INSPECTION FACILITY**  
20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

**Coachmen**  
Leader to the Great Outdoors.

**YOUR LOCAL DEALER**


ALL INFORMATION CONTAINED IN THIS BROCHURE IS BELIEVED TO BE ACCURATE AT THE TIME OF PUBLICATION. HOWEVER, DURING THE MODEL YEAR IT MAY BE NECESSARY TO MAKE REVISIONS. FOREST RIVER, INC. RESERVES THE RIGHT TO MAKE ALL SUCH CHANGES WITHOUT NOTICE, INCLUDING PRICES, COLORS, MATERIALS, EQUIPMENT, AND SPECIFICATIONS, AS WELL AS THE ADDITION OF NEW MODELS AND THE DISCONTINUANCE OF MODELS SHOWN IN THIS BROCHURE. THEREFORE, PLEASE CONSULT WITH YOUR FOREST RIVER DEALER AND CONFIRM THE EXISTENCE OF ANY MATERIALS, DESIGN, OR SPECIFICATIONS THAT ARE MATERIAL TO YOUR PURCHASE DECISION. \*WHERE APPLICABLE. (REV. 10-15-21)

# LITE

Model	25RE	274BH	284RL	30RLS	30BHS
Shipping Weight (lbs.)	7,213	8,632	8,848	8,921	9,475
Carrying Capacity (lbs.)	2,527	2,308	2,592	2,019	1,965
UVW (lbs.)	7,273	8,692	8,908	8,981	9,535
GVWR (lbs.)	9,800	11,000	11,500	11,000	11,500
Hitch Weight (lbs.)	1,115	1,420	1,434	1,445	1,553
Exterior Height (Includes A/C)	12'	12'	12'	12'	12'
Fresh Water Capacity (gal.)	40	40	40	40	40
Grey Water Capacity (gal.)	33	66	66	66	66
Waste Water Capacity (gal.)	33	33	33	33	33
Awning Length	13'	16'	11'	11'	15'
Wheel Size	16"	16"	16"	16"	16"
Exterior Length (Includes Bumper to Cap)	29' 10"	35' 11"	34' 2"	34' 2"	37'
Interior Height (Coach)	81"	81"	81"	81"	81"
Axles (lbs. Capacity)	5,100	5,100	5,100	5,100	5,100
Tire Size	ST235/80R16E	ST235/80R16E	ST235/80R16E	ST235/80R16E	ST235/80R16E

# X-EDITION

Model	355FBX	393MBX
Shipping Weight (lbs.)	11,482	13,020
Carrying Capacity (lbs.)	2,958	2,420
UVW (lbs.)	11,542	13,080
GVWR (lbs.)	14,500	15,500
Hitch Weight (lbs.)	2,008	2,498
Exterior Height (Includes A/C)	12' 5"	12' 5"
Fresh Water Capacity (gal.)	48	48
Grey Water Capacity (gal.)	135	85
Waste Water Capacity (gal.)	90	45
Awning Length	20'	20'
Wheel Size	16"	16"
Exterior Length (Includes Bumper to Cap)	42' 6"	42' 6"
Interior Height (Coach)	85"	85"
Axles (lbs. Capacity)	7,000	7,000
Tire Size	ST235/80R16G	ST235/80R16G



**24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE\***

TOWING	WINCH-OUT
JUMP-STARTS	MOBILE MECHANIC
TIRE CHANGES	TECHNICAL SUPPORT
FLUID DELIVERY	DEALER LOCATOR SERVICES
LOCKOUT SERVICE	

**SAFERIDERV MOTOR CLUB**

\*VALID FOR 1 YEAR FROM DATE OF PURCHASE

# MID-PROFILE

Model	298RLS	334FL	336TSIK	360IBL	367BH	373MBRB	381RD
Shipping Weight (lbs.)	9,515	12,340	10,460	11,390	12,268	12,971	12,186
Carrying Capacity (lbs.)	2,425	2,600	2,980	2,550	3,172	1,969	2,254
UVW (lbs.)	9,575	12,400	10,520	11,450	12,328	13,031	12,246
GVWR (lbs.)	12,000	15,000	13,500	14,000	15,500	15,000	14,500
Hitch Weight (lbs.)	1,935	2,708	1,880	2,100	2,194	2,219	2,310
Exterior Height (Includes A/C)	12' 4"	12' 5"	12' 4"	12' 4"	12' 5"	12' 6"	12' 6"
Fresh Water Capacity (gal.)	48	48	48	48	48	48	48
Grey Water Capacity (gal.)	90	85	90	90	112	120	90
Waste Water Capacity (gal.)	45	45	45	45	72	75	45
Awning Length	15'	20'	16'	18'	15'	17'	20'
Wheel Size	16"	16"	16"	16"	16"	16"	16"
Exterior Length (Includes Bumper to Cap)	34' 8"	42' 6"	37'	39' 9"	42' 6"	42' 6"	42' 6"
Interior Height (Coach)	85"	85"	85"	85"	85"	85"	85"
Axles (lbs. Capacity)	5,100	7,000	7,000	7,000	7,000	7,000	7,000
Tire Size	ST235/80R16E	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G

**COA**  
COACHMEN OWNERS ASSOCIATION

**FREE MEMBERSHIP**  
[www.coachmenowners.com](http://www.coachmenowners.com)

**CUSTOMER SATISFACTION**

**FOREST RIVER** encourages you to

**BUY LOCAL**

PREFERENTIAL SERVICE | PRODUCT INFORMATION

[www.ForestRiverBuyLocal.com](http://www.ForestRiverBuyLocal.com)

**PRE-DELIVERY INSPECTION FACILITY**

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

**Coachmen**  
Leader to the Great Outdoors.

**YOUR LOCAL DEALER**

ALL INFORMATION CONTAINED IN THIS BROCHURE IS BELIEVED TO BE ACCURATE AT THE TIME OF PUBLICATION. HOWEVER, DURING THE MODEL YEAR IT MAY BE NECESSARY TO MAKE REVISIONS. FOREST RIVER, INC., RESERVES THE RIGHT TO MAKE ALL SUCH CHANGES WITHOUT NOTICE, INCLUDING PRICES, COLORS, MATERIALS, EQUIPMENT, AND SPECIFICATIONS, AS WELL AS THE ADDITION OF NEW MODELS AND THE DISCONTINUANCE OF MODELS SHOWN IN THIS BROCHURE. THEREFORE, PLEASE CONSULT WITH YOUR FOREST RIVER DEALER AND CONFIRM THE EXISTENCE OF ANY MATERIALS, DESIGN, OR SPECIFICATIONS THAT ARE MATERIAL TO YOUR PURCHASE DECISION. \*—WHERE APPLICABLE. (REV. 10-15-21)

2021/2022 COACHMEN RV  
A DIVISION OF FOREST RIVER, INC.  
A BERKSHIRE HATHAWAY COMPANY ALL RIGHTS RESERVED

Learn More  
Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.

A Berkshire Hathaway company