



# Alpine Coach<sup>®</sup>

You already know that the Alpine Coach from Western Recreational Vehicles, Inc. is America's Premium Performance Motor Coach. Now, with our updated design and sleek new exterior graphics, you can take to the road in ultimate style.

You really can "take it with you", as the owner of an Alpine Coach. All of the amenities of a luxury home, safety and security, plus the adventures of the open road can be yours with this premium motor coach.

Whether you want to be on the road for a month or two or year-around, the Alpine Coach suits your every residential need.

While others are admiring the first-class exterior, spacious rooms, handcrafted hardwood cabinetry and other luxury details, you can sleep easy knowing that you own the recreational vehicle that has the perfect balance of quality, performance and added safety. National publications have described the Alpine Coach as the motorhome that "drives like a European sports sedan".





34FDDS



36FDDS




36MDDS



Limited SE


ALPINE COACH FLOOR PLAN OPTIONS

CURBSIDE EZ BED



AVAILABLE: 36FDDS


COMPUTER DESK WITH RECLINER




AVAILABLE: 36FDDS



36FDTs



40MDTs




40FDQs



Limited SE


ALPINE COACH FLOOR PLAN OPTIONS

EURO CHAIR WITH OTTOMAN




AVAILABLE: ALL MODELS

BOOTH DINETTE



AVAILABLE: 34FDDS, 36MDDS, 36FDDS, 40MDTs

GARDEN TUB/SHOWER



AVAILABLE: ALL MODELS



### That's 'Smart' Storage

The patent pending SmartBed storage system is ingeniously designed to put all of your cargo within easy reach, at the touch of a button. You can see just where everything is and access what you need, without the nuisance of hitting your head or crawling in the dirt. Now isn't that a good idea?



### Bring On The Sunshine

Come sun or come storm, you'll be ready with the optional A&E Power Pro Fabric Awning. A small, hand-held remote raises the awning as needed. Then, if the wind comes up, a Wind-Sensor will automatically retract the awning, for your convenience.



### Here's A Very Cool Idea

Make the most of your beautiful surroundings with the standard solar-cooled mirror-tinted thermal panel windows. You will enjoy the increased privacy and insulation. And your beautiful interior furnishings will be protected from the damaging effects of the sun.



### Facts At Your Fingertips

You will have instant access to information about your Alpine Coach engine and overall performance with the Silver Leaf Monitoring System. This state-of-the-art system provides the driver with details such as speed, fuel mileage, oil pressure, and will store diagnostic information to be used at service time. All at the touch of a button.



### Clean Up Beautifully

Who wants to spend a lot of time cleaning up in the kitchen? The optional Fisher-Paykel Dishwasher will help to get the job done quickly and efficiently, conserving both water and energy. The attractive solid wood front panel integrates beautifully with the galley cabinetry.



### Checking Fluids Is Easy

You don't need to be a mechanic to appreciate the integrated locking access door on the engine compartment. It's easy to check your coach's fluids and belts and get back on the road.



### Relax With The Best

Your favorite movie – or that playoff game – will come to life on your Alpine Coach's standard 32-inch high definition LCD-TV. No matter where you are, the standard self-locating satellite system will assist in reception.

## WEIGHTS AND MEASURES

	34FDDS	36FDTS	36FDDS	36MDDS	40FDQS	40FDTS	40MDTS
Interior Height	7'	7'	7'	7'	7'	7'	7'
Exterior Height	12'5"	12'5"	12'5"	12'5"	12'5"	12'5"	12'5"
Exterior Width	102"	102"	102"	102"	102"	102"	102"
Wheel Base	217"	242"	242"	242"	278"	278"	278"
Length Overall	34'11"	37'	37'	37'	40'	40'	40'
G.A.W.R - front - lbs.	13,000	13,000	13,000	13,000	13,000	13,000	13,000
G.A.W.R - rear - lbs.	20,000	20,000	20,000	20,000	20,000	20,000	20,000
G.V.W.R. - lbs.	33,000	33,000	33,000	33,000	33,000	33,000	33,000
FUEL TANK - gallons	115	115	115	115	115	115	115
G.C.W.R - lbs. ★	43,000	43,000	43,000	43,000	43,000	43,000	43,000
LPG TANK - gallons	39	39	39	39	39	39	39
FRESH WATER - gallons	92	117	117	117	117	117	117
Combined Waste Tank	188	188	188	188	188	188	188
Capacity - gallons	104 grey/84 black						

★ The maximum allowable combined weight of the coach with the attached towed vehicle. Towing and braking capacities may differ. GCWR assumes both vehicles have functioning brakes.

# ALPINE COACH SPECIFICATIONS

s = standard | o = option | n = not available  
 ◆ = not available in mid-door models  
 ▼ = not available in front-door models  
 ★ = not available 40FDQS  
 † = not available 36FDTS, 40FDQS



	34'	36'	40'
<b>PEAK CUSTOM CHASSIS</b>			
Cummins® 8.9 ISL 425-hp electronic diesel engine, 1,200 ft/lbs. torque w/Jacobs® 2 Stage Compression Brake	S	S	S
Allison® 3000MH 6 speed World Transmission	S	S	S
Smart-Bed® Slide-out Cargo Storage System	S	S	S
SmarTire® Monitor System at all tire positions	O	O	O
Meritor® MFS13144 wide track front axle, 50° turn angle w/self lubricating hubs and Stemco® visual seals	S	S	S
Meritor® RS19145 rear axle w/quiet gearing and 4.63:1 gear ratio	S	S	S
Wabco® four wheel antilock brake system	S	S	S
Meritor® high performance 4 piston/caliper hydraulic vented disc brakes	S	S	S
12" x 4" drive line drum park brake, spring applied, air release	S	S	S
Heavy-duty cross-flow side mounted radiator w/variable speed hydraulic fan	S	S	S
10 cubic inch ACME® R-134A air conditioning compressor	S	S	S
185 amp Leece-Neville® alternator	S	S	S
2 Interstate® 925 CCA @ 0°F maintenance-free starting batteries	S	S	S
Vansco® fully multiplexed electrical system	S	S	S
9" raised-rail ladder constructed chassis frame, 50,000-psi steel, Huck® bolted assembly	S	S	S
Full steel wheel wells w/undercoating	S	S	S
115 gallon fuel capacity	S	S	S
Heavy duty R.H. Sheppard® M-100 steering gear, 14,000 lb. rated w/18.9:1 ratio	S	S	S
Neway® heavy-duty custom tuned 4 wheel "active" air ride suspension system	S	S	S
Bilstein® high performance heavy-duty gas pressurized self-adjusting shocks	S	S	S
IPD® 1 5/8" diameter front stabilizer bar	S	S	S
22.5" 16-ply high performance steel-belted radial tires	S	S	S
(4) Polished 8.25 x 22.5 aluminum wheels w/inner dual steel wheels, trim kit and valve extenders	S	S	S
Haldex Purest® heated air dryer	S	S	S
Nelson® replaceable air filter	S	S	S
Air filter restriction indicator	S	S	S
Douglass® tilt-telescoping steering column	S	S	S
Electronic cruise control w/high idle	S	S	S
Teleflex® suspended-adjustable brake and accelerator pedals	S	S	S
VIP® leather back-lit steering wheel, 18" diameter	S	S	S
Air suspension deflation system	S	S	S
Air conditioning condenser	S	S	S
Front and rear wheel mud flaps	S	S	S
Full Length Rear Mud Flap w/ "Alpine Coach" Logo	S	S	S
HWH® fully automatic 4-point hydraulic jack leveling	S	S	S
Valley® 10,000 lb. rated tow hitch w/12V (7) pin tow plug	S	S	S
Full width & length vibration damper system between coach & chassis	S	S	S
HWH® self synchronizing room slide-out systems	S	S	S
Kwikkee® electric generator slide-out	S	S	S
12v House/Chassis Shut-Off Switch w/ Cross Connect	S	S	S
Onan® 8.0 kW quiet diesel generator set	S	S	S
Chassis service areas including: engine diagnostic port, auxiliary air supply, remote fuel filter, engine and transmission dipsticks, remote 20' light and air cleaner access	S	S	S
Integrated electric stepwell cover (front door models only)	S	S	S
Actia® Smart Gauge® electronic gauge package	S	S	S
Side to Side LPG Tank	S	S	S
Silver Leaf® Vehicle Monitoring System w/ color display	O	O	O

	34'	36'	40'
<b>BODY CONSTRUCTION/EXTERIOR</b>			
Laminated/vacubonded 6005 T5 aluminum tube structure: 2" walls, 2.25" floor, 5.25" roof	S	S	S
One-piece fiberglass roof	S	S	S
Computer controlled urethane adhesive lamination process	S	S	S
2-lb. density polystyrene block foam insulation, 34% higher "R" value than fiberglass blanket	S	S	S
45 degree mitered and MIG welded frame corners	S	S	S
Large living area slide-out	S	S	S
Bedroom wardrobe slide-out	S	S	n
Dual bedroom slide-out	n	n	S
Slide-out awnings	S	S	S
A&E Power Pro® fabric power awning w/wind sensor	O	O	O
Entry Door Awning	O	O	O
Roof ladder	O	O	O
Keyless entry	O	O	O
Diamond Shield® film front rock guard	S	S	S
Solarcool® mirror-tinted thermal pane windows	S	S	S
Kwikkee® single tier entrance step	S	S	S
HWH® self-synchronizing hydraulic main slide-out	S	S	S
Sealed/enclosed ceiling A/C duct w/interior Amoco® condensation barrier	S	S	S
PTL® lighted entry door w/screen	S	S	S
Insulated aluminum bay doors	S	S	S
Lighted & carpeted storage bays	S	S	S
Sanitation Station including: hot/cold outside sprayer/shower, black tank flush system, grey tank flush system, light and soap dispenser	S	S	S
Premium Exterior Choices: Cosmopolitan, Riviera, Milan	S	S	S
Premium Interior Choices: Cosmopolitan, Riviera, Milan	S	S	S

## ENTERTAINMENT FEATURES

Flat Panel LCD-TV in living area w/HDTV Satellite Receiver	S	S	S
Cable TV & phone hook up	S	S	S
Jensen® AM/FM CD Player, Sirius Satellite Radio compatible and pre-wired w/mounted antenna	S	S	S
DVD Home Theatre Sound System	S	S	S
Winegard® TV antenna w/signal amplifier	S	S	S
TV/Video Input Selection Unit	S	S	S
King Dome® Electronic Self-Locating Satellite Dish	S	S	S
King Dome® Trac King In Motion Satellite Dish	O	O	O
Harmony® Universal Entertainment Remote Control	O	O	O
DirecTV® Satellite Receivers (2)	S	S	S
High quality shielded digital RG-6 coax cable	S	S	S
26" LCD TV w/built-in DVD player in bedroom	S	S	S
Halogen reading lights w/dimmer switches	S	S	S
110-volt bedroom reading lights w/dimmer switch	S	S	S

## BATH FEATURES

Residential shower & bathroom fixtures	S	S	S
Large garden shower	S	S	S
Tub/shower combination	O	O	O
Insulated skylight	S	S	S
Private water closet w/Sealand® porcelain toilet	S	S	S
Karadon® solid surface polished vanity countertop	S	S	S
Suburban® 10 gallon DSI/110-volt water heater	S	S	S
Power roof vent w/remote switch (water closet)	S	S	S
Maxx-Air® Vent w/remote switch in bath hallway	S	S	S
Residential medicine cabinet w/high intensity light bar	S	S	S
WilsonArt® laminate wood floor	S	S	S
Folding shower seat	O	O	O
Splendide® Washer/Dryer combo	O	O	O
Kenmore® Washer/Dryer stacked	n	O	O★
Remote 12-volt water pump start switch	S	S	S

# ALPINE COACH SPECIFICATIONS

s = standard | o = option | n = not available  
 ◆ = not available in mid-door models  
 ▼ = not available in front-door models  
 ★ = not available 40FDQS  
 † = not available 36FDTS, 40FDQS



	34'	36'	40'
<b>INTERIOR COMFORTS</b>			
Maple hardwood cabinetry w/choice of Natural or Tuscan stain	S	S	S
Solid cherry cabinetry choices: Natural Cherry or Heritage Cherry	O	O	O
Residential grade cabinet hardware	S	S	S
Residential grade ball-bearing roller guides on all drawers	S	S	S
Shur-Flo® high volume water pump w/in-line filter	S	S	S
Vagabond® whole-house fresh water pre-filter	S	S	S
Weld-A-Flush® grey holding tank flush/clean system	S	S	S
Weld-A-Flush® black holding tank flush/clean system	S	S	S
Phase Four® Electric Waste Tank Dump Valves	S	S	S
Hardwood valance & blind at galley window	S	S	S
Residential retractable galley faucet w/sprayer	S	S	S
Karadon® solid surface countertops and sink filler polished to a high lustre	S	S	S
Karadon® solid surface dinette table and cabinet w/leaf	S	S	S
Day/Night shades	S	S	S
Booth dinette w/solid surface table	O	O†	O†
Folding dinette chairs (2)	O	O	O
Fisher-Paykel® dishwasher	O	O	O
Atwood® 3-burner cooktop	S	S	S
Atwood® 22" gas oven	O	O	O
Convection/microwave oven	S	S	S
GE® Advantium convection/microwave oven	O	O	O
Dometic® 10 cu.ft. refrigerator (stacked) w/pantry	S	S	S
Dometic® 14 cu.ft. refrigerator (side x side) w/o pantry	O	O	O
21.5 cu.ft. Amana® residential refrigerator	n	n	O
Maxx-Air® vent in galley w/remote switch	S	S	S
Two-door pantry w/shelves	S	S	S
Power range vent hood w/light	S	S	S
Range w/ Oven (N/A with Dishwasher)	O	O	O
WilsonArt® laminate wood flooring in galley	S	S	S
Residential wrap-around front privacy curtain	S	S	S
Fabrica® residential grade carpet w/padding	S	S	S
Dometic® two-zone dual 13,500 BTU ducted A/C	S	S	S
Aqua Hot™ Hydronic Heating System w/15,000 BTU A/C Upgrade & Engine Pre-Heat Feature	O	O	O
Galley trash can w/chute and outside access to remove & empty can (included with Aqua Hot option. Not available as a stand alone option.)	O	O	O
Dometic® dual 15,000 BTU ducted A/C w/integrated heat pumps (w/ Aqua Hot)	O	O	O
Dometic® dual 15,000 BTU ducted A/C w/integrated heat pumps (w/o Aqua Hot)	O	O	O
Ceramic tile (galley & bath)	O	O	O
Ceramic tile (front)	O	O	O
Wood privacy door between bedroom & bath	S	S	S
Solid wood headboard in bedroom	S	S	S
Large stainless steel double galley sink	S	S	S
Hydro-Flame® 42,000 BTU ducted LP furnace	S	S	S
Central vacuum cleaner w/attachments	S	S	S
Computer desk (curbside - N/A w/EZ bed)	n	O††	n
Flexsteel® Premium upholstered recliner (curbside)	S	S	S
Flexsteel® Premium ultra-leather recliner (curbside - upgrade)	O	O	O
Premium euro chair w/ottoman	O	O	O
Flexsteel® Premium upholstered EZ bed (roadside)	S	S	S
Flexsteel® Premium ultra-leather EZ bed (roadside)	O	O	O
Flexsteel® Premium upholstered EZ bed (curbside)	n	O††	n
Flexsteel® Premium ultra-leather EZ bed (curbside)	n	O††	n
60" x 80" full queen size walk around bed	S	S	S▼
76" x 80" full king size walk around bed	n	n	S◆
Bodyrest® pillow top innerspring mattress	S	S	S
Bedroom Light Dimmer	S	S	S
Halogen Interior Lighting	S	S	S
Padded Vinyl Ceiling	S	S	S
Fire Extinguisher in bedroom closet	S	S	S
Fire Extinguisher near main entry door	S	S	S

	34'	36'	40'
<b>ELECTRICAL SYSTEMS</b>			
Onan® 8.0 kW quiet diesel generator set	S	S	S
Interstate® batteries	S	S	S
Automatic battery fill system	S	S	S
2000-watt power inverter w/125 amp charger:	S	S	S
(2) 925 CCA 12-volt batteries (chassis), (6) 6-volt batteries w/705 total amp. hours (house)	S	S	S
Solar panel - (1) 100-watt	O	O	O
Solar panel - (1) 10-watt trickle charge	O	O	O
Surge - Guard® w/onboard voltage monitor	O	O	O
12-volt remote shut-off switch	S	S	S
Living-area basement light shut-off switch	S	S	S
50 amp service w/power cable reel	S	S	S
High-intensity patio awning/security light	S	S	S
12-volt wired (7) pin tow plug	S	S	S
Basement cable TV & telephone	S	S	S
Basement dual 110-volt GFI outlet	S	S	S
Automatic generator start system	S	S	S
Keyless Entry	O	O	O

	34'	36'	40'
<b>DRIVING COMFORTS</b>			
Ergonomically designed dash w/oversized Actia® gauges	S	S	S
Dual air horns	S	S	S
Electronic cruise control & throttle	S	S	S
Integrated drive-train monitor systems	S	S	S
Battery boost switch	S	S	S
Rear hidden camera & color screen dash-mounted monitor	S	S	S
One-Piece Bus style urethane set windshields	S	S	S
Carefree® Powervisor electric sun visors	S	S	S
Flexsteel® ultra-leather driver/passenger seats	S	S	S
Flexsteel® ultra-leather driver seat and passenger Buddy Seat w/integrated 3-point seat belts	O	O	O
6-way power driver seat	S	S	S
Ultra-leather Buddy Seat w/Power Footrest (2-point seat belt)	O	O	O
Electrically operated recessed stepwell cover w/pass. control switch	S	S◆	S◆
Dual lights under overhead dash cabinet	S	S	S
Individually adjustable map/reading lights for driver & passenger	S	S	S
Hella® automotive style sealed beam halogen headlamps	S	S	S
Forward mounted chrome mirrors, heated & remote controlled	S	S	S
Smart Wheel® w/momentary running light and headlamp buttons, cruise control & windshield wiper delay controls	S	S	S
Daytime running lights (DRL's)	S	S	S
Driving lights	S	S	S
Two remote generator start switches	S	S	S
Auxiliary 12-volt dash receptacle	S	S	S
CB antenna & coax pre-wire	S	S	S
Dash A/C & heating	S	S	S

	34'	36'	40'
<b>FACTORY WARRANTIES &amp; CUSTOMER SERVICES</b>			
3-Year / 36,000 Mile Limited Warranty - Peak Custom Chassis	S	S	S
5-Year / 36,000 Mile Limited Warranty - Body Construction	S	S	S
Customer Factory Pick-Up, Pre-Delivery Inspection & Final Delivery	O	O	O



## PERFORMANCE AND PROTECTION

Alpine Coach®


When it comes to drivability, Alpine Coach will exceed your expectations with its own Peak Custom Chassis. Our philosophy is simple: Build a coach with handling characteristics reminiscent of a European touring sedan. From the oversized tires that deliver supreme traction and braking, to the powerful standard 8.9 liter ISL 425-horsepower Electronic Cummins diesel engine, every detail was examined to make the Alpine Coach the finest and safest Premium Coach in its class.

Please see your dealer or contact Western Recreational Vehicles for copies of recent product reviews of the Alpine Coach and its high performance Peak Custom Chassis.

Experience the perfect balance of quality, performance and convenience. It only takes one test drive to see why Alpine Coach is changing the standards by which others are measured.

# PEAK CHASSIS™

Manufactured exclusively for *Alpine Coach*



**1.** The engine maintenance areas allow access to check engine oil, transmission fluid level, service of air filter, fuel filter, auxiliary air coupler and automotive diagnostic link.

**2.** Every electrical connection is well labeled, coded and harnessed. The use of aircraft and automotive connectors make this system virtually fail-safe.

**3.** The Cummins 8.9 ISL 425-horsepower electronic engine is standard in all floor plans, meets newly mandated federal emission standards and provides quieter responsive power.

**4.** The cooling system for the Cummins diesel engine earned high honors by passing the strict Cummins Engine Company test #AEB 90.24 cooling, a critical consideration when purchasing a diesel pusher motor coach.

- A.** Teleflex adjustable throttle and brake pedals are standard, and move with the push of a button to meet your requirements for increased driving comfort and added safety. The automotive inspired hanging pedal design provides the same type of familiar pedal movement you are accustomed to in your own car.
- B.** The standard HWH Fully Automatic 4-point Hydraulic Jack Leveling System provides greater travel than air leveling for a better stabilized Coach on almost any terrain.
- C.** Two Group 31 Interstate maintenance-free chassis starting batteries provide a combined 1850 Cold Cranking Amps, and are grouped with 6 powerful Interstate 6-volt house batteries offering a total 705 amp hours of service for maximum performance and extended usage. The Battery Fill System offers simple water level maintenance of the 6 house batteries from a distilled water reservoir.
- D.** The Huck bolted frame adds strength and integrity to the Coach. Huck bolts are utilized for their proven superior strength and reliability, as proven in the 100,000 GVW class 8 truck market and in every Alpine Coach.
- E.** Peak Chassis boasts one of the best handling air suspension systems. It includes Neway's heavy-duty custom tuned "active" air ride suspension, Bilstein heavy-duty self-adjusting gas shocks, high performance all steel radials, IPD 1 5/8" diameter front anti-sway bar and four ride height control valves to constantly monitor and react to changing road and weight conditions at each wheel. When you combine the above suspension systems with one of the best weight distributed coaches in the industry (40% front and 60% rear) you know you have invested in a great driving machine!
- F.** The Vansco Power Net Electrical System is fully multiplexed. This state-of-the-art streamlined system allows easier and more accurate troubleshooting and helps to alleviate added weight caused by additional wire, relays and fuses.
- G.** Safety and automotive feel were two leading factors when 15 inch ABS disc brakes were engineered into the Peak Chassis. Decreased heat build-up and increased braking performance over air/drum type systems convinced the WRV Engineering Team to offer this premium system as standard equipment on all models. It is comforting to know this is the same style of performance braking system used in critical applications for airplanes, NASCAR and Indy race cars.
- H.** The side mounted aluminum radiator is engineered for greater cooling and longevity than others that use common plastic parts. The side mounted muffler system helps to achieve a 10-degree departure angle that won't drag on driveways like rear mounted models.

Limited SE

SmartBed®




**MILAN**



**RIVIERA**



**COSMOPOLITAN**



*Alpine Coach*<sup>®</sup>  
**YOUR AUTHORIZED DEALER**



Manufactured by Western Recreational Vehicles, Inc.  
PO Box 9547 · Yakima, Washington 98909  
Toll Free Product Information - (800) 777-4133 · [www.wrv.com](http://www.wrv.com)

© Western Recreational Vehicles, Inc.