Montana High Country LUXURY FIFTH WHEELS





# The ultimate ownership experience.

The goal of Keystone RV Company is to surprise and delight our owners at each and every touchpoint. We're happy when our campers are happy, and we are committed to providing the very best ownership experience in the industry.



# EASIER SHOPPING.

At Keystone, we make choosing an RV as easy as finding the Big Dipper on a dark summer night. With comprehensive online product information, Key Connect™ product advisors, and an unparalleled dealer network, we will help you select the perfect RV for your family's adventure.

# 2 INNOVATIVE THINKING.

The road's a nicer place when you have the industry's smartest features behind you. Keystone leads the pack in patented innovations that make our RVs safer, more comfortable, and easier to operate.

## 3 LONG HAUL QUALITY.

To keep you on the road, there are certain things we just won't build a Keystone RV without. Game-changing features like our Unified Wiring Standard, Tru-Fit™ five-point slide construction, and no-fail Tuf-Lok™ A/C duct joiners combined with exhaustive testing and inspections are some of the reasons why Keystone is able to offer our owners the industry's best 3-year limited structural warranty.

# 4 WORRY-FREE CUSTOMER SERVICE.

Wherever the road takes you, you're never too far from an authorized Keystone service center. We also offer live service assistance, ultra-fast parts shipping, online maintenance tips and tricks, and a single-point warranty claims policy. That's peace of mind.

## KEYSTONE NATION.

When you choose Keystone, you become a part of one of the largest camping families in the country. We're Keystone Nation. A friendly community where people share photos, travel tips and amazing stories — all in the spirit of camaraderie and adventure. Come join us.

Experience the Montana lifestyle by visiting #keystonemontanahighcountry



# **Keystone EXCLUSIVE Innovations**

Year after year, Keystone RV's experienced team delivers Built For the Long Haul quality you expect and exclusive innovations you won't find anywhere else.



## 3-year Limited Structural Warranty, 1-year Limited Base Warranty

Every new Keystone RV comes with the industry's best three-year limited structural warranty AND a one-year limited base warranty. Ask your dealer, visit keystonerv.com, or call Keystone owner relations for details.



### 4G LTE and Wi-Fi Prep

All units are equipped with a new Furrion® antenna that integrates 4G LTE and Wi-Fi with standard VHF/UHF/AM/FM reception.



No more connection guesswork or poor reception. KeyTV offers a game-changing, single point of control of over-the-air, cable, and satellite feeds. Visit us online for more information.



## **Color-Coded Wiring**

Easy-to-trace circuits simplify electrical and entertainment system troubleshooting.




## Automotive-Grade Painted Fiberglass Cap

Six layers of stunning and resilient automotive-grade paint with Key-Shield™ paint technology.



## In-Floor Heating Ducts

Ducting allows for more airflow that distributes heat evenly for optimal comfort.



## Tuf-Lok™A/C Duct Joiners

Crush resistant design securely joins ductwork and A/C units, and drastically reduces chilled-air leaks to boost cooling efficiency and comfort.



A more durable slide room design that minimizes functional motor and structural stress, and resists leaking.



MONTANA HIGH COUNTRY | LUXURY FIFTH WHEELS

# Montana High Country takes adventure to new limits

Built on the legacy of the Montana brand, Keystone's Montana High Country fifth wheels deliver the quality construction and premium appointments you expect from Montana in a more agile, family-focused lineup. Most High Country floorplans are %-ton towable and each is designed with the practical luxury that active RVers are looking for—features like chef-friendly kitchens with residential appliances, king size beds, double-vanity bathrooms, and ceiling fans. Get ready to upgrade your adventure with Montana High Country.

For more information, please visit keystonerv.com/montana-high-country



# OVER 100K MONTANA FIFTH WHEELS ON THE ROAD TODAY











ONE OF THE MOST AWARDED BRANDS IN THE INDUSTRY

#1 SELLING LUXURY FIFTH WHEEL BRAND 18 YEARS IN A ROW.

- More than 100,000 Montana fifth wheels on the road today
- Dual 15k air conditioner system, w/ heat pump on main A/C
- QuietCool® ducting system on living room air conditioner
- Seamless fiberglass shower with seat
- 4-point or 6-point auto-leveling system
- Backup taillights provide additional safety and security
- Drop-frame construction provides oversized exterior storage
- Easy-to-clean upgraded roller shades w/ quiet operation

- · Power reclining theater seating with USB port
- F-range tires with 6-year warranty and Tredit Advantage Roadside Assistance Program
- Motion-activated lights at interior step & switch panel
- Wardrobe closet prepped for a stackable washer & dryer
- Residential bathroom vanity with seamless countertop, under-mounted sink, single lever faucet and storage drawers
- Extra large 30" wide x 78" tall exterior main entry door
- Kitchen power vent with wall controls and rain sensor

# Drop-Frame Construction

Huge Pass Through Storage

Unique frame design allows for expanded, unobstructed pass through storage and oversized baggage doors.



# Montana High Country



Power Reclining Theater Seating w/ USB Ports Ultra-stylish reclining furniture with cup holders and USB charging station.



30" Stainless Steel Microwave Full-sized microwave makes it easy to transition from home cooking to campsite cooking.



Road Armor™ Suspension w/ 360° Vibration Control Equalizes axle load to dampen shock and vibration. (TrailAir on 380/381TH models.)



MORRyde<sup>®</sup> StepAbove™ Ultra-safe and secure main entry with strut assist.



Seamless 48" x 30" Fiberglass Shower Life-sized, durable and easy-to-clean.



**Residential Bathroom Vanity** Seamless countertops, undermount sinks and double vanities in many floorplans.



21" Furrion® Stainless Steel 2-in-1 Range Oven Chef-inspired appliances with the perfect blend of performance, precision and style.



**Performance-enhancing Aluminum Rims** 8 lug, aluminum rims rated at 110 PSI and approved for



**Easy Sweep Resilient Flooring** Keep your RV tidy with durable vinyl flooring in the bedroom.




**Entertainment Center with Furrion° Components** A single remote controls a HDTV, stereo with CD/AM/FM with Bluetooth, DVD and a 34" fireplace.



**Furrion Bedroom Television** 720p high-definition, ultra-slim LED television with Vibrationsmart<sup>™</sup> and Climatesmart<sup>™</sup> technologies



Zero-degree Tested and Rated Camp to 0°F without water lines or tanks freezing.



305RL RV REFRIGERATOR

Rear living room, three slides

Weight: 10662 LBS. | Length: 34'3"



RV REFRIGERATOR

Rearer Weight



320/321MK

Middle kitchen w/ rear desk, three slides

Weight: 11085 LBS. | Length: 36'1"



330/331R

Rearliv Weight



362RD

Rear den or rear bunkhouse

Weight:12982 LBS. | Length:40'1"



364/365BH RV REFRIGERATOR RES. REFRIGERATOR

Bunkho Weight



374/375FL

 $Front\,living\,room, three\,slides$ 

Weight: 12318 LBS. | Length: 41' 6"



380/381TH

Frontli Weight

# Montana High Country

FLOOR PLANS



## ntertainment, three slides

t:10717 LBS. | Length: 34' 0"



## ring room, bathroom with double vanity

:11243 LBS. | Length: 37' 4"



344/345RL

Rear living room w/ outside kitchen

Weight: 11501 LBS. | Length: 36' 4"



use w/full bath, half bath, outside kitchen

:12635 LBS. | Length: 40'11"



Elevated rear den w/pull-out rear storage

Weight: 12800 LBS. | Length: 41' 4"



ving room w/ rear garage and ramp door

t:13345 LBS. | Length:41'6"



384/385BR


Bonus room w/loft and outside kitchen


Weight:12860 LBS. | Length: 40' 8"




# Substance and Style

Montana High Country's spacious interiors, thoughtful built-in workspace, and abundant counter and storage space make these coaches an easy choice for families, couples who work on the road, and extended-stay campers. While these functional aspects are appealing, it's the interior design that will captivate you. Developed to appeal to design enthusiasts, the aesthetic is modern and fresh with elevated textural details—two-toned kitchen cabinetry, including a dark shiplap island offset with bright white countertops, glass front cabinets, white subway tile backsplash, and a white shiplap headboard are just some of the unexpected and delightful touches that inspire you to come home to Montana High Country.







# Montana High Country | FIFTH WHEEL SPECIFICATIONS

MODEL	WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	LPG	LENGTH*	HEIGHT
305RL	10662	3638	2395	66	49	98	60	34' 3"	13'4"
310RE	10717	3483	2280	66	49	88	60	34'	13'4"
320/321MK	11085	3075	2160	66	49	98	60	36'1"	13'4"
330/331RL	11243	3017	2265	66	49	98	60	37' 4"	13'4"
344/345RL	11501	2699	2235	66	49	98	60	36' 4"	13'4"
362RD	12982	3018	2885	66	88	98	60	40'1"	13'4"
364/365BH	12635	3365	2730	66	88	98	60	40'11"	13'4"
372/373RD	12800	3200	2530	66	49	88	60	41' 4"	13'4"
374/375FL	12318	3182	2595	66	39	78	60	41'6"	13'4"
380/381TH	13345	3655	3265	66	39	78	60	41'6"	13'4"
384/385BR	12860	3640	2660	66	49	88	60	40'8"	13'4"

LIMING ADEA FEATURE	
LIVING AREA FEATURES	
Brushed nickel cabinet hardware	•
Solid hardwood slide-out fascia	•
6' 6" tall main slide-outs	•
Ceiling crown molding	•
Shaw carpet with R2X protection	•
Beauflor flooring with 7-year cold cracking warranty	•
Flush mounted LED interior lights	*
Roller Shades	*
Tri-fold hide-a-bed sofa	•
Theater seating with power recliners and USB port	•
LED motion sensor light at steps and switch panel	•
KITCHEN FEATURES	
Island countertop accent lighting	•
12 cu. ft. 4 door RV refrigerator (mandatory): select models	•
French door residential refrigerator w/ ice maker and 1000 watt inverter (Mandatory): select models	•
Full extension drawer guides	•
Pull out kitchen trash can (select models)	•
Subway tile backsplash	•
Solid surface kitchen countertop	•
Solid surface flush mount sink covers	•
Sink cover storage below kitchen sink	•
Deep 60/40 stainless steel sink	•
High-rise faucet with integrated pull-out sprayer	•
30" over-the-range microwave	•
Furrion® 21° 2 in 1 stainless steel cooktop and oven with triple glass door	•
Glass bifold range cover	+
Booth dinette with easy-lift seats	•
Motion sensor LED light in pantry (select models)	+
Power vent fan with rain sensor & wall controls	•

49	88	60	40' 8"	13'4"
HOME ENTERTAIN	MENT			
	ibrationsmart™ Furrion St D/DVD Player with App Co		Single Remote Control	•
Marine grade exter	rior speakers			•
KeyTV™ satellite pro	ер			
Exclusive Furrion O	Omnidirectional Rooftop A	Antenna with 4G LTE	/ Wi-Fi Prep	•
HD LED TV with Clim	natesmart™ & Vibrationsn	nart™, living room		•
HD LED TV with Clin	natesmart™ & Vibrationsn	nart™, master bedroo	m	•
BEDROOM FEATUR	RES			
"Easy Sweep" maste	er bedrooms (n/a 380/381TH	0		•
"Easy-Sweep" viny	/I flooring ipo carpet			•
60" x 80" Queen Be	ed			•
Shiplap design hea	adboard			•
Reading lights ove	r bed			•
Massive storage ui	nder bed			•
Wood TV cabinet				•
High density foam	mattress			•
Bedside USB charg	ing station			•
Bedside nightstand	ds			•
Prepped for combo	o or stackable washer/dr	yer with separate 20	DAMP circuits for each applian	ce 🔷
Magnetic bedroom	door holder			•
Motion sensor LED	light in bedroom closet			•
Four (4) drawer lar	ge size dresser			•
BATHROOM FEATU	IRES			
Skylight over show	ver			•
12-gallon DSI gas/e	electric water heater with	16.2 GPH fast recov	ery	•
Undermount sink				•
Seamless countert	top			•
Three (3) drawers	(1) door vanity			•
Brushed nickel sho	ower head and faucet			•
Seamless 48" x 30	" fiberglass shower w/ se	eat		+

DISCLAIMER: Product information is as accurate as possible as of the date of publication of this brochure. All features, floor plans, and specifications in this brochure are subject to change without notice. Please also consult Keystone's web site at www.keystonerv.com for more current product information and specifications. Tow Vehicle Disclaimer. CAUTION: Owners of Keystone recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Keystone products. Keystone disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. KEYSTONE'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. \*Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer. Please review owner's manual prior to purchase for more information on service warranties, extended use, towing and maintenance. Owner's manuals can be found at keystonery.com.

# Montana High Country | FIFTH WHEEL STANDARDS/OPTIONS

50 AMP service  50 AMP converter with charge wizard technology  50 CONSTRUCTION FEATURES  Unified wiring standard: each wire color-coded and numbered  80 Roof rafters  Welded aluminum framed walls and floors  Laminated sidewalls with dual layered luan and metal backing strips to anchor interior cabinets  Seamless 5/8" thick floor decking  Powder coated 10" steel - beam frame (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)  Powder coated 10" steel - beam frame (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)  Seamless roto-cast holding tanks  Double insulated rear wall  FOUR SEASONS FEATURES  35,000 BTU Furnace  3"x 14" in-floor straight line heat duct system  15,000 BTU ducted air conditioner, bedroom  15,000 BTU Whisper Quiet main air conditioner system, living room  16,500 BTU Whisper Quiet main air conditioner  Flested and approved for 0 degree usage  Iwo attic vents for cross ventilation  18-38 equivalent insulated floor  18-21 equivalent insulated side out floors  18-21 equivalent insulated side out floors  18-21 equivalent insulated side out floors  18-21 equivalent insulated side walls  18-22 electric tank heaters, all tanks  18-24 celectric tank heaters, all tanks  18-25 celling fan (n/a 372rd, 373rd)  39" Led fireplace that can heat 500 sq. ft. (5100 BTU)  100/WING FEATURES  MaxTurn" front cap and radius frame with Hitch Vision"  100/WING FEATURES  MaxTurn" front cap and radius frame with Hitch Vision"  19-36 Auron" suspension (380/381TH: Trail Air suspension)  19-37 Road Armon" Suspension (380/381TH: Trail Air suspension)  19-38 Road Armon" Suspension (380/381TH: Trail Air suspension)  19-38 Road Armon" Suspension (380/381TH: Trail Air suspension)  19-39 Road Armon" Suspen	BATHROOM FEATURES (cont.)	
SO AMP converter with charge wizard technology  CONSTRUCTION FEATURES  Unified wiring standard: each wire color-coded and numbered  Roof rafters  Welded aluminum framed walls and floors  Laminated sidewalls with dual layered luan and metal backing strips to anchor interior cabinets  Seamless 5/8" thick floor decking  Powder coated 10" steel - beam frame (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)  Powder coated 10" steel - beam frame (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)  Seamless roto-cast holding tanks  Double insulated rear wall  FOUR SEASONS FEATURES  35,000 BTU Furnace  3"x 14" in-floor straight line heat duct system  15,000 BTU ducted air conditioner, bedroom  15,000 BTU whisper Quiet main air conditioner system, living room  16,500 BTU heat proved for 0 degree usage  Iwo attic vents for cross ventilation  R-38 equivalent insulated floor  R-15 equivalent insulated side out floors  R-11 equivalent insulated sidewalls  Insulated and heated holding tanks and dump valves  Enclosed and heated holding tanks and dump valves  Enclosed and heated how point drains  12V electric tank heaters, all tanks  Ceiling fan (n/a 372rd, 373rd)  39" Led fireplace that can heat 500 sq. ft. (5100 BTU)  10VINIG FEATURES  MaxTurn" front cap and radius frame with Hitch Vision"  Hitch Vision" Mirror  Road Armor" suspension (380/38TH: Trail Air suspension)  Road Armor" suspension (380/38TH: Trail Air suspension)  Road Armor" suspension (380/38TH: Trail Air suspension)  Road Armor" Sing Pin  Backup camera prep  F-range tires with 5-year manufacturer warranty  16" 8- Lug aluminum wheels (110 PSI)  5000 1b. Dexter" F-Z Lube" axles with self-adjusting brakes (305, 310, 320, 321, 344, 345, 330, 331)  7000 1b. Dexter" F-Z Lube" axles with self-adjusting brakes (305, 310, 320, 321, 344, 345, 330, 331)	Porcelain foot-flush toilet	•
CONSTRUCTION FEATURES  Unified wiring standard: each wire color-coded and numbered  Roof rafters  Welded aluminum framed walls and floors  Laminated sidewalls with dual layered luan and metal backing strips to anchor interior cabinets  Seamless 5/8" thick floor decking  Prowder coated 10" steel I-beam frame (305, 310, 320, 321, 344, 345, 330, 331)  Prowder coated 12" steel I-beam frame (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)  Seamless roto-cast holding tanks  Double insulated rearwall  FOUR SEASONS FEATURES  33,000 BTU furnace  3"x 14" in-floor straight line heat duct system  15,000 BTU ducted air conditioner, bedroom  16,500 BTU ducted air conditioner, bedroom  16,500 BTU beat pump on main air conditioner  16ested and approved for O degree usage  1700 BTU vents for cross ventilation  18-38 equivalent insulated floor  18-21 equivalent insulated floor  18-21 equivalent insulated slide out floors  18-11 equivalent insulated slide out floors  18-12 equivalent insulated slide out floors  18-14 equivalent insulated slide out floors  18-15 equivalent insulated slide out floors  18-16 equivalent insulated slide out floors  18-17 equivalent insulated slide out floors  18-18 equivalent insulated slide out floors  18-19 equivalent insulated slide out floors  18-10 equivalent insulated slide out floors  18-10 equivalent insulated slide out floors  18-10 equivalent insulated slide out floo	50 AMP service	•
Unified wiring standard: each wire color-coded and numbered  Roof rafters  Welded aluminum framed walls and floors Laminated sidewalls with dual layered luan and metal backing strips to anchor interior cabinets Seamless Sf8' thick floor decking Powder coated 10" steel I-beam frame (305, 310, 320, 321, 344, 345, 330, 331) Powder coated 12" steel I-beam frame (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385) Seamless roto-cast holding tanks Double insulated rear wall  FOUR SEASONS FEATURES  33's, 14" in-floor straight line heat duct system 15,000 BTU ducted air conditioner, bedroom 15,000 BTU ducted air conditioner, bedroom 16,500 BTU whisper Quiet main air conditioner 16,500 BTU heat pump on main air conditioner 16,500 BTU heat pump on main air conditioner 18-38 equivalent insulated floor 18-38 equivalent insulated floor 18-42 equivalent insulated floor 18-42 equivalent insulated Side out floors 18-41 equivalent insulated Side out floors 18-41 equivalent insulated Side out floors 18-42 equivalent insulated Side out floors 18-43 equivalent insulated Side out floors 18-44 ed fireplace that can heat 500 sq. ft. (5100 BTU) 10/VINGFEATURES  Maxiturn "front cap and radius frame with Hitch Vision" 10/VINGFEATURES  Maxiturn "front cap and radius frame with Hitch Vision" 10/VINGFEATURES  Maxiturn "front cap and radius frame with Hitch Vision" 10/VINGFEATURES  Maxiturn "front cap and radius frame with Hitch Vision" 10/VINGFEATURES  Maxiturn "front cap and radius frame with Hitch Vision" 10/VINGFEATURES  Maxiturn "front cap and radius frame with Hitch Vision" 10/VINGFEATURES  Maxiturn "front cap and radius frame with Hitch Vision" 10/VINGFEATURES  Maxiturn "front cap and radius frame with Hitch Vision" 10/VINGFEATURES  Maxiturn "front cap and radius frame with Hitch Vision" 10/VINGFEATURES  Maxiturn "front cap and radius frame with Hitch Vision" 10/VINGFEATURES  Maxiturn "front cap and radius frame with Hitch Vision" 10/VINGFEATURES  Maxiturn "front cap and radius frame with Hitch Vision" 10/VINGFEATURES  Maxiturn "f	60 AMP converter with charge wizard technology	•
Roof rafters Welded aluminum framed walls and floors Laminated sidewalls with dual layered luan and metal backing strips to anchor interior cabinets Seamless 5/8" thick floor decking Powder coated 10" steel I-beam frame (305, 310, 320, 321, 344, 345, 330, 331) Powder coated 12" steel I-beam frame (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385) Seamless roto-cast holding tanks Double insulated rear wall  FOUR SEASONS FEATURES 33,000 BTU furnace  3"x 14" in-floor straight line heat duct system 15,000 BTU ducted air conditioner, bedroom 15,000 BTU Whisper Quiet main air conditioner system, living room 16,500 BTU heat pump on main air conditioner Insulated and poproved for 0 degree usage Invo attic vents for cross ventilation R-28 equivalent insulated floor R-21 equivalent insulated floor R-21 equivalent insulated Side out floors R-11 equivalent insulated Side out floors R-11 equivalent insulated Side out floors R-12 equivalent insulated Side out floors R-14 equivalent insulated Side out floors R-15 equivalent insulated Side out floors R-16 equivalent insulated Side out floors R-17 equivalent insulated Side out floors R-18 equivalent insulated Side out floors R-19 equivalent insulated Side out floors R-10 equivalent insulated Side out floors R-18 equivalent insulated Side out floors R-19 equivalent insulated Side out floors R-10 equivalent insulated Side Side Side Side Side Side Side Si	CONSTRUCTION FEATURES	
Welded aluminum framed walls and floors Laminated sidewalls with dual layered luan and metal backing strips to anchor interior cabinets Seamless 5/8" thick floor decking Prowder coated 10" steel I-beam frame (305, 310, 320, 321, 344, 345, 330, 331) Prowder coated 12" steel I-beam frame (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385) Seamless roto-cast holding tanks Double insulated rear wall  ### FOUR SEASONS FEATURES  35,000 BTU Furnace  ### 15,000 BTU Whisper Quiet main air conditioner system  15,000 BTU Whisper Quiet main air conditioner system, living room  ### 16,500 BTU heat pump on main air conditioner  ### 18 equivalent insulated floor  ### 21 equivalent insulated floor  ### 21 equivalent insulated floor  ### 21 equivalent insulated side out floors  ### 18 equivalent insulated side walls  ### 18 insulated and heated holding tanks and dump valves  ### Enclosed and heated low point drains  ### 12 electric tank heaters, all tanks  Ceiling fan (n/a 372rd, 373rd)  ### 34" Led fireplace that can heat \$00 sq. ft. (\$100 BTU)  ### 17 IOWING FEATURES  ### MaxTurn" front cap and radius frame with Hitch Vision"  ### Hitch Vision" Mirror  ### Road Armor" suspension (380/38ITH: Trail Air suspension)  ### Road Armor" Suspension (380/38ITH: Trail Air suspension)  ### Road Armor" King Pin  ### Backup camera prep  ### F-range tires with 5-year manufacturer warranty  ### 16" 8- Lug aluminum wheels (110 PS)  ### 100 Ib. Dexter" F-Z Lube" axles with self-adjusting brakes (305, 310, 320, 321, 344, 345, 330, 331)  ### 7000 Ib. Dexter" F-Z Lube" axles with self-adjusting brakes (305, 310, 320, 321, 344, 345, 330, 331)  ### 7000 Ib. Dexter" F-Z Lube" axles with self-adjusting brakes (305, 310, 320, 321, 344, 345, 330, 331)  ### 150 Insulated Scales of the self-adjusting brakes (305, 310, 320, 321, 344, 345, 330, 331)	Unified wiring standard: each wire color-coded and numbered	•
As equivalent insulated floor  R-21 equivalent insulated floor  R-21 equivalent insulated floor  R-21 equivalent insulated floor  R-21 equivalent insulated slow and dump valves  Enclosed and heated holding tanks and dump valves  Enclosed and heated loop off, (5100 BTU)  Towning fan (n/a 372rd, 373rd)  33* (12* electric tank heaters, all tanks  Dethic from "Strong and radius frame with Hitch Vision"  Hitch Vision" Mirror  Road Armor" Suspension (380/381TH: Trail Air suspension)  Road Armor "Suspension (380/381TH: Suspension)  R	Roof rafters	•
Seamless 5/8" thick floor decking Powder coated 10" steel I-beam frame (305, 310, 320, 321, 344, 345, 330, 331) Powder coated 12" steel I-beam frame (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385) Seamless roto-cast holding tanks Double insulated rear wall  FOUR SEASONS FEATURES 35,000 BTU Furnace 3"x 14" in-floor straight line heat duct system 15,000 BTU Whisper Quiet main air conditioner, bedroom 15,000 BTU Whisper Quiet main air conditioner system, living room 16,500 BTU heat pump on main air conditioner 16ested and approved for 0 degree usage 17 In active line sulated floor 18 Part equivalent insulated floor 18 Part equivalent insulated slide out floors 18 Part equivalent insulated slide out floors 19 Part equivalent insulated slide out floors 10 Part equivalent insulated slide out floors 11 Part equivalent insulated slide out floors 12 Part equivalent insulated slide out floors 13 Part equivalent insulated slide out floors 14 Part equivalent insulated slide out floors 15 Part equivalent insulated slide out floors 16 Part equivalent insulated slide out floors 17 Part equivalent insulated slide out floors 18 Part equivalent insulated slide out floors 18 Part equivalent insulated slide out floors 19 Part equivalent insulated slide out	Welded aluminum framed walls and floors	•
Powder coated 10" steel I-beam frame (305, 310, 320, 321, 344, 345, 330, 331)  Prowder coated 12" steel I-beam frame (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)  Seamless roto-cast holding tanks  Double insulated rear wall  FOUR SEASONS FEATURES  35,000 BTU Furnace  3"x 14" in-floor straight line heat duct system  15,000 BTU Whisper Quiet main air conditioner, bedroom  15,000 BTU Whisper Quiet main air conditioner system, living room  16,500 BTU Heat pump on main air conditioner  Tested and approved for 0 degree usage  Two attic vents for cross ventilation  R-38 equivalent insulated floor  R-10 equivalent insulated floor  R-11 equivalent insulated slide out floors  R-11 equivalent insulated slide out floors  R-12 equivalent insulated slide out floors  R-12 equivalent holding tanks and dump valves  Enclosed and heated low point drains  12V electric tank heaters, all tanks  Ceiling fan (n/a 372rd, 373rd)  34" Led fireplace that can heat 500 sq. ft. (5100 BTU)  TOWING FEATURES  MaxTurn" front cap and radius frame with Hitch Vision"  Hitch Vision" Mirror  Road Armor" suspension (380/381TH: Trail Air suspension)  Road Armor" King Pin  Backup camera prep  F-range tires with 5-year manufacturer warranty  16" 8-Lug aluminum wheels (110 PSI)  5000 Ib. Dexter" E-Z Lube" axles with self-adjusting brakes (305, 310, 320, 321, 344, 345, 330, 331)  7000 Ib. Dexter" E-Z Lube" axles with self-adjusting brakes (305, 310, 320, 321, 344, 345, 330, 331)  8000 Ib. Dexter" E-Z Lube" axles with self-adjusting brakes (305, 310, 320, 321, 344, 345, 330, 331)	Laminated sidewalls with dual layered luan and metal backing strips to anchor interior cabinets	•
Powder coated 12" steel I-beam frame (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)  Seamless roto-cast holding tanks  Double insulated rear wall  FOUR SEASONS FEATURES  35,000 BTU Furnace  3"x 14" in-floor straight line heat duct system  15,000 BTU Whisper Quiet main air conditioner, bedroom  16,500 BTU Whisper Quiet main air conditioner system, living room  16,500 BTU Whisper Quiet main air conditioner  Rested and approved for 0 degree usage  Itwo attic vents for cross ventilation  R-38 equivalent insulated floor  R-21 equivalent insulated slide out floors  R-16 equivalent insulated slide out floors  R-17 equivalent insulated slide out floors  R-18 equivalent insulated slide out floors  R-19 equivalent insulated slide out floors  R-19 equivalent insulated slide out floors  R-10 equivalent ins	Seamless 5/8" thick floor decking	•
Seamless roto-cast holding tanks  Double insulated rear wall  FOUR SEASONS FEATURES  35,000 BTU Furnace  3*x 14* in-floor straight line heat duct system 15,000 BTU ducted air conditioner, bedroom 15,000 BTU Whisper Quiet main air conditioner system, living room 16,500 BTU Whisper Quiet main air conditioner 18,300 BTU whisper whith air suplated floor 18,300 BTU whisper whith said whith air suspension whith a	Powder coated 10" steel I-beam frame (305, 310, 320, 321, 344, 345, 330, 331)	•
Double insulated rear wall  FOUR SEASONS FEATURES  35,000 BTU Furnace 37'x 14" in-floor straight line heat duct system 15,000 BTU ducted air conditioner, bedroom 15,000 BTU Whisper Quiet main air conditioner system, living room 16,500 BTU Whisper Quiet main air conditioner 16,500 BTU Whisper Quiet	Powder coated 12" steel I-beam frame (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)	•
FOUR SEASONS FEATURES  35,000 BTU Furnace  37'x 14" in-floor straight line heat duct system  15,000 BTU ducted air conditioner, bedroom  15,000 BTU Whisper Quiet main air conditioner system, living room  16,500 BTU Whisper Quiet main air conditioner  16,500 BTU Heat pump on main air conditioner  16,500 BTU whisper Quiet main air conditioner  16,500 BTU whisper Quiet main air conditioner  18,38 equivalent insulated roof  18,38 equivalent insulated floor  18,40 equivalent insulated floor  18,41 equivalent insulated slide out floors  18,42 equivalent insulated slide out floors  18,43 equivalent insulated slide out floors  18,44 equivalent insulated slide out floors  18,44 equivalent insulated slide out floors  18,45 equivalent insulated slide slide slide out floors  18,45 equivalent insulated slide slide slide slide	Seamless roto-cast holding tanks	•
37'x 14" in-floor straight line heat duct system 15,000 BTU ducted air conditioner, bedroom 15,000 BTU Whisper Quiet main air conditioner system, living room 16,500 BTU Whisper Quiet main air conditioner 16,500 BTU Heat pump on main air condit	Double insulated rearwall	•
15,000 BTU ducted air conditioner, bedroom 15,000 BTU Whisper Quiet main air conditioner system, living room 16,500 BTU Whisper Quiet main air conditioner 16,500 BTU Heat pump on main air conditioner 17,500 BTU heat pump on main air conditioner 18,500 BTU heat pump on main air conditioner 1	FOUR SEASONS FEATURES	
15,000 BTU ducted air conditioner, bedroom 16,500 BTU Whisper Quiet main air conditioner system, living room 16,500 BTU Heat pump on main air conditioner 16ested and approved for 0 degree usage 16ested and insulated floor 16ested and insulated floor 16ested and heated insulated slide out floors 16ested and heated holding tanks and dump valves 16ested and heated holding tanks and dump valves 16ested and heated low point drains 16ested and heated low point drains 16ested and neates, all tanks 16ested and neates,	35,000 BTU Furnace	
15,000 BTU Whisper Quiet main air conditioner system, living room 16,500 BTU heat pump on main air conditioner 16,500 BTU heat pump on main air conditioner 18	3"x 14" in-floor straight line heat duct system	
Tested and approved for 0 degree usage Two attic vents for cross ventilation R-38 equivalent insulated roof R-21 equivalent insulated floor R-15 equivalent insulated slide out floors R-16 equivalent insulated slide out floors R-17 equivalent insulated slide out floors R-18 equivalent insulated slide out floors R-19 equivalent insulated slide out floors R-19 equivalent insulated slide out floors R-19 equivalent insulated slide out floors R-10 equivalen	15,000 BTU ducted air conditioner, bedroom	
Tested and approved for 0 degree usage Two attic vents for cross ventilation R-38 equivalent insulated roof R-21 equivalent insulated floor R-15 equivalent insulated slide out floors R-16 equivalent insulated slide out floors R-17 equivalent insulated slide and beated holding tanks and dump valves Enclosed and heated low point drains 12V electric tank heaters, all tanks Ceiling fan (n/a 372rd, 373rd) 34" Led fireplace that can heat 500 sq. ft. (5100 BTU)  TOWING FEATURES  MaxTurn" front cap and radius frame with Hitch Vision" Hitch Vision" Mirror Road Armor" suspension (380/381TH: Trail Air suspension) Road Armor" king Pin Backup camera prep F-range tires with 5-year manufacturer warranty 16" 8-Lug aluminum wheels (110 PSI) 6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331) 7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385) Backup lights	15,000 BTU Whisper Quiet main air conditioner system, living room	
Two attic vents for cross ventilation R-38 equivalent insulated roof R-21 equivalent insulated floor R-15 equivalent insulated slide out floors R-16 equivalent insulated slide out floors R-17 equivalent insulated sidewalls Insulated and heated holding tanks and dump valves Enclosed and heated low point drains 12V electric tank heaters, all tanks Ceiling fan (n/a 372rd, 373rd) 34" Led fireplace that can heat 500 sq. ft. (5100 BTU) TOWING FEATURES  MaxTurn" front cap and radius frame with Hitch Vision" Hitch Vision" Mirror Road Armor" suspension (380/381TH: Trail Air suspension) Road Armor" King Pin Backup camera prep F-range tires with 5-year manufacturer warranty 16" 8-Lug aluminum wheels (110 PSI) 6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331) 7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331) 8ackup lights	16,500 BTU heat pump on main air conditioner	
R-38 equivalent insulated roof R-21 equivalent insulated floor R-15 equivalent insulated slide out floors R-16 equivalent insulated slide out floors R-17 equivalent insulated slide walls Insulated and heated holding tanks and dump valves Enclosed and heated low point drains 12V electric tank heaters, all tanks Ceiling fan (n/a 372rd, 373rd) 34" Led fireplace that can heat 500 sq. ft. (5100 BTU) 10WING FEATURES MaxTurn" front cap and radius frame with Hitch Vision" Hitch Vision" Mirror Road Armor" suspension (380/381TH: Trail Air suspension) Road Armor" King Pin Backup camera prep F-range tires with 5-year manufacturer warranty 16" 8-Lug aluminum wheels (110 PSI) 6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331) 7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331) 8ackup lights	Tested and approved for O degree usage	
R-21 equivalent insulated floor R-15 equivalent insulated slide out floors R-16 equivalent insulated slide out floors R-17 equivalent insulated slide out floors R-18 equivalent insulated slide out floors R-19 equivalent insulated slide out floors R-19 equivalent insulated slide out floors R-10 equivalent insulated slide out floors R-10 equivalent insulated slide out floors R-10 electric tank heaters, all tanks Ceiling fan (n/a 372rd, 373rd) R-10 electric tank heaters, all tanks Ceiling fan (n/a 372rd, 373rd) R-10 electric tank heaters, all tanks Ceiling fan (n/a 372rd, 373rd) R-10 electric tank heaters, all tanks Ceiling fan (n/a 372rd, 373rd) R-10 electric tank heaters, all tanks Ceiling fan (n/a 372rd, 373 and) R-10 electric tank heaters, all tanks Ceiling fan (n/a 372rd, 373, 374, 375, 380, 381, 384, 385) R-10 electric tank heaters, all tanks Ceiling fan (n/a 372rd, 373, 374, 375, 380, 381, 384, 385) R-10 electric tank heaters, all tanks Ceiling fan (n/a 372rd, 373, 374, 375, 380, 381, 384, 385) R-10 electric tank heaters heaters heaters Ceiling fan (n/a 372rd, 373, 374, 375, 380, 381, 384, 385) R-10 electric tank heaters heaters heaters Ceiling fan (n/a 372rd, 373, 374, 375, 380, 381, 384, 385) R-10 electric tank heaters heaters Ceiling fan (n/a 372rd, 373, 374, 375, 380, 381, 384, 385) R-10 electric tank heaters heaters heaters Ceiling fan (n/a 372rd, 373rd) R-10 electric tank heaters heaters Ceiling fan (n/a 372rd, 373rd) R-10 electric tank heaters heaters Ceiling fan (n/a 372rd, 373rd) R-10 electric tank heaters heaters Ceiling fan (n/a 372rd, 373rd) R-10 electric tank heaters heaters Ceiling fan (n/a 372rd, 373rd) R-10 electric tank heaters heaters Ceiling fan (n/a 372rd, 373rd) R-10 electric tank heaters heaters Ceiling fan (n/a 372rd, 373rd) R-10 electric tank heaters heaters Ceiling fan (n/a 372rd, 373rd) R-10 electric tank heaters heaters Ceiling fan (n/a 372rd, 373rd) R-10 electric tank heaters Ceiling fan (n/a 372rd, 373rd) R-10 electric tank heaters Ceiling fan (n/a 372rd, 373rd) R-10 electric ta	Two attic vents for cross ventilation	
R-15 equivalent insulated slide out floors R-16 equivalent insulated sidewalls Insulated and heated holding tanks and dump valves Enclosed and heated low point drains 12V electric tank heaters, all tanks Ceiling fan (n/a 372rd, 373rd) 34" Led fireplace that can heat 500 sq. ft. (5100 BTU)  TOWING FEATURES  MaxTurn" front cap and radius frame with Hitch Vision" Hitch Vision" Mirror Road Armor" suspension (380/381TH: Trail Air suspension) Road Armor" King Pin Backup camera prep F-range tires with 5-year manufacturer warranty 16" 8-Lug aluminum wheels (110 PSI) 6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331) 7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385) Backup lights	R-38 equivalent insulated roof	
Insulated and heated holding tanks and dump valves  Enclosed and heated holding tanks and dump valves  Enclosed and heated low point drains  12V electric tank heaters, all tanks  Ceiling fan (n/a 372rd, 373rd)  34" Led fireplace that can heat 500 sq. ft. (5100 BTU)  TOWING FEATURES  MaxTurn" front cap and radius frame with Hitch Vision"  Hitch Vision" Mirror  Road Armor" suspension (380/381TH: Trail Air suspension)  Road Armor" King Pin  Backup camera prep  F-range tires with 5-year manufacturer warranty  16" 8-Lug aluminum wheels (110 PSI)  6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)  Backup lights	R-21 equivalent insulated floor	
Insulated and heated holding tanks and dump valves  Enclosed and heated low point drains  12V electric tank heaters, all tanks  Ceiling fan (n/a 372rd, 373rd)  34" Led fireplace that can heat 500 sq. ft. (5100 BTU)  TOWING FEATURES  MaxTurn" front cap and radius frame with Hitch Vision"  Hitch Vision" Mirror  Road Armor" suspension (380/381TH: Trail Air suspension)  Road Armor" King Pin  Backup camera prep  F-range tires with 5-year manufacturer warranty  16" 8-Lug aluminum wheels (110 PSI)  6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  8000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  8000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  8000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)	R-15 equivalent insulated slide out floors	
Enclosed and heated low point drains  12V electric tank heaters, all tanks  Ceiling fan (n/a 372rd, 373rd)  34" Led fireplace that can heat 500 sq. ft. (5100 BTU)  TOWING FEATURES  MaxTurn" front cap and radius frame with Hitch Vision"  Hitch Vision" Mirror  Road Armor" suspension (380/381TH: Trail Air suspension)  Road Armor" King Pin  Backup camera prep  F-range tires with 5-year manufacturer warranty  16" 8-Lug aluminum wheels (110 PSI)  6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  8000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  8000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  8000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)	R-11 equivalent insulated sidewalls	
Ceiling fan (n/a 372rd, 373rd)  34" Led fireplace that can heat 500 sq. ft. (5100 BTU)  TOWING FEATURES  MaxTurn" front cap and radius frame with Hitch Vision"  Hitch Vision" Mirror  Road Armor" suspension (380/381TH: Trail Air suspension)  Road Armor" King Pin  Backup camera prep  F-range tires with 5-year manufacturer warranty  16" 8-Lug aluminum wheels (110 PSI)  6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  8000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  8000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  8000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)	Insulated and heated holding tanks and dump valves	
Ceiling fan (n/a 372rd, 373rd)  34" Led fireplace that can heat 500 sq. ft. (5100 BTU)  TOWING FEATURES  MaxTurn" front cap and radius frame with Hitch Vision"  Hitch Vision" Mirror  Road Armor" suspension (380/381TH: Trail Air suspension)  Road Armor" King Pin  Backup camera prep  F-range tires with 5-year manufacturer warranty  16" 8-Lug aluminum wheels (110 PSI)  6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)  Backup lights	Enclosed and heated low point drains	
TOWING FEATURES  MaxTurn" front cap and radius frame with Hitch Vision"  Hitch Vision" Mirror  Road Armor" suspension (380/381TH: Trail Air suspension)  Road Armor" King Pin  Backup camera prep  F-range tires with 5-year manufacturer warranty  16" 8-Lug aluminum wheels (110 PSI)  6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  8000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  8000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  8000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)	12V electric tank heaters, all tanks	
TOWING FEATURES  MaxTurn" front cap and radius frame with Hitch Vision"  Hitch Vision" Mirror  Road Armor" suspension (380/381TH: Trail Air suspension)  Road Armor" King Pin  Backup camera prep  F-range tires with 5-year manufacturer warranty  16" 8-Lug aluminum wheels (110 PSI)  6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)  Backup lights	Ceiling fan (n/a 372rd, 373rd)	
MaxTurn* front cap and radius frame with Hitch Vision* Hitch Vision* Mirror  Road Armor* suspension (380/381TH: Trail Air suspension)  Road Armor* King Pin  Backup camera prep  F-range tires with 5-year manufacturer warranty  16* 8-Lug aluminum wheels (110 PSI)  6000 lb. Dexter* E-Z Lube* axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  7000 lb. Dexter* E-Z Lube* axles with self-adjusting brakes (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)  Backup lights	34" Led fireplace that can heat 500 sq. ft. (5100 BTU)	_
Hitch Vision" Mirror  Road Armor" suspension (380/381TH: Trail Air suspension)  Road Armor" King Pin  Backup camera prep  F-range tires with 5-year manufacturer warranty  16" 8-Lug aluminum wheels (110 PSI)  6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)  Backup lights	TOWING FEATURES	
Road Armor" suspension (380/381TH: Trail Air suspension)  Road Armor" King Pin  Backup camera prep  F-range tires with 5-year manufacturer warranty  16" 8-Lug aluminum wheels (110 PSI)  6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)  Backup lights	MaxTurn™ front cap and radius frame with Hitch Vision™	•
Road Armor* King Pin Backup camera prep F-range tires with 5-year manufacturer warranty  16° 8-Lug aluminum wheels (110 PSI) 6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331) 7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385) Backup lights	Hitch Vision™ Mirror	•
Backup camera prep F-range tires with 5-year manufacturer warranty  16* 8-Lug aluminum wheels (110 PSI)  6000 lb. Dexter* E-Z Lube* axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)  7000 lb. Dexter* E-Z Lube* axles with self-adjusting brakes (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)  Backup lights	Road Armor" suspension (380/381TH: Trail Air suspension)	•
16" 8-Lug aluminum wheels (110 PSI) 6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331) 7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385) Backup lights	Road Armor" King Pin	•
16" 8-Lug aluminum wheels (110 PSI) 6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331) 7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385) Backup lights	Backup camera prep	•
16" 8-Lug aluminum wheels (110 PSI) 6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331) 7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385) Backup lights	F-range tires with 5-year manufacturer warranty	•
7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385) Backup lights	16" 8-Lug aluminum wheels (110 PSI)	•
(362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385) Backup lights	6000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (305, 310,320, 321, 344, 345, 330, 331)	•
	7000 lb. Dexter® E-Z Lube® axles with self-adjusting brakes (362, 364, 365, 372, 373, 374, 375, 380, 381, 384, 385)	•
Under-mount spare tire and carrier	Backup lights	•
	Under-mount spare tire and carrier	

Automotive bannt with two la	yers of clear coat on front cap	(
High-gloss gel coated sidewa	ills and rear wall	-
Tinted safety glass windows		(
Fold-away entry handle		-
Rear roof ladder		(
Slam latch pass-through stor	age compartment doors	(
Extra large (30" wide by 78" t	all) entry door with friction hinge	4
Enormous drop frame pass th	rough-storage compartment	4
MORryde® Step Above™ entry :	steps with strut assist	4
Motion sensor LED lights in p	ass-through storage compartment	4
Motion sensor LED lights in to	y hauler garage	4
LPG quick connect for accessorie	es	-
EASY SET UP FEATURES		
Dometic* 12V electric patio av	wning with LED lights and power channel	-
Heated central exterior water	r and convenience center	-
- Easy winterization kit - Water heater bypass - Power tank fill - Enclosed low point drains - Battery disconnect - Cable/satellite hook-ups - 12V light - Furrion® solar charging pr		
OPTIONS		
<ul> <li>Free standing dinette with Exterior Options</li> <li>4 Point electric automatic</li> </ul>	ensor in bathroom ensor in rear bathroom (362, 364, 365) .4 chairs leveling system, mandatory (305, 310, 320, 321, 344, 345, 330, 331) leveling system, mandatory (362, 364, 365, 372, 373, 374, 375, 380, 381, 384 ows e 5 KW specifications) / LP generator	, 385)



