





















169RSK

176QBHK



LENGTH 23' 6" 22' 11" 22' 9" 21' 8" 22' 11" 22' 6" 21' 8" HEIGHT TBD 10' 4" 10' 4" 10' 4" 10' 4" 10' 4" 10' 2" 10' 2" HITCH WEIGHT 508 lb. 555 lb. 445 lb. 520 lb. 430 lb. 465 lb. 440 lb. UVW 3,691 4,024 lb. 3,819 lb. 3,944 lb. 3,749 lb. 3,219 lb. 3,204 lb. CCC 1,217 931 lb. 1,026 lb. 976 lb. 1,081 lb. 1,646 lb. 1,636 lb. FRESH WATER 39 gal. 43 gal. 43 gal. 43 gal. 43 gal. 43 gal. 43 gal. 30 g		HATTER TO THE REST OF THE REST		A CONTRACTOR OF THE PARTY OF TH			Mary State of the		
HEIGHT TBD 10' 4" 10' 4" 10' 4" 10' 4" 10' 2" 10' 2" HITCH WEIGHT 508 lb. 555 lb. 445 lb. 520 lb. 430 lb. 465 lb. 440 lb. UVW 3,691 4,024 lb. 3,819 lb. 3,944 lb. 3,749 lb. 3,219 lb. 3,204 lb. CCC 1,217 931 lb. 1,026 lb. 976 lb. 1,081 lb. 1,646 lb. 1,636 lb. FRESH WATER 39 gal. 43 gal. 30 gal.			161QK	169RSK	170SS	176QBHK	178BHSK	179DBK	181RT
HITCH WEIGHT 508 lb. 555 lb. 445 lb. 520 lb. 430 lb. 465 lb. 440 lb. UVW 3,691 4,024 lb. 3,819 lb. 3,944 lb. 3,749 lb. 3,219 lb. 3,204 lb. CCC 1,217 931 lb. 1,026 lb. 976 lb. 1,081 lb. 1,646 lb. 1,636 lb. FRESH WATER 39 gal. 43 gal. 30 gal.	STATE OF	LENGTH	23′ 6″	22' 11"	22' 9"	21′ 8″	22' 11"	22′ 6″	21′ 8″
UVW 3,691 4,024 lb. 3,819 lb. 3,944 lb. 3,749 lb. 3,219 lb. 3,204 lb. CCC 1,217 931 lb. 1,026 lb. 976 lb. 1,081 lb. 1,646 lb. 1,636 lb. FRESH WATER 39 gal. 43 gal. 30 gal.	用の数	HEIGHT	TBD	10′ 4″	10′ 4″	10′ 4″	10′ 4″	10′ 2″	10′ 2″
CCC 1,217 931 lb. 1,026 lb. 976 lb. 1,081 lb. 1,646 lb. 1,636 lb. FRESH WATER 39 gal. 43 gal. 30 gal. <t< th=""><th>の一個で</th><th>HITCH WEIGHT</th><th>508 lb.</th><th>555 lb.</th><th>445 lb.</th><th>520 lb.</th><th>430 lb.</th><th>465 lb.</th><th>440 lb.</th></t<>	の一個で	HITCH WEIGHT	508 lb.	555 lb.	445 lb.	520 lb.	430 lb.	465 lb.	440 lb.
FRESH WATER 39 gal. 43 gal. 30 gal. <th></th> <th>UVW</th> <th>3,691</th> <th>4,024 lb.</th> <th>3,819 lb.</th> <th>3,944 lb.</th> <th>3,749 lb.</th> <th>3,219 lb.</th> <th>3,204 lb.</th>		UVW	3,691	4,024 lb.	3,819 lb.	3,944 lb.	3,749 lb.	3,219 lb.	3,204 lb.
GRAY WATER 40 gal. 30 gal.		ССС	1,217	931 lb.	1,026 lb.	976 lb.	1,081 lb.	1,646 lb.	1,636 lb.
BLACK WATER 40 gal. 30 gal. 30 gal. 30 gal. 30 gal. 30 gal. 30 gal.		FRESH WATER	39 gal.	43 gal.	43 gal.	43 gal.	43 gal.	43 gal.	43 gal.
		GRAY WATER	40 gal.	30 gal.	30 gal.	30 gal.	30 gal.	30 gal.	30 gal.
AWNING 15' 15' 12' 15' 12' 13' 12'		BLACK WATER	40 gal.	30 gal.	30 gal.	30 gal.	30 gal.	30 gal.	30 gal.
		AWNING	15′	15′	12'	15′	12'	13′	12'









220BHXL

















Let's Get Social! Find us on Facebook, Instagram, and YouTube

240BHXL





260RTK

		210RBXL	211SSXL	220BHXL	240BHXL	243BHXL	251SSXL	253RKXL	260RTK	263BHXL	273QBXL	28VBXL
	LENGTH	25′ 2″	27′ 5″	27′ 8″	28' 10"	28′ 2″	29′ 5″	29′ 1″	28′ 8″	31′ 11″	33′ 8″	33′ 4″
B	HEIGHT	10′ 3″	11' 8"	10′ 3″	10′ 4″	10′ 1″	11' 8"	11′ 3″	10′ 6″	10′ 3″	10′ 3″	10′ 4″
	HITCH WEIGHT	500 lb.	740 lb.	602 lb.	570 lb.	566 lb.	746 lb.	578 lb.	650 lb.	736 lb.	752 lb.	828 lb.
	UVW	4,830 lb.	5,262 lb.	4,800 lb.	5,343 lb.	5,492 lb.	5,664 lb.	5,794 lb.	5,276 lb.	6,406 lb.	6,550 lb.	6,486 lb.
	ccc	2,670 lb.	3,278 lb.	2,802 lb.	2,227 lb.	2,074 lb.	2,882 lb.	1,784	3,174 lb.	1,330 lb.	2,002 lb.	2,142 lb.
	FRESH WATER	61 gal.	61 gal.	42 gal.	40 gal.	61 gal.	61 gal.	61 gal.	42 gal.	61 gal.	61 gal.	61 gal.
	GRAY WATER	42 gal.	28 gal.	60 gal.	30 gal.	60 gal.	26 gal.	66 gal.	28 gal.	74 gal.	32 gal.	32 gal.
を	BLACK WATER	32 gal.	32 gal.	32 gal.	30 gal.	32 gal.	32 gal.	42 gal.	32 gal.	32 gal.	42 gal.	42 gal.
	AWNING	14′	18'	12'	18'	12'	18'	16′	15′	16′	16′	16′









	22RBS	26DBUD	29VBUD	
LENGTH	27' 0"	33' 9"	36' 0"	
HEIGHT	11' 2"	11' 2"	11' 2"	
HITCH WEIGHT	771 lb.	824 lb.	805 lb.	
UVW	5,647 lb.	6,988 lb.	7,397 lb.	
CCC	2,124 lb.	2,636 lb.	2,208 lb.	
FRESH WATER	61 gal.	61 gal.	61 gal.	
GRAY WATER	64 gal.	75 gal.	75 gal.	
BLACK WATER	32 gal.	32 gal.	32 gal.	
AWNING	16'	18'	18'	



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

CUSTOMER SATISFACTION

FOREST RIVER encourages you to BUY LOCAL

www.ForestRiverBuyLocal.com

Download our Forest River mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Forest River product.


Ranging from "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/OnlineManual or download our FREE app from the App Store or Google Play!







www.forestriverfrog.com



GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty black and gray tanks for more cargo capacity.

*Estimated Average based on standard build optional equipment. ** Estimated average based on standard build optional equipment. Values estimated at time of printing

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

©2023 Wildwood, a division of Forest River Inc., a Berkshire Hathaway company.



Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE

TOWING JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT SERVICE

WINCH-OUT MOBILE MECHANIC **TECHNICAL** SUPPORT DEALER LOCATOR **SERVICES**



VALID FOR 1 YEAR FROM DATE OF PURCHASE