



NORTHWOOD

NASH



30 YEARS OF QUALITY

**ABSOLUTE NORTHWOOD:
WHERE OUR QUALITY BEGINS**

**INTERIOR COLORS
FOR 2024**



Our Commitment to:
**QUALITY
STRENGTH
DURABILITY**

Loaded with ALL these Standard Features

- Shock Absorbers
- Certified Off-Road Chassis
- TG Plywood Floor Decking
- Plywood Roof Decking
- Heavy Gauge One Piece Roof Membrane
- ...plus these amenities...
- 12 Volt LED Power Awning
- Rear Receiver Hitch
- 10 Gallon Water Heater
- Generator Ready...

...and these Absolute Northwood Features

- LED Lighting Inside and Out
- Bonded Northwood Roof Truss System
- Residential Quality Face-Frame
- Custom Built Cabinetry
- All Conditions-Insulated & Heated Holding Tanks & Valves
- Heavy Gauge, Fully Welded, Thick Wall Aluminum Frame
- Solid Fill - Full Thread Depth Anchor Blocking
- Virgin 2lb. Rigid Dense Block Foam Insulation
- One Piece Fiberglass Exterior Wall
- Cathedral Arched Ceiling

...STANDARD ON EVERY NASH!



**NASH 24M
ELEGANT TRUFFLE**



**NASH 24B
EARLY AUTUMN**

BUILT OFF ROAD TOUGH

ALUMINUM SUPERSTRUCTURE

ROOF

✓ FULL WALK ON ROOF WITH BONDED ROOF TRUSS SYSTEM
CATHEDRAL ARCHED CEILING

FRAME

✓ HEAVY GAUGE FULLY WELDED ALUMINUM SUPERSTRUCTURE

FLOORS

✓ COMMERCIAL GRADE LINOLEUM, FULLY INSULATED TONGUE AND GROOVE PLYWOOD (NOT CHIPBOARD)

SLIDE OUTS


✓ 4 SEALS, SCHWINTEC INSULATED, CROSS VENTILATING WINDOWS

CHASSIS

✓ CUSTOM BUILT, INDEPENDENTLY TESTED & CERTIFIED

CABINETS

✓ WALL & CEILING MOUNTED, FACE FRAME CONSTRUCTION



A. NORTHWOOD ROOF TRUSS SYSTEM

- 1 Heavy Gauge One Piece Roof Membrane
- 2 3/8" Plywood Sheathing (Bonded to Trusses)
- 3 R-15 Reflective 'Arctic' Foil Insulation
- 4 R-14 Dual Layer Fiberglass Insulation
- 5 Cathedral Arched Roof Trusses (More overhead space)
- 6 Interior Lamination Grade Luan Plywood (Bonded to trusses)
- 7 Designer Interior Decor Finish Paneling

B. HIGH DENSITY ONE PIECE LAMINATED WALLS

- 8 Designer Interior Decor Vinyl Finish
- 9 Heavy Gauge Fully Welded Aluminum Superstructure
- 10 Solid Wood Fill - Full Thread Depth Anchor Blocking
- 11 Virgin 2 lb Rigid Dense Block Foam Insulation
- 12 Steel Inlaid Bonderizer Anchor Strips
- 13 Lamination Grade Luan Plywood Exterior Wall Layer
- 14 Corona Treated High Durability Fiberglass Outer Layer

C. ULTIMATE DURABILITY FLOOR STRUCTURE

- 15 Commercial Grade Linoleum with 20 mil Surface
- 16 5/8" T&G Plywood Decking (Not Chipboard)
- 17 R-7 Residential Grade Fiberglass Insulation
- 18 Reinforced Woven Highway Moisture Barrier

D. DUAL RACK & PINION RAM MAIN SLIDE ROOM

- 19 4 Seal System w/ Inner & Outer Bulb Seal
- 20 ...including Wiper Seal for Continual Seal (Any Position)
- 21 ...and Outer Bulb Seals

E. CHASSIS

- 22 Independently Certified Custom Built Northwood Chassis
- 23 R-7 Residential Quality Formaldehyde Free Fiberglass Insulation
- 24 Corrugated Underbelly Panels
- 25 Heated and Insulated Large Capacity Holding Tanks
- 26 Easy Lube Axles and Shock Absorbers
- 27 Heavy Duty Radial Tires
- 28 Sealed All Metal Heat Ducts

MORE ABSOLUTE NORTHWOOD QUALITY FEATURES

- 29 All Foam Condensation Resistant A/C Ducts
- 30 Large Bath Skylight
- 31 Hi Output Roof Mount A/C
- 32 Roto Molded High Durability Wheel Skirts
- 33 Diamond Scored Sidewall Skirts (Some Models)
- 34 Diamond Plate Gravel Guard


Our Northwood Built Chassis are Independently Tested & Certified by Pacific West Associates, Inc.









23D EARLY AUTUMN









25DS




EARLY AUTUMN



29S

EARLY AUTUMN



WHAT IS ABSOLUTE NORTHWOOD?

CHASSIS

✓ Custom Built, Independently Tested & Certified

FRAME

✓ Fully Welded Aluminum Superstructure

ROOF

✓ Full Walk On, Bonded Roof Truss System

CABINETS

✓ Wall & Ceiling Mounted, Face Frame Construction

INSULATION

✓ A True 4 Season Coach




Our Commitment to
QUALITY
STRENGTH
DURABILITY

When you purchase a Nash, you are investing in the best quality materials, construction and craftsmanship. That is why the resale value in a Nash remains higher, and your investment retains its value longer. If you ever decide to trade in your Nash, you will get top dollar. That is why you don't see many used Nash trailers on the market, folks buy them up as quickly as they become available because Nash trailers have a reputation for durability and longevity.

SOLID CORE ANCHOR BLOCKING UTILIZING EVERY THREAD

At all critical anchor points, we include solid fill anchor blocking so all the threads of the fasteners anchor securely and completely.



RESIDENTIAL QUALITY CUSTOM BUILT CABINERY

Our cabinetry is built w/solid wood doors, built with residential face frame construction methods. Drawers slide effortlessly on heavy gauge roller bearing drawer glides.



ELECTRICAL FEATURES LED LIGHTS & SURGE TESTS

You will find energy efficient LED lighting both inside and out. Additionally, our 110V systems are surge tested multiple times with 1080 volts and the 12V systems are surge tested with 600 volts.



THICK WALL ALUMINUM FRAME

ALUMINUM SUPERSTRUCTURE

Aircraft Grade Tubing Up to 1/8" Thick .125"-.060" Thick frame with fully welded heavy gauge, thick wall aluminum tubing.



ALL CONDITIONS

4 SEASON COACH

WARM AIR AROUND TANKS

Heated enclosed holding tanks & dump valves. Designed for cold northern climates.



HEATED HOLDING TANK AREA



NORTHWOOD ROOF TRUSS SYSTEM

FULL WALK-ON ROOF

GLUE BONDED STRUCTURE

- * Exterior marine grade decking
- * One piece heavy gauge membrane.
- * Fully bonded ceiling, trusses and roof sheathing.
- * Trusses w/ 5-1/2 inch height for plenty of runoff slope.



UP TO 4" OF EXTRA HEADROOM

CERTIFIED

OFF-ROAD CHASSIS

WE BUILD OUR OWN!

We are one of the few manufacturers who build their own chassis. The name NORTHWOOD is known throughout the industry for quality chassis and we certify ours through an independent testing lab.



ARE YOU READY TO GO OTG?




NASH



OFF THE GRID

UPGRADED PACKAGE

THE OTG PACKAGE INCLUDES ALL OF THESE ITEMS:



NEW!
SolX 6 Solar Package



Custom
OTG Graphics



10 Gallon
LP Tanks



Safari Tuff LP Rack
w/ LED Light Bar



12 Volt Awning w/
FLXguard & RGB LED
Lights


Coleman
Mach Power
Saver A/C



Dexter E-Z Flex
Equalizers and
KYB Shocks



Custom OTG
Interior Badging



Off-Road
Knobby Tires



Custom Rims
w/ OTG
Center Cap



Rear LED Light Bar

GO FARTHER, GO LONGER, GO OTG!



PHOTO BY GLEN AND ANGELA



PHOTO BY JESSE



PHOTO BY JESSE



JOSE AND CHISTELLA IN THEIR NASH 24M!



PHOTO BY THE ALLAN FAMILY



PHOTO SUBMITTED BY L. DUNCAN

ALL CONDITIONS/FOUR SEASONS

Cozy camping in the Nash 25C 4-Season Trailer. When it was time for an upgrade for the Allan family of Calgary, they didn't hesitate to upgrade to Northwood's biggest bunkhouse trailer, the Nash 29S. Submitted by: The Allan Family



PHOTO BY FONDA W.

QUALITY CONSTRUCTION CAN BE A LIFE SAVER!

This picture was sent in to Northwood by a repeat customer who lived in her 17K near Portland, OR. Due to excessive snow load, this tree uprooted and landed on her trailer while she was asleep inside!!! Fortunately, we build Nash Trailers with 16" on center, select quality studs and quality plywood (instead of OSB board and 24" OC framing). If this had been a lesser quality trailer, it could have turned out much worse!!! Fonda said she was so impressed with Northwood quality that she just bought a brand new 2019 Arctic Fox 22G." Submitted by: Fonda W.

Memorial day weekend in Central Oregon. Maiden voyage in our new 24M. Same Northwood quality as our 22H was, but with extra space for the kids.
Submitted by: Andy Suing



We absolutely love our Nash! This is our second travel trailer (first one being another brand) and switching to Northwood made everything about camping in Montana more enjoyable! Your company is Awesome keep up the good work!
Submitted by: Steven Thompson



We just purchased a new 2018 Nash 26N. Like the Johnny Horton song says "North to Alaska" we brought it home from WA to AK. This trailer is exactly what we were looking for. We bought it sight unseen and absolutely love it!
Submitted by: Eric Lucas



Thought I would send in a pic of my 2015 17k after an early snowstorm in McLean Creek Alberta. Trailer performed great as usual.
Submitted by: Alex Morgan



30 YEARS OF QUALITY

STANDARD CONSTRUCTION FEATURES

Northwood Built, Independently Certified, Off-Road Chassis
 Fully Welded, Thick-Wall Aluminum Frame Construction
 Corona Treated Fiberglass
 Laminated, Multi-Layered Substrate Walls & Floor
 High Density Block Foam Insulation
 Cathedral Arched Ceiling
 E-Z Lube Axles
 15" Aluminum Wheels / Tires & White Mod Spare
 Shocks On All Four Wheels
 12-Volt Power Tongue Jack / Manual Stabilizer Jacks
 Easy Access LP Cover
 4" Sewer Hose Carrier Bumper
 All-Conditions/Four Seasons Insulation With R-14 Ceiling
 R-15 Reflective Foil Insulation in Roof
 Heated and Enclosed Tanks
 Aerodynamic Front Fiberglass Cap w/ Diamond Plate Gravel Guard
 Dinette Slide (18FM, 23D, 24B, 25DS, 29S)
 Sofa Slide (24M, 29S)
 Second Entry (24M, 25DS, 29S)

STANDARD EXTERIOR FEATURES

Thermal Pane Windows / Rear View Camera Ready
 Exterior HD Ladder / Exterior Marine Grade Speakers
 Pass Thru Storage w/Independently Switched LED Light
 LPG Quick Connect & Black Water Flush System
 Large Exterior Entry Grab Handle / Entry Door Friction Hinge
 Exterior Shower
 10 Gal DSI Gas/Elect Quick Recovery Water Heater
 13.5m BTU Air Conditioner w/Condensation-Resistant Ducting
 Charge Wizard / Digital Thermostat
 12V LED Awning w/Adjustable Pitch
 Omni-Directional TV Antenna/Battery Disconnect
 SolX 4 - 400 Watt Solar Package
 Generator Ready / Satellite Ready
 2" Rear Receiver Hitch

STANDARD INTERIOR FEATURES

LED Interior Utility & Decorative Lighting
 Interior Command Center / NW Logo Cutting Board-Backsplash
 Roller Bearing Drawer Glides
 Fabric Night Shade Window Treatments
 AM/FM Stereo w/Bluetooth
 Smoke, LPG & CO Leak Detectors
 Custom Nash Signature Key Rack
 Jackknife Sofa (24M, 25DS, 29S)
 Booth Dinette (17K, 24M, 25DS)
 U-shaped Dinette (18FM, 23D, 29S)
 Custom One Piece Formed Countertops & Dinette Table



STANDARD KITCHEN FEATURES

High Output 3-Burner Range & Cover
 10 Cubic Foot 12 Volt Stainless Steel Refrigerator
 Stainless Steel Sink/Sink Cover/Cutting Board

STANDARD BATHROOM FEATURES

Porcelain, Foot-Pedal Toilet / Bath Skylight
 Brushed Nickel Shower Screen
 Full Tub (18FM, 24B, 29S)
 Shower Pan (17K, 23D, 24M & 25DS)

STANDARD BEDROOM FEATURES

Double Over Double Bunkhouse (24B, 29S)
 NW TruRest Queen Mattress w/ Bedspread
 Below Bed Storage
 USB Charging Ports & 110 Outlets on Both Sides of Bed
 Recessed Storage Headboard

OPTIONS

Premium Fan Vent - Bedroom
 Premium Fan Vent - Bathroom
 Premium Fan Vent - Kitchen
 Holding Tank Heat Pads (All Tanks)
 Slide Out Topper (18FM, 23D, 24M, 24B, 29S)
 24" 12v LED TV (23D)
 32" 12v LED TV (17k, 18FM, 24B, 24M, 25DS, 29S)
 15K Air Conditioner w/ Ducting (23D, 24M, 25DS, 29S)
 Gateway Router
 2.5 Onan LP Generator & 11K Power Saver A/C (17K, 18FM)
 3.6 Onan LP Generator (23D, 24B, 24M, 25DS, 29S)
 11K Pwr Saver A/C (use w/2.5 gen)(17K, 18FM)
 SolX 6 + 200 Watts of Solar (All)
 SolX 8 + 400 Watts of Solar (23D, 24B, 24M, 25DS, 29S)
 SolX 10 + 600 Watts of Solar (29S)
 Theater Seating 62" (Del. Jackknife) (24M, 25DS)
 RV BBQ
 Rear View Camera
 OTG Package



NASH



STANDARD FEATURES & OPTIONS

CUSTOMER PHOTOS AND TESTIMONIALS DO NOT NECESSARILY REFLECT THE VIEWS OR RECOMMENDATIONS OF NORTHWOOD MANUFACTURING.

Send us your testimonial with your pictures and you may be featured in our future promotions.
 Send your information to:
feedback@northwoodmail.com

Model Number	17K	18FM	23D	24B	24M	25DS	29S
Dry Axle Weight (approx. Lbs.)	4177	5106	5134	5702	5428	6090	6564
Dry Hitch Weight (approx. Lbs.)	589	556	606	758	595	755	796
Net Carrying Capacity	2634	1738	1760	2740	3177	2355	3340
Gross Dry Weight (approx. Lbs.)	4766	5662	5740	6460	6023	6845	7360
Gross Vehicle Weight Rating (GVWR)-Lbs.	7400	7400	7500	9200	9200	9200	10700
Exterior Length (approx. w/hitch)	22' 4"	22' 11"	25' 10"	28' 8"	27' 3"	29' 2"	32' 4"
Exterior Height (approx. incl. AC unit)	11' 1"	11' 6"	11' 6"	11' 6"	11' 6"	11' 6"	11' 6"
Exterior Width (approx. w/o awning)	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"
Tire Size	ST235 80R16	ST235 80R16	ST235 80R16	ST235 80R16	ST235 80R16	ST235 80R16	ST235 80R16
Load Range	E	E	E	E	E	E	E
Fresh Water w/ Water Heater (approx. gal.)	50	50	50	50	50	50	50
Gray Water Tank (approx. gal.)	35	42	42	42	42	40	40
Black Water Tank (approx. gal.)	36	35	35	35	35	35	35
LPG Capacity (approx. gal.)	14	14	14	14	14	14	14
CSA - Canadian Dealers Only	YES	YES	YES	YES	YES	YES	YES
Auto Ignition Furnace (1,000 BTUs)	25	25	25	25	25	25	25

*All dry weights are calculated before adding options. Specifications are subject to change without notice. Verify the towing capacity of your tow vehicle. If you don't know or aren't sure, you can ask your automotive dealership or contact your tow vehicle manufacturer. All weights above are average approximations and may vary.

YOUR LOCAL DEALER:

Updated Nov. 2023

Northwood Manufacturing, 59948 Downs Rd., PO Box 3359, La Grande, OR 97850 (541) 962-6274 - www.northwoodmfg.com

Photos, drawings, dimensions and weights are presented as accurate but may differ from current production models. We continually upgrade & improve our products and reserve the right to change any specifications without notice. Please see your authorized Northwood dealer for updated information.