# FOREST RIVER VISUALIST RIVER OF THE STATE OF THE STATE







#### 22ERAS

UVW	HITCH	CCC	LENGTH	HEIGHT	CAPA	ACITY (	(GAL)
6,196	685	1,489	28' 2"	TBD	40	60	30



UVW	HITCH	CCC	LENGTH	HEIGHT	CAPA	ACITY (	GAL)
5,978	780	1,802	29'7"	10′ 9″	61	64	32



UVW	HITCH	CCC	LENGTH	HEIGHT	CAPA	CAPACITY (GAL	
5,647	771	2,124	27′ 0″	11′ 2″	61	64	32



UVW	HITCH	CCC	LENGTH	HEIGHT	CAPA	CITY (	GAL)
6,988	824	2,636	33' 9"	11' 2"	61	75	32



UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL) <b>50 65 40</b>		
6,704	912	3,295	31′ 2″	11' 0"	50	65	40



			34' 10"		40	60	30
11\/\\/	HITCH	CCC	LENGTH	HEIGHT	CAF	ACITY (	341)







UVW	HITCH	CCC	LENGTH	HEIGHT	CAPA	ACITY (	(GAL)
4,830	500	2,670	25' 2"	10' 8"	61	42	32



UVW	HITCH	CCC	LENGTH	HEIGHT	CAP	ACITY (	GAL)
4,691	563	2,872	27′ 6″	10' 6"	40	64	28



UVW	HITCH	CCC	LENGTH	HEIGHT	CAF	PACITY (0	GAL)	ı
5,063	550	2,487	28' 11"	10′ 5″	40	30	40	k




6,205	781	2,37	29′ 11″	10' 8"	61	64	32
UVW	HITCH	CCC	LENGTH	HEIGHT	CAPA	ACITY (	(GAL)
		11/1/11/11	3116 Al 12	11 11 11			



e110V 00TI					241	BH	
UVW	HITCH	CCC	LENGTH	HEIGHT	CAP	ACITY (	GAL)
5,520	2,090	610	28′ 11″	10′ 8″	39	74	32







		281	/BX	L

UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL)		
6,438	710	2,072	33' 10"	10' 8"	61	32	42





#### **SINGLE AXLE FLOORPLANS**





UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL)			
2,961	340	879	20′ 2″	9′ 4″	39	27	27	





UVW	HITCH	CCC	LENGTH	HEIGHT	CAPACITY (GAL)		
3,530	490	1,360	22' 5"	10' 2"	39	27	27



	REMOVABLE UNDERSELLY PRAISES	PANELS REPEAT	SOLME ETT 200M POWER NV 30 AMP CHARGE		VERSIZED OOR FOR TORAGE ACCESS			
r FLUSH	pors Vansa			The second second		2X GROUP 2 BATTERY TRA	4 OY	
BLACK TANK FLUSH			RECT. DIETE	TIME				
	MIGH CAPACITY AND A STATE OF		COURTERATE	1	VERSIZED OOR FOR FORAGE ACCESS	187	/RB	K
	UVW	HITCH	CCC	LENGTH	HEIGHT	CAP	ACITY (	GAL)
	3,481	387	1,306	22′10″	10′ 2″	39	27	27

### **DOUBLE AXLE FLOORPLANS**







## **TOY HAULERS**





#### **211SSXL**

5,490	678	2,988	27′ 10″	11′ 8″	61	32	32
UVW	HITCH	CCC	LENGTH	HEIGHT	CAPA	CITY (GAL)	



**251SSXL** 

			LENGTH				
5,714	726	2.812	30′1″	11' 8"	61	32	50







#### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

#### **CUSTOMER SATISFACTION**

NOOD ON THE PROPERTY OF THE PR **FOREST RIVER** encourages you to BUY

www.ForestRiverBuyLocal.com

Download our Forest River mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Forest River product.

Ranging from "How-To" videos, pictures and illustrations of various components, systems and features to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/OnlineManual or download our FREE app from the App Store or Google Play!











A Berkshire Hathaway company.

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)\* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. CCC (Cargo Carrying Capacity)\*\* - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable

water (8.3 lbs per gallon). Before filling the fresh water tank, empty black and gray tanks for more cargo capacity. \*Estimated Average based on standard build optional equipment. \*\* Estimated average based on standard build optional equipment. Values estimated at time of printing.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

©2024 Wildwood, a division of Forest River Inc., a Berkshire Hathaway company.

#### 24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE

TOWING JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT SERVICE

WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES



VALID FOR 1 YEAR FROM DATE OF PURCHASE