









large storage area.



# HIT THE ROAD TO ADVENTURE WITH APEX'S LIGHT-WEIGHT TOWABLE RVS













185 BH

186 BH

187 RB







**191 RBS** 

**194 BHS** 







**208 BHS** 

**213 RDS** 

**221 RLS** 



APEX NANO	185 BH	186 BH	187 RB	191 RBS	194 BHS	203 RBK	208 BHS	213 RDS	221 RLS
Hitch Weight	384	432	390	426	454	470	504	494	503
Carrying Capacity	1,234	1,074	1,342	1,114	910	2,084	1,712	1,806	1,806
UVW	3,202	3,597	3,246	3,552	3,784	3,916	4,198	4,115	4,194
GVWR	4,700	4,700	4,700	4,700	4,800	6,000	6,000	6,000	6,000
Ext. Length (Incl. Bumper to Hitch)	20' 7"	22' 11.5"	21' 5"	21' 11"	22' 8"	23' 5"	24' 11"	25' 2"	25' 2"
Ext. Height (Incl. A/C)	9' 10"	9' 9"	9' 10"	9' 10"	9' 10"	9' 11"	9' 11"	9' 11"	9' 11"
Int. Height (Coach)	77"	77"	77"	77"	77"	77"	77"	77"	77"
Awning Length	12'	15'	12'	12'	14'	15'	14'	15'	15'
Fresh Water Capacity (gal.)	52	52	52	52	52	52	52	52	52
Grey Water Capacity (gal.)	27	27	27	27	27	35	35	35	35
Waste Water Capacity (gal.)	27	27	27	27	27	35	35	35	35

Refer to chart descriptions on back cover.







OUR MODERN INTERIORS ARE BEAUTIFULLY PAIRED WITH AN INNOVATIVE USE OF SPACE TO MAKE CAMPING COMFORTABLE AND EASY.
















CAMP KITCHEN

**243 FKS** 



**251 RBK** 



**256 BHS** 



**264 RKS** 



**265 RBSS** 



**266 BHS** 



**284 BHSS** 



**300 BHS** 



Apex 8' WIDES	215 RBK	245 BHS	211 RBS	243 FKS	251 RBK	256 BHS	264 RKS	<b>265 RBSS</b>	266 BHS	<b>284 BHSS</b>	<b>293 RLDS</b>	300 BHS
Hitch Weight	446	578	587	810	570	694	718	734	934	722	832	672
Carrying Capacity	2,135	1,914	1,938	1,654	2,016	2,128	1,618	1,948	1,520	1,578	1,360	1,625
UVW	4,365	4,586	4891	5,906	4,984	5,472	5,982	5,652	6,080	6,017	6,440	5,975
GVWR	6,500	6,500	7,000	7,600	7,000	7,600	7,600	7,600	7,600	7,600	7,800	7,600
Ext. Length (Incl. Bumper to Hitch)	25' 6"	27' 7"	26' 2"	29′ 5"	29'	30' 1"	31' 10"	30' 5"	32' 11"	32' 7"	34'	34' 5"
Ext. Height (Incl. A/C)	10' 2"	10' 2"	10' 5"	10' 7"	10' 1"	10' 5"	10' 4"	10' 6"	10' 5"	10' 7"	10' 7"	10'1"
Int. Height (Coach)	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"
Awning Length	13'	18'	15'	20'	16'	16'	18'	18'	20'	18'	18'	18'
Fresh Water Capacity (gal.)	52	52	50	50	50	50	50	50	50	50	50	50
Grey Water Capacity (gal.)	35	35	35	70	35	70	70	70	35	70	70	35
Waste Water Capacity (gal.)	35	35	35	35	35	35	35	35	35	35	35	35

## **APEX** STANDARDS AND OPTIONS

	UL	NANO
VALUE PACKAGE (MANDATORY)		
Vacuum-bonded Laminated Azdel Fiberglass Sid	dex \	<b>Na</b> lls
Vacuum-bonded Laminated Azdel Fiberglass Re		
Vacuum-bonded Laminated Crowned Roof	Х	Х
Laminate@luminum Framed Floor	Х	Х
Fibeglass Front Cap w/LED Lighting and Window	ΛX	Х
Aluma-cage Construction	Х	Х
Two-Tone White and Grey Fiberglass Exterior Si	dev	valls
Front Stone Guard	Х	Х
Enclosed Underbell Forced Air Heat	Х	SM
Aluminum Wheels	Х	Х
Spage Tire	Х	Х
SlideTopper Prep	Х	
Backup Camera Mount	Х	Х
Power Tongue Jack	Х	
StabilizeJacks (4)	Х	Х
LP Brt	Х	Χ
200Watt Solar Panel w/ 30 AMP Control Charge	rx	Χ
13.5 BU A/C (Ducted on 8' wide)	Х	Χ
Ducted/Dect Vent Furnace (Floor Plan Speci c)	Х	Χ
DSI Gas/Electivater Heater	Х	Χ
Hot/Cold Outside Shower	Х	Χ
BlackTank Flush Kit	Х	Χ
Power Awning w/Lighting	Х	Х
Swing ₩ay Assist Handle	Χ	Χ
Friction Hinge Entrance Door	Х	X
Solid Step	Х	Χ
Slam Latch Baggage <b>Datw</b> hes	Χ	
LED Motion Sensight in Exterior Storage Area	Χ	
Had Valances w/Night Shades Throughout	Χ	Χ
LED Interibighting Throughout	Χ	Χ
Microwave	Χ	Χ
Lighted, Flush-moun Busher High Output Range w/	Ove	en
8 Cu.tF12V Refrigerator	Χ	Χ
Stainless Steel Single Bowly Sihulsh-mount Cover	Χ	Χ
Access DosolUnder Dinette	SM	SM
InteriorConvenience Center	Χ	Χ
DigitaTV Antenna w/Cable Hook-ups and WiFi C	)axp	abxility
USB Chging Station	Χ	Χ
LED TV	Χ	
HideA-Bed Sofa (Deep slides only)	Χ	
Tub Surround	Χ	X
Skylight in Bath	Χ	X
Mattess with Cover	Χ	X

	UL	NANO
INTERIOR ANDODRÉ		
Casino Bisque Cabinetry	Х	Х
Shaker Cabinet Door Frames	Х	Х
Stile and Rail CabinettFConstruction	Х	X
OnePiece Seamless Edge Countertops	Х	X
Residential Style Flooring	X	Χ
Overhead Bedroom Cabinets w/Side Ward		Х
Had Valances w/Night Shades Throughou		Х
Pedestal Dinette Table (Fold Up Table on 2		Х
Lage Oversized Booth or U-shaped Dinett Door Storage Access	te w/Slidii x	ng
Residential Sofa	X	SM
LPLeak Alarm	X	X
Fire Extinguisher	X	X
Smok Alarm	X	X
Carbon Moxide Detector	X	X
Carbon Worlde Detector		^
ELETRICAL / HEATING/AC		
Furnace - Forced Air/Ducts Per Floorplan	Х	Х
13.5 BU A/C (Ducted on 8' wide)	Х	Х
55Amp Power Center with Auto-detect, Lithi	ium-comp	atible
Outside et eptacle GFI	Х	Х
200Watt Solar Panel w/ 30 AMP Control C	Chargerx	Х
Wireless Bluetooth Speaker	Х	Х
Detachable Marine StylePCord	Х	Х
USB Chapers	Х	Х
GALLEY		
8 Cu.tF12V Refrigerator	X	Χ
Residential Style Oven	X	
Flush-mount@urner Stovetop		X
Flush-mount Burner Stovetop	X	
Power LED Lighted Range Hood	Х	
Microwave	X	X
Stainless Steel Single Bowl/Filush-mount	Cover x	Χ
OnePiece Seamless Edge Countertops	X	Х
Matte BladHardware	X	Х
DATIL AND WATER		
BATH AND WATER		
6 Gal. Gas/Electric D <b>\$Vater</b> Heater	Х	Х
Power Bath Vent	Х	Х
Water Heater Bypass Valve	Х	X
OnDemand Water Pump	X	Χ
BelowFloor Low Point Drains	X	X

	UL	NANO
Foot Flush Toilet	Х	X
Tub Surround	Х	Х
Glass Show <b>⊉o</b> or	SM	SM
Hand-cafted Wood Medicine Cabinet	Х	X
EXTERIOR/ CONSTRUCTION		
Aluma-Cage Construction	Х	X
Vacuum-bonded, Aluminum Trussed Roof w/Di		
Cross ex Roof Membrane (R-11 – 7½' wide, R-		
Vacuum-bonded Laminated Azdel Fiberglass Sic	lewal	lsx(R-1
Vacuum-bonded Azdel Fiberglass Rear Wall	Х	X
Laminate luminum Framed Floor (R-11)	Х	X
Comsion Resistant Powder Coated Frame	Х	X
I-beam Chassis Construction	Х	X
Heated and Enclosed Under Fedlyced Air	Х	SM
GutteRail	Х	X
Dual 20 Lb. Tahks w/Cover	Х	X
DuaBattery Tray	Х	X
Solid Step	Х	X
Tinted Safety Glass Radius Windows	Х	X
Radius Eatrice Door w/Window and Friction Hi		X
Dead Bolock	Х	X
Radius Slam Latch Baggage Door	Х	
Break Away Switch	Х	X
Superlibe Axles	Х	X
Radialifes	X	X
Frame Receiver Prep	SM	SM
Battery Disconnect Switch	Х	X
ORTIONS		
OPTIONS		
Frameless Dark Tint Windows	Х	
Stargazer		X
15K BU A/C Upgrade	X	X
50Amp Service w/Second (Forced) 13.5K BTL	JAXC	
12v Heat Pads	014	X
TheateSeating	SM	
Goodyar® All-Terrain Tires		X
Murply Bed		SM
SM = SELECT MODELS		

## **APEX** CONSTRUCTION

Apex features the combination of environmentally friendly Azdel wall boards inside, and out. Using Alumicage Construction maximizes strength while minimizing weight. These Ultralite Travel Trailers are designed for towing by today's half-ton trucks, and SUVs. From 18' to 34'. All units are

available under 6.800 lbs.



#### Fiberalass Front Cap

- · ¾ Front fiberglass cap for superior strength
- · Automotive glass front window with superior UV protection
- · Front stone guard
- · Integrated LED accent lights
- · Vacuum Bonded Sidewalls and Roof
- · Stronger construction
- · Lighter weight





Apex is proud to be one of three products to receive the Emerald Level Certification, the highest rated level possible.

As a Certified Green RV. APEX utilizes effective production techniques in combination with healthy materials, plus efficient usage of energy and water to produce a high quality RV with less environmental impact.

Check us out at: coachmenry.com/travel-trailers/apex







Lower Center of Gravity for Better Towability

### LIGHTWEIGHT **DURABILITY**

**Construction Features** 

Tinted, safety glass windows

Welded aluminum structure.

rear wall, laminated floor

Aluminum reinforced

vacuum-bonded roof

vacuum-bonded sidewalls and

5. Dicor Crossflex roofing membrane

sidewall and rear wall panels

Insulated slam latch doors with magnetic hold-ups (N/A Nanos) 10. Smooth exterior fiberglass skin

11. Aluminum framed openings 12. Fully enclosed, heated underbelly (Double axle models)

13. Fully welded tubular aluminum

15. Residential Style linoleum flooring

16. Powder E-coated, welded I-beam frame with full-depth crossmembers

floor structure

14. Slide system

17. SuperLube axles

18. Radial tires

7. Aerodynamic front profile with fiberalass front cap and integrated window 8. [2] 20 lb. LP tanks

Azdel composite exterior/interior


1. 3M Breathable graphics





the competition, rigid and fully walkable.






#### Six Layer Laminated Floor

- Residential durable insulated floor covering
- Double layer Lauan plywood top decking
- Welded aluminum frame
- Block foam structural insulation
- Lauan plywood bottom decking
- Darco waterproof floor wrap
- Cross member support
- Holding tanks
- Heated and enclosed underbelly (Double axle models)





Welded Aluminum Framing

## **EXPERIENCE** YOUR OWN **ULTRALITE ADVENTURE**

Versatile Apex Travel Trailers provide a perfect home base, wherever the road leads.



#### THE ENTIRE APEX LINEUP IS PERFECT FOR SMALLER TOW VEHICLES.





423 N. Main Street • P.O. Box 30 • Middlebury, IN 46540 To learn more about Coachmen RV and our products and see how Coachmen is making the easy life easier, visit https://coachmenrv.com/travel-trailers/apex-ultra-lite.



YOUR APEX DEALER

#### **Coachmen Interactive Mobile Manuals**

Download your Coachmen mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Coachmen product. Ranging from "How-To" videos, pictures and illustrations of various components, systems and features to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away.







#### 24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE\*

**TOWING** JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT SERVICE

WINCH-OUT MOBILE MECHANIC **TECHNICAL SUPPORT** DEALER LOCATOR SERVICES



\*VALID FOR 1 YEAR FROM DATE OF PURCHASE





www.ForestRiverBuyLocal.com



#### Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR. GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional

ed by a combination of all axles. UVW (Unloaded Vehicle Weight)\* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. \*Estimated average based on standard

equipment and accessories that can be safely support-

build optional equipment. CCC (Cargo Carrying Capacity)\*\* - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and grey tanks to provide for more cargo capacity. \*\*Estimated average based on standard build optional equipment. Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is

applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2021 Apex by Coachmen RV, a Division of Forest River, Inc., a Berkshire Hathaway company. All rights reserved. 12/23 CHM 2258